

Sparepart documentation



TTW 16-115 DEU

Prod. No.: 575573

Product details:

Tray transport trolley, double-walled, insulated
 compartment
 Capacity: 16 Euronorm or Gastronorm
 trays
 insertion: crosswise
 Space between ledges: 115
 mm
 basic model 390239

Spareparts

Image	Code	Name	Quantity in device
	350498	Corpus hinge right cpl., passivated (valid from 03/13/2025)	1.0 Each
	373056	Corner bumper bottom part (valid from 03/13/2025)	1.0 Each
	372932	Corner bumper both sides open (valid from 03/13/2025)	1.0 Each
	373290	Holder for bumper profile L0 526.2 (valid from 03/13/2025)	1.0 Each
	284987	Side wall 2x20°, 1F-U (valid from 03/13/2025)	1.0 Each
	373291	holder for bumper profile L0 632 (valid from 03/13/2025)	1.0 Each
	284989	Shock profile 2x20°, U (valid from 03/13/2025)	1.0 Each




Image	Code	Name	Quantity in device
	<u>284978</u>	handle, not lockable grey (RAL7043) (valid from 03/13/2025)	1.0 Each
	<u>291311</u>	door seal TTW-Relaunch (valid from 03/13/2025)	3.148 Meter
	<u>284998</u>	Plastic locking (valid from 03/13/2025)	1.0 Each
	<u>70914</u>	Allen screw ISO 7380 M5x8 A2 m. FI. (valid from 03/13/2025)	2.0 Each
	<u>373392</u>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 03/13/2025)	2.0 Each
	<u>373393</u>	FIXED WHEEL B-VPP 160R-SG (valid from 03/13/2025)	2.0 Each
	<u>83144</u>	WASHER,BACKING A 8,4DIN 9021 1.4301 (valid from 03/13/2025)	16.0 Each
	<u>81098</u>	Hexagon screw ISO 4017-M8x25 (valid from 03/13/2025)	8.0 Each
	<u>372911</u>	body for push handle holder (valid from 03/13/2025)	2.0 Each
	<u>350519</u>	Tube D28x1-489 Form A (valid from 03/13/2025)	1.0 Each

Image	Code	Name	Quantity in device
	<u>372912</u>	Cover push handle holder right, logo (valid from 03/13/2025)	1.0 Each
	<u>372913</u>	Cover push handle holder left, logo (valid from 03/13/2025)	1.0 Each
	<u>83031</u>	washer A 8.4 DIN 125 brass (valid from 03/13/2025)	8.0 Each
	<u>284979</u>	door lock 2074-U111-IA (valid from 03/13/2025)	2.0 Each
	<u>355603</u>	Stop (valid from 03/13/2025)	2.0 Each
	<u>147251</u>	SPRING,PRESSURE- VD 162 (valid from 03/13/2025)	1.0 Each