

Sparepart documentation



SAG 2

Prod. No.: 362576

Product details:

Food serving trolleys
Made of corrosion-resistant stainless steel
2 individual wells for 2x GN 1/1-200 or its subdivisions
Compartments: 2 compartments, heatable, with 6 pairs of support ledges each for GN 1/1, spacing: 57.5 mm
Wells and compartments that can be regulated and heated separately
Illustration similar

Spareparts

Image	Code	Name	Quantity in device
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	276953	HEATING 250W F. HEATED CABINET (valid from 08/19/2002)	2.0 Each
	105029	Tubular heater 250W 20.21843 230V (valid from 08/19/2002)	1.0 Each
	146902	FIXING COLLAR (valid from 08/19/2002)	2.0 Each
	146506	Glass wool 540x420x20 (valid from 08/19/2002)	3.0 Each
	146505	Glass wool 420x600x20 (valid from 08/19/2002)	2.0 Each
	146497	Glass wool 810x600x20 (valid from 08/19/2002)	1.0 Each
	146508	Glass wool 740x360x20 (valid from 08/19/2002)	1.0 Each
	362582	Door kpl. left (valid from 08/19/2002)	1.0 Each

Image	Code	Name	Quantity in device
	70914	Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 01/31/2018)	1.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 01/31/2018)	1.0 Each
	146516	NUT, ROUNDHEAD- M5 (valid from 01/31/2018)	1.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 08/19/2002)	1.0 Each
	386059	Spacer 5 mm (valid from 08/19/2002)	1.0 Each
	376806	Shell type handle RAL 7043 (valid from 08/19/2002)	1.0 Each
	362583	Door kpl. right (valid from 08/19/2002)	1.0 Each
	146845	Double nipple 1/2" (valid from 09/29/2022)	2.0 Each
	384635	Drain 2x1/1 (valid from 08/19/2002)	1.0 Each
	139861	Ball valve R 1/2" machined (valid from 02/04/2008)	2.0 Each
	128204	Nut, handle socketed ball valve, 139861 (valid from 08/19/2002)	2.0 Each


Image	Code	Name	Quantity in device
	134047	Socket spanner SW 11 (valid from 02/26/2020)	1.0 Each
	384633	Drain bend (valid from 02/04/2020)	2.0 Each
	145411	SCR. CONN PIPEFIX 1/2"-15 NO 19.183.001R (valid from 08/19/2002)	2.0 Each
	146447	RING CONNEC. TYPE 35A MAT. NBR-N 3909-60 (valid from 08/19/2002)	2.0 Each
	146781	Plug SFL18, black (valid from 08/19/2002)	2.0 Each
	297909	Washer valve (valid from 08/19/2002)	2.0 Each
	376894	locking handle gray RAL7043 (valid from 11/14/2002)	2.0 Each
	145288	MATTE,STEINWOLL- 1000X625x20 ALUF.1SEIT. (valid from 06/04/2012)	0.93 Square meter
	146507	Glass wool 265x590x20 (valid from 08/19/2002)	1.0 Each
	106380	Capillary tube controller 27-106°C (valid from 08/19/2002)	2.0 Each
	105899	Thermostat capillar 55.18019.130 35-85°C (valid from 08/19/2002)	2.0 Each
	367982	Heating well, complete, 700 W (valid from 08/19/2002)	2.0 Each


Image	Code	Name	Quantity in device
	<u>105020</u>	PIPE HEATER 20.21719.000 700W 230V (valid from 08/19/2002)	1.0 Each
	<u>294096</u>	SENSOR MOUNTING F.GN (valid from 05/18/2006)	2.0 Each
	<u>106339</u>	Wiring harness SAG 2 basin (valid from 08/19/2002)	1.0 Each
	<u>105895</u>	Wiring harness SAG 2 hot comp. (valid from 08/19/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 10/17/2002)	4.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 08/19/2002)	4.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 08/19/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 08/19/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 08/19/2002)	4.0 Each
	<u>369654</u>	Plug holder universal (valid from 08/19/2002)	1.0 Each
	<u>117766</u>	plastic cover ring for plug holder (valid from 08/19/2002)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 05/10/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>107624</u>	Spiral cable Switzerland 3x1,5 qmm(10A) (valid from 11/02/2020)	1.0 Each
	<u>106947</u>	Spiral cable England 3x1,5 qmm BL-450 (valid from 09/08/2004)	1.0 Each
	<u>106946</u>	Spiral cable Denmark 3x1,5 qmm BL-450 (valid from 09/08/2004)	1.0 Each
	<u>106944</u>	Spiral cable Australia 3x1,5 qmm 10A (valid from 10/22/2014)	1.0 Each
	<u>106943</u>	Spiral cable Switzerland 5x1,5 qmm (valid from 02/10/2005)	1.0 Each
	<u>106945</u>	Spiral cable Australia 3X1,5 qmm 15A (valid from 02/10/2005)	1.0 Each
	<u>106948</u>	Spiral cable CEE 3x1,5 qmm úh.zástr. (valid from 08/27/2007)	1.0 Each
	<u>146529</u>	Hande (valid from 09/08/2004)	1.0 Each
	<u>369991</u>	Adapter for plug holder universal (valid from 09/08/2004)	1.0 Each
	<u>105494</u>	terminal block Wieland KL 24/5 SL (valid from 10/09/2002)	1.0 Each
	<u>105194</u>	fixing clamp H3P-N66-NA (valid from 11/03/2005)	1.0 Each





Image	Code	Name	Quantity in device
	147666	Cable clip 11 Kusto (valid from 11/03/2005)	1.0 Each
	386501	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	382548	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/01/2018)	2.0 Each
	386514	Swivel castor 125 lock, DIN-PL, PA, anti. (valid from 03/01/2018)	2.0 Each
	362534	Cast. whl. 125 lock., DIN PL, CNS (valid from 08/19/2002)	2.0 Each
	362535	Fixed wheel 125 DIN-PL crs. CNS (valid from 08/19/2002)	2.0 Each
	373392	Castor wheel with brake LE-VPP160R-FI-SG (valid from 08/19/2002)	2.0 Each
	373393	FIXED WHEEL B-VPP 160R-SG (valid from 08/19/2002)	2.0 Each
	146794	CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 08/19/2002)	2.0 Each






Image	Code	Name	Quantity in device
	<u>146795</u>	FIXED WHEEL BX-VPP 160XR-SG (valid from 08/19/2002)	2.0 Each
	<u>373395</u>	CASTER WHEEL LE-VPP 200R-FI-SG (valid from 08/19/2002)	2.0 Each
	<u>373396</u>	FIXED WHEEL B-VPP 200R-SG- 763618 (valid from 08/19/2002)	2.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	<u>362533</u>	Cast. whl. 125 DIN-PL CNS (valid from 10/16/2002)	2.0 Each
	<u>373991</u>	Cast. whl. w. brake 125 DIN galvanized (valid from 10/24/2002)	2.0 Each
	<u>373992</u>	Cast. whl. 125 DIN galvanized (valid from 10/24/2002)	2.0 Each
	<u>146793</u>	CASTER WHEEL LEX-VPP 160XR-SG (valid from 08/03/2006)	2.0 Each
	<u>371214</u>	cator wheel L-RD 162R-VLI-SG, AIRID. (valid from 02/22/2018)	2.0 Each

Image	Code	Name	Quantity in device
	<u>371215</u>	Castor wheel L-RD 162R-FI-VLI-SG, AIRID. (valid from 02/22/2018)	2.0 Each
	<u>371216</u>	Fixed wheel B-RD 162R-VLI-SG, AIRID. (valid from 02/22/2018)	2.0 Each
	<u>367443</u>	CNS direction locking system RI-03.03-KX (valid from 08/03/2006)	2.0 Each
	<u>376812</u>	Corner guard closed RAL7043 (valid from 08/19/2002)	4.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 08/19/2002)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCR.W. 4.2 (valid from 08/19/2002)	12.0 Each
	<u>376813</u>	Corner guard 2-s open RAL7043 (valid from 10/02/2002)	4.0 Each
	<u>376902</u>	CAP, COVER 9RD TRAFFIC GRAY B RAL7043 (valid from 10/02/2002)	10.0 Each
	<u>376818</u>	Sidebar guard L 635 (valid from 10/02/2002)	2.0 Each
	<u>376816</u>	Sidebar guard L 422 (valid from 10/02/2002)	2.0 Each
	<u>376814</u>	Corner guard 1-s open RAL7043 (valid from 10/02/2002)	4.0 Each



Image	Code	Name	Quantity in device
	363258	Tube D32x1,5-612 (valid from 09/16/2002)	1.0 Each
	376808	Push-handle holder right RAL7043 (valid from 09/16/2002)	1.0 Each
	376809	Push-handle holder left RAL7043 (valid from 09/16/2002)	1.0 Each
	81320	Tapping screw ISO7051-ST4,2x19 (valid from 11/25/2002)	4.0 Each
	376810	Cover for rght. push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	376811	Cover for left push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	295644	Cover cpl. gallery 2x1/1 (valid from 11/13/2002)	2.0 Each
	382288	U-profile kpl.right plastic guidance 440 (valid from 05/04/2018)	2.0 Each
	382289	U-profile kpl. left plastic guidance 440 (valid from 05/04/2018)	2.0 Each
	363478	Push handle cpl. sliding cover (valid from 11/13/2002)	2.0 Each
	146849	Grip (valid from 01/22/2003)	1.0 Each
	146851	GUIDE PROFILE FOR SLIDING COVER L=430mm (valid from 11/13/2002)	8.0 Each




Image	Code	Name	Quantity in device
	<u>119697</u>	TAPE TRANSFER FILM (ROLL a 5 M) (valid from 11/13/2002)	1.0 Roll
	<u>376895</u>	Bumper guard sliding cover RAL 7043 (valid from 11/13/2002)	4.0 Each
	<u>83700</u>	PIN, SPRING, 4 X 12 1.4301 (valid from 11/13/2002)	4.0 Each
	<u>381914</u>	Stop for sliding cover (valid from 05/04/2018)	2.0 Each
	<u>364050</u>	Silicone stripper for sliding cover (valid from 11/13/2002)	2.0 Each
	<u>382298</u>	U-profile kpl. right L 440 (valid from 05/04/2018)	2.0 Each
	<u>382299</u>	U-profiel kpl. left L 440 (valid from 05/04/2018)	2.0 Each
	<u>146399</u>	Telescopic slides 2x1/1 (valid from 01/23/2003)	2.0 Pair
	<u>144098</u>	Rubber buffer 12.5 rd form 2492 (valid from 01/10/2003)	4.0 Each
	<u>81293</u>	Pan-head screw M5X3 DIN 923 1.4301 (valid from 01/10/2003)	2.0 Each
	<u>363395</u>	Shelf foldable face side cpl. (valid from 08/19/2002)	1.0 Each
	<u>363394</u>	Shelf foldable lengthwise cpl. 2x1/1 (valid from 08/19/2002)	1.0 Each
	<u>144186</u>	Rubber buffer 4700055 (valid from 03/05/2003)	4.0 Each


Image	Code	Name	Quantity in device
	298405	Tube cover (valid from 11/25/2004)	4.0 Each
	298291	Glass holder (valid from 11/25/2004)	2.0 Each
	298289	Glass holder support (valid from 11/25/2004)	2.0 Each
	298290	Glass holder top (valid from 11/25/2004)	2.0 Each
	146671	Plug glass holder (valid from 06/17/2005)	4.0 Each
	293497	Washer rubber (valid from 11/25/2004)	8.0 Each
	105120	RADIATOR-INFRARED- FSR 250W (valid from 12/15/2004)	2.0 Each
	105301	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 02/10/2005)	0.28 Meter
	105298	CABLE-TEFLON- 3X1,0 TEGL WHITE (valid from 02/10/2005)	3.6 Meter
	106184	Warning sign hot surface (valid from 02/10/2005)	1.0 Each
	144902	PLUG, RIBBED, 32RD BLACK (valid from 11/25/2004)	4.0 Each
	144361	Glass holder (valid from 11/25/2004)	2.0 Each
	384708	Rubber washer (valid from 05/15/2020)	2.0 Each

Image	Code	Name	Quantity in device
	105386	NOZZLE, RUBBER, NO. 4700033 <i>(valid from 11/25/2004)</i>	1.0 Each