

Sparepart documentation



SAW 3 UK

Prod. No.: 364373

Product details:

Food serving trolleys

Made of corrosion-resistant stainless steel

cooling tray for 3x GN 1/1-200 or its subdivisions
Illustration similar

Spareparts



Image	Code	Name	Quantity in device
	149764	Evaporator 3x1/1 R290 Cathaphorese Coat (valid from 10/18/2021)	1.0 Each
	149201	Axial fan 8556 VWU 230V 50/60Hz 12W (valid from 10/18/2021)	1.0 Each
	358978	Protective grid fan (valid from 10/18/2021)	1.0 Each
	267874	Latch (valid from 03/22/2017)	1.0 Each
	291567	Pressure spring D11x1-26 (valid from 03/22/2017)	1.0 Each
	147131	Grip mushroom GN 76-25-M6-D (valid from 03/22/2017)	1.0 Each
	376812	Corner guard closed RAL7043 (valid from 09/02/2016)	4.0 Each




Image	Code	Name	Quantity in device
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 09/02/2016)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 09/02/2016)	12.0 Each
	<u>376813</u>	Corner guard 2-s open RAL7043 (valid from 09/02/2016)	4.0 Each
	<u>376902</u>	CAP, COVER 9RD TRAFFIC GRAY B RAL7043 (valid from 09/02/2016)	10.0 Each
	<u>376820</u>	Sidebar guard L 975 (valid from 09/02/2016)	2.0 Each
	<u>376831</u>	Sidebar guard L 448 (valid from 09/02/2016)	2.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 09/02/2016)	2.0 Each
	<u>386514</u>	Swivel castor 125 lock,DIN-PL,PA, anti. (valid from 09/02/2016)	2.0 Each
	<u>362534</u>	Cast. whl. 125 lock., DIN PL, CNS (valid from 09/02/2016)	2.0 Each





Image	Code	Name	Quantity in device
	<u>368461</u>	Fixed wheel 125 DIN-PL crs. CNS (valid from 09/02/2016)	2.0 Each
	<u>373392</u>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 09/02/2016)	2.0 Each
	<u>373393</u>	FIXED WHEEL B-VPP 160R-SG (valid from 09/02/2016)	2.0 Each
	<u>146794</u>	CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 09/02/2016)	2.0 Each
	<u>146795</u>	FIXED WHEEL BX-VPP 160XR-SG (valid from 09/02/2016)	2.0 Each
	<u>373395</u>	CASTER WHEEL LE-VPP 200R-FI-SG (valid from 09/02/2016)	2.0 Each
	<u>373396</u>	FIXED WHEEL B-VPP 200R-SG- 763618 (valid from 09/02/2016)	2.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each



Image	Code	Name	Quantity in device
	<u>362533</u>	Cast. whl. 125 DIN-PL CNS (valid from 09/02/2016)	2.0 Each
	<u>373991</u>	Cast. whl. w. brake 125 DIN galvanized (valid from 09/02/2016)	2.0 Each
	<u>373992</u>	Cast. whl. 125 DIN galvanized (valid from 09/02/2016)	2.0 Each
	<u>146793</u>	CASTER WHEEL LEX-VPP 160XR-SG (valid from 09/02/2016)	2.0 Each
	<u>371215</u>	Castor wheel L-RD 162R-FI-VLI-SG, AIRID. (valid from 09/02/2016)	2.0 Each
	<u>371216</u>	Fixed wheel B-RD 162R-VLI-SG, AIRID. (valid from 09/02/2016)	2.0 Each
	<u>371214</u>	castor wheel L-RD 162R-VLI-SG, AIRID. (valid from 09/02/2016)	2.0 Each
	<u>363258</u>	Tube D32x1,5-612 (valid from 09/02/2016)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 09/02/2016)	1.0 Each

Image	Code	Name	Quantity in device
	376809	Push-handle holder left RAL7043 (valid from 09/02/2016)	1.0 Each
	81320	Tapping screw ISO7051-ST4,2x19 (valid from 09/02/2016)	4.0 Each
	376810	Cover for right. push hand., grey RAL7043 (valid from 09/02/2016)	1.0 Each
	376811	Cover for left push hand., grey RAL7043 (valid from 09/02/2016)	1.0 Each
	134183	Digital controller SAW 2-UK / SAW 3-UK (valid from 01/01/2022)	1.0 Each
	107662	Power switch bipolar 16A B4MASK-Ser. ATEX (valid from 01/01/2022)	1.0 Each
	369654	Plug holder universal (valid from 09/02/2016)	1.0 Each
	117766	plastic cover ring for plug holder (valid from 10/13/2021)	1.0 Each
	105848	PTC sensor SN6P0150 (valid from 09/02/2016)	1.0 Each
	107649	Spiral cable Europe 3x1,5 qmmst WG (valid from 09/02/2016)	1.0 Each
	107624	Spiral cable Switzerland 3x1,5 qmm(10A) (valid from 09/02/2016)	1.0 Each
	106947	Spiral cable England 3x1,5 qmm BL-450 (valid from 09/02/2016)	1.0 Each



Image	Code	Name	Quantity in device
	<u>149744</u>	Cond. unit Danfoss NL7CNKN0 (114F2505) (valid from 10/21/2021)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 09/02/2016)	1.0 Each
	<u>149758</u>	filter drier Danfoss DML 1.52s 023Z8254 (valid from 01/01/2022)	1.0 Each
	<u>105494</u>	terminal block Wieland KL 24/5 SL (valid from 09/02/2016)	1.0 Each
	<u>107702</u>	Cable gland M20x1.5 BM-22 black (valid from 09/02/2016)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 09/02/2016)	1.0 Each
	<u>105316</u>	CABLE-NYMHY-J 3X1,0 BLACK (valid from 09/02/2016)	2.0 Meter
	<u>144098</u>	Rubber buffer 12.5 rd form 2492 (valid from 09/02/2016)	4.0 Each
	<u>81293</u>	Pan-head screw M5X3 DIN 923 1.4301 (valid from 09/02/2016)	2.0 Each
	<u>363395</u>	Shelf foldable face side cpl. (valid from 09/02/2016)	1.0 Each

Image	Code	Name	Quantity in device
	<u>363392</u>	Shelf foldable lengthwise cpl. 3x1/1 (valid from 09/02/2016)	1.0 Each
	<u>298405</u>	Tube cover (valid from 09/02/2016)	4.0 Each
	<u>298291</u>	Glass holder (valid from 09/02/2016)	2.0 Each
	<u>298289</u>	Glass holder support (valid from 09/02/2016)	2.0 Each
	<u>298290</u>	Glass holder top (valid from 09/02/2016)	2.0 Each
	<u>146671</u>	Plug glass holder (valid from 09/02/2016)	4.0 Each
	<u>293497</u>	Washer rubber (valid from 09/02/2016)	8.0 Each
	<u>144902</u>	PLUG, RIBBED, 32RD BLACK (valid from 09/02/2016)	4.0 Each
	<u>144361</u>	Glass holder (valid from 09/02/2016)	2.0 Each
	<u>384708</u>	Rubber washer (valid from 04/17/2020)	2.0 Each