

Sparepart documentation



RWR 162

Prod. No.: 367609

Product details:

Shelf trolleys
Made of corrosion-resistant stainless steel
Support spacing: 36 pairs 73 mm
Capacity: 36 GN 1/1 or 72 GN 1/2
Load capacity: 200 kg
Synthetic (polyamide) wall guards at all four corners
Illustration similar

Spareparts




Image	Code	Name	Quantity in device
	<u>373989</u>	Cast. whl. 125 lock., DIN pegs, galv. (valid from 01/22/2014)	2.0 Each
	<u>373990</u>	Cast. whl. 125 DIN pegs, galv. (valid from 01/22/2014)	2.0 Each
	<u>362627</u>	Square adapter 22.4 f. DIN pegs, whls. (valid from 05/16/2006)	4.0 Each
	<u>386499</u>	Swivel castor 125 lock., DIN-Pin (gray) (valid from 08/02/2022)	2.0 Each
	<u>386500</u>	Swivel castor 125, DIN-Pin, (gray) (valid from 08/02/2022)	2.0 Each








Image	Code	Name	Quantity in device
	<u>70625</u>	Cast. wl 125 lck., DIN pegs, PA, antist. (valid from 05/16/2006)	1.0 Each
	<u>382558</u>	Cast. wl 125 lck., DIN pegs, PA, antist. (valid from 03/01/2018)	2.0 Each
	<u>386513</u>	Swivel castor 125 lock,DIN-Zpf,PA, anti. (valid from 04/01/2022)	2.0 Each
	<u>146945</u>	CAST. WHL 125 TOT LOCK CNS TPR GL TD. 10 (valid from 05/16/2006)	2.0 Each
	<u>146944</u>	CAST. WHL. 125 G 10x15 CNS (valid from 05/16/2006)	2.0 Each
	<u>144143</u>	PIN,SQ.- 22X22 (valid from 05/16/2006)	4.0 Each
	<u>83070</u>	SPRING WASHER A 10 1.4301 DIN 127 (valid from 05/16/2006)	4.0 Each
	<u>382555</u>	Fixed wheel 125 DIN pegs, PA (gary) (valid from 03/01/2018)	2.0 Each
	<u>146939</u>	FIXED WHEEL 125 CNS TPR GL PL3 (valid from 02/04/2010)	2.0 Each
	<u>373605</u>	Wall guard D100 RAL 7043 (valid from 01/22/2014)	4.0 Each

Image	Code	Name	Quantity in device
	<u>291591</u>	Holder for push handle grey RAL 7043 <i>(valid from 03/26/2014)</i>	2.0 Each