

# Sparepart documentation



## SAG L-3



**Prod. No.:** 380424



### **Product details:**

Food serving trolleys<br>Made of corrosion-resistant stainless steel<br>3 individual wells for 3x GN 1/1-200 or its subdivisions<br>Compartments: 3 compartments, heatable, with 6 pairs of support ledges<br>each for GN 1/1,<br>spacing: 57.5 mm<br>Wells and compartments that can be regulated and heated separately<br>especially for use on a servery counter (push handle and operating modules on the long side)




## Spareparts


| Image | Code                   | Name                                                         | Quantity in device |
|-------|------------------------|--------------------------------------------------------------|--------------------|
|       | <a href="#">276953</a> | HEATING 250W F. HEATED CABINET<br>(valid from 11/02/2016)    | 3.0 Each           |
|       | <a href="#">105029</a> | Tubular heater 250W 20.21843 230V<br>(valid from 11/02/2016) | 1.0 Each           |
|       | <a href="#">146902</a> | FIXING COLLAR<br>(valid from 11/02/2016)                     | 2.0 Each           |
|       | <a href="#">146506</a> | Glass wool 540x420x20<br>(valid from 11/02/2016)             | 2.0 Each           |
|       | <a href="#">146505</a> | Glass wool 420x600x20<br>(valid from 11/02/2016)             | 2.0 Each           |
|       | <a href="#">146503</a> | Glass wool 1150x600x20<br>(valid from 11/02/2016)            | 1.0 Each           |
|       | <a href="#">146504</a> | Glass wool 1080x360x20<br>(valid from 11/02/2016)            | 1.0 Each           |
|       | <a href="#">136020</a> | PLATE, NOISE-SUPPR. 500X190X1,9<br>(valid from 03/02/2017)   | 1.0 Each           |
|       | <a href="#">362582</a> | Door kpl. left<br>(valid from 11/02/2016)                    | 1.0 Each           |



| Image                                                                               | Code                   | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#">83031</a>  | washer A 8.4 DIN 125 brass<br>(valid from 11/02/2016)             | 1.0 Each           |
|    | <a href="#">146516</a> | NUT,ROUNDHEAD- M5<br>(valid from 11/02/2016)                      | 1.0 Each           |
|    | <a href="#">70914</a>  | Allen screw ISO 7380 M5x8 A2 m. Fl.<br>(valid from 11/02/2016)    | 1.0 Each           |
|    | <a href="#">144345</a> | Ball catch IDEAL size III brass 70x13R<br>(valid from 11/02/2016) | 1.0 Each           |
|    | <a href="#">376806</a> | Shell type handle RAL 7043<br>(valid from 11/02/2016)             | 1.0 Each           |
|   | <a href="#">362583</a> | Door kpl. right<br>(valid from 11/02/2016)                        | 1.0 Each           |
|  | <a href="#">362599</a> | Door kpl. middle<br>(valid from 11/02/2016)                       | 1.0 Each           |
|  | <a href="#">146845</a> | Double nipple 1/2"<br>(valid from 09/29/2022)                     | 3.0 Each           |
|  | <a href="#">384634</a> | Drain 3x1/1<br>(valid from 11/02/2016)                            | 1.0 Each           |
|  | <a href="#">384633</a> | Drain bend<br>(valid from 11/02/2016)                             | 3.0 Each           |



| Image                                                                               | Code                          | Name                                                                   | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>145411</u></a> | SCR. CONN PIPEFIX 1/2"-15 NO<br>19.183.001R<br>(valid from 11/02/2016) | 3.0 Each           |
|    | <a href="#"><u>146447</u></a> | RING CONNEC. TYPE 35A MAT. NBR-N<br>3909-60<br>(valid from 11/02/2016) | 3.0 Each           |
|    | <a href="#"><u>146781</u></a> | Plug SFL18, black<br>(valid from 11/02/2016)                           | 3.0 Each           |
|    | <a href="#"><u>297909</u></a> | Washer valve<br>(valid from 11/02/2016)                                | 3.0 Each           |
|    | <a href="#"><u>376894</u></a> | locking handle gray RAL7043<br>(valid from 11/02/2016)                 | 3.0 Each           |
|                                                                                     | <a href="#"><u>145288</u></a> | MATTE,STEINWOLL- 1000X625x20<br>ALUF.1SEIT.<br>(valid from 11/02/2016) | 1.426 Square meter |
|                                                                                     | <a href="#"><u>146507</u></a> | Glass wool 265x590x20<br>(valid from 11/02/2016)                       | 1.0 Each           |
|  | <a href="#"><u>106380</u></a> | Capillary tube controller 27-106°C<br>(valid from 11/02/2016)          | 3.0 Each           |
|  | <a href="#"><u>105899</u></a> | Thermostat capillar 55.18019.130 35-85°C<br>(valid from 11/02/2016)    | 2.0 Each           |
|  | <a href="#"><u>367982</u></a> | Heating well, complete, 700 W<br>(valid from 11/02/2016)               | 3.0 Each           |
|  | <a href="#"><u>294096</u></a> | SENSOR MOUNTING F.GN<br>(valid from 11/02/2016)                        | 3.0 Each           |
|  | <a href="#"><u>106340</u></a> | Wiring harness SAG 3 basin<br>(valid from 11/02/2016)                  | 1.0 Each           |
|  | <a href="#"><u>106347</u></a> | Wiring harness SAG 3 CH basin<br>(valid from 11/02/2016)               | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>105897</u></a> | Fibre glass cord no. 86.046.4.1<br>(valid from 11/02/2016)        | 2.0 Each           |
|    | <a href="#"><u>106868</u></a> | Power switch bipolar 16A B4MASK-series<br>(valid from 11/02/2016) | 5.0 Each           |
|    | <a href="#"><u>292846</u></a> | Toggle dia. 42 with labelling<br>(valid from 11/02/2016)          | 5.0 Each           |
|                                                                                     | <a href="#"><u>107560</u></a> | Spiral cable Switzerland 3x1,5 qmm<br>(valid from 07/03/2019)     | 1.0 Each           |
|    | <a href="#"><u>107649</u></a> | Spiral cable Europe 3x1,5 qmmst WG<br>(valid from 03/03/2021)     | 1.0 Each           |
|    | <a href="#"><u>106947</u></a> | Spiral cable England 3x1,5 qmm BL-450<br>(valid from 11/02/2016)  | 1.0 Each           |
|                                                                                     | <a href="#"><u>106945</u></a> | Spiral cable Australia 3X1,5 qmm 15A<br>(valid from 11/02/2016)   | 1.0 Each           |
|  | <a href="#"><u>106950</u></a> | Spiral cable open ends 5x1,5qmm<br>(valid from 11/02/2016)        | 1.0 Each           |
|  | <a href="#"><u>104094</u></a> | PLUG-CEE 5x16A<br>(valid from 11/02/2016)                         | 1.0 Each           |
|  | <a href="#"><u>106948</u></a> | Spiral cable CEE 3x1,5 qmm úh.zástr.<br>(valid from 11/02/2016)   | 1.0 Each           |
|                                                                                     | <a href="#"><u>106943</u></a> | Spiral cable Switzerland 5x1,5 qmm<br>(valid from 11/02/2016)     | 1.0 Each           |
|  | <a href="#"><u>106304</u></a> | Cable gland M20x1.5 black<br>(valid from 11/02/2016)              | 1.0 Each           |
|  | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 11/02/2016)          | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>267063</u></a> | Seal for controller + switch<br>(valid from 11/02/2016)           | 5.0 Each           |
|    | <a href="#"><u>369654</u></a> | Plug holder universal<br>(valid from 11/02/2016)                  | 1.0 Each           |
|    | <a href="#"><u>146529</u></a> | Hande<br>(valid from 11/02/2016)                                  | 1.0 Each           |
|    | <a href="#"><u>105429</u></a> | terminal block Wieland KL 24/3 SL<br>(valid from 05/10/2022)      | 1.0 Each           |
|    | <a href="#"><u>147666</u></a> | Cable clip 11 Kusto<br>(valid from 11/02/2016)                    | 1.0 Each           |
|                                                                                     | <a href="#"><u>288292</u></a> | Adhesive W.Lock AN 302-43/50ml<br>(valid from 11/02/2016)         | 0.025 Each         |
|  | <a href="#"><u>386501</u></a> | Swivel castor 125 lock., DIN-PL (gray)<br>(valid from 08/24/2022) | 2.0 Each           |
|  | <a href="#"><u>386502</u></a> | Swivel castor 125, DIN-PL, (gray)<br>(valid from 08/24/2022)      | 2.0 Each           |
|  | <a href="#"><u>362534</u></a> | Cast. whl. 125 lock., DIN PL, CNS<br>(valid from 11/02/2016)      | 2.0 Each           |
|  | <a href="#"><u>362533</u></a> | Cast. whl. 125 DIN-PL CNS<br>(valid from 11/02/2016)              | 2.0 Each           |

| Image                                                                               | Code                          | Name                                                                   | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>373991</u></a> | Cast. whl. w. brake 125 DIN galvanized<br>(valid from 11/02/2016)      | 2.0 Each           |
|    | <a href="#"><u>373992</u></a> | Cast. whl. 125 DIN galvanized<br>(valid from 11/02/2016)               | 2.0 Each           |
|    | <a href="#"><u>146794</u></a> | CASTER WHEEL LX-VPP 160XR-FI-SG<br>(valid from 11/02/2016)             | 2.0 Each           |
|    | <a href="#"><u>146793</u></a> | CASTER WHEEL LEX-VPP 160XR-SG<br>(valid from 11/02/2016)               | 2.0 Each           |
|   | <a href="#"><u>371215</u></a> | Castor wheel L-RD 162R-FI-VLI-SG,<br>AIRID.<br>(valid from 11/02/2016) | 2.0 Each           |
|  | <a href="#"><u>371214</u></a> | cator wheel L-RD 162R-VLI-SG, AIRID.<br>(valid from 11/02/2016)        | 2.0 Each           |
|  | <a href="#"><u>376812</u></a> | Corner guard closed RAL7043<br>(valid from 11/02/2016)                 | 4.0 Each           |
|  | <a href="#"><u>376371</u></a> | Plug corner guard RAL 7043<br>(valid from 11/02/2016)                  | 16.0 Each          |
|  | <a href="#"><u>146680</u></a> | EXPAND. NUT 72.30.459 F. SHEET<br>SCRW. 4.2<br>(valid from 11/02/2016) | 12.0 Each          |
|  | <a href="#"><u>376813</u></a> | Corner guard 2-s open RAL7043<br>(valid from 11/02/2016)               | 4.0 Each           |

| Image                                                                               | Code                   | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#">376902</a> | CAP, COVER 9RD TRAFFIC GRAY B<br>RAL7043<br>(valid from 11/02/2016) | 10.0 Each          |
|    | <a href="#">376820</a> | Sidebar guard L 975<br>(valid from 11/02/2016)                      | 2.0 Each           |
|    | <a href="#">376816</a> | Sidebar guard L 422<br>(valid from 11/02/2016)                      | 2.0 Each           |
|    | <a href="#">362688</a> | Tube D32x1,5-1102<br>(valid from 11/02/2016)                        | 1.0 Each           |
|    | <a href="#">376808</a> | Push-handle holder right RAL7043<br>(valid from 11/02/2016)         | 1.0 Each           |
|   | <a href="#">376809</a> | Push-handle holder left RAL7043<br>(valid from 11/02/2016)          | 1.0 Each           |
|                                                                                     | <a href="#">81320</a>  | Tapping screw ISO7051-ST4,2x19<br>(valid from 11/02/2016)           | 4.0 Each           |
|  | <a href="#">376810</a> | Cover for right push hand., grey RAL7043<br>(valid from 11/02/2016) | 1.0 Each           |
|  | <a href="#">376811</a> | Cover for left push hand., grey RAL7043<br>(valid from 11/02/2016)  | 1.0 Each           |
|  | <a href="#">144098</a> | Rubber buffer 12.5 rd form 2492<br>(valid from 11/02/2016)          | 4.0 Each           |
|  | <a href="#">81293</a>  | Pan-head screw M5X3 DIN 923 1.4301<br>(valid from 11/02/2016)       | 2.0 Each           |
|  | <a href="#">363395</a> | Shelf foldable face side cpl.<br>(valid from 11/02/2016)            | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                            | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------|--------------------|
|    | <a href="#"><u>363392</u></a> | Shelf foldable lengthwise cpl. 3x1/1<br>(valid from 11/02/2016) | 1.0 Each           |
|    | <a href="#"><u>298405</u></a> | Tube cover<br>(valid from 11/02/2016)                           | 4.0 Each           |
|    | <a href="#"><u>298291</u></a> | Glass holder<br>(valid from 11/02/2016)                         | 2.0 Each           |
|    | <a href="#"><u>298289</u></a> | Glass holder support<br>(valid from 11/02/2016)                 | 2.0 Each           |
|    | <a href="#"><u>298290</u></a> | Glass holder top<br>(valid from 11/02/2016)                     | 2.0 Each           |
|   | <a href="#"><u>146671</u></a> | Plug glass holder<br>(valid from 11/02/2016)                    | 4.0 Each           |
|  | <a href="#"><u>293497</u></a> | Washer rubber<br>(valid from 11/02/2016)                        | 8.0 Each           |
|  | <a href="#"><u>105120</u></a> | RADIATOR-INFRARED- FSR 250W<br>(valid from 11/02/2016)          | 3.0 Each           |
|  | <a href="#"><u>105301</u></a> | HOSE,INSULAT. TYPE 01472 8/9 BLACK<br>(valid from 11/02/2016)   | 0.42 Meter         |
|  | <a href="#"><u>105298</u></a> | CABLE-TEFLON- 3X1,0 TEGL WHITE<br>(valid from 11/02/2016)       | 5.4 Meter          |
|  | <a href="#"><u>106184</u></a> | Warning sign hot surface<br>(valid from 11/02/2016)             | 1.0 Each           |
|  | <a href="#"><u>144902</u></a> | PLUG, RIBBED, 32RD BLACK<br>(valid from 11/02/2016)             | 4.0 Each           |

| Image                                                                             | Code                          | Name                                                   | Quantity in device |
|-----------------------------------------------------------------------------------|-------------------------------|--------------------------------------------------------|--------------------|
|  | <a href="#"><u>144361</u></a> | Glass holder<br>(valid from 11/02/2016)                | 2.0 Each           |
|  | <a href="#"><u>384708</u></a> | Rubber washer<br>(valid from 04/17/2020)               | 2.0 Each           |
|  | <a href="#"><u>105386</u></a> | NOZZLE, RUBBER, NO. 4700033<br>(valid from 11/02/2016) | 2.0 Each           |