

# Sparepart documentation



## BASIC LINE W-3

**Prod. No.:** 381877

### **Product details:**

Hot buffet 3 x GN 1/1  
Stainless-steel top surface with three seamlessly welded-in bain-maries with central safety drain valve.  
Bain-maries can be individually heated wet or dry.  
Capacity: 3 x GN 1/1, max. depth 200 mm  
Basin temperature range: +30 °C to +95 °C  
Exterior dimensions (without options or accessories):  
W x D x H (mm) 1255 x 690 x 900 / 1305 ( with bridge attachment)

## Spareparts









Image	Code	Name	Quantity in device
	<a href="#">367982</a>	Heating well, complete, 700 W (valid from 08/28/2017)	3.0 Each
	<a href="#">105020</a>	PIPE HEATER 20.21719.000 700W 230V (valid from 08/28/2017)	1.0 Each
	<a href="#">294096</a>	SENSOR MOUNTING F.GN (valid from 08/28/2017)	3.0 Each
	<a href="#">384629</a>	Drain 3x1/1 BasicLine (valid from 02/04/2020)	1.0 Each
	<a href="#">146649</a>	Washer 27 x 36 x 1 DIN 988 A 2 (valid from 08/28/2017)	3.0 Each
	<a href="#">262353</a>	PIPE, DRAIN- (valid from 08/28/2017)	3.0 Each
	<a href="#">107512</a>	LED spot IPLine LCH-023_3000K (WW) (valid from 08/28/2017)	3.0 Each
	<a href="#">146667</a>	COLLAR (valid from 01/08/2018)	1.0 Each





Image	Code	Name	Quantity in device
	<a href="#">381746</a>	Mica plate for heat radiators (valid from 08/28/2017)	3.0 Each
	<a href="#">381747</a>	Mica plate 237x36x0,5 (valid from 08/28/2017)	6.0 Each
	<a href="#">105301</a>	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 11/06/2017)	1.26 Meter
	<a href="#">107755</a>	Socket clamp BM 9517 (valid from 08/28/2017)	3.0 Each
	<a href="#">106184</a>	Warning sign hot surface (valid from 08/28/2017)	1.0 Each
	<a href="#">382160</a>	Glas pillar - without heat radiator (valid from 08/28/2017)	1.0 Each
	<a href="#">381871</a>	Glas pillar Standard (valid from 08/28/2017)	2.0 Each
	<a href="#">384707</a>	Washer rubber (valid from 08/28/2017)	1.0 Each
	<a href="#">381415</a>	Sneeze guard holder (valid from 08/28/2017)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">134267</a>	Glass support Highline with mounting (valid from 02/05/2025)	1.0 Each
	<a href="#">381418</a>	Glas pillar Highline (valid from 08/28/2017)	1.0 Each
	<a href="#">71323</a>	Screw M5x10 DIN551 (valid from 08/28/2017)	1.0 Each
	<a href="#">369011</a>	Tube tray slide 3x1/1 (valid from 08/28/2017)	1.0 Each
	<a href="#">385974</a>	Mini fastening 822-4-C-NI (valid from 02/05/2021)	1.0 Each
	<a href="#">378652</a>	Tray slide 3x1/1 (valid from 08/28/2017)	1.0 Each
	<a href="#">378645</a>	Plate slide 3x1/1 (valid from 08/28/2017)	1.0 Each
	<a href="#">369402</a>	Tube tray slide face side (valid from 08/28/2017)	1.0 Each
	<a href="#">378640</a>	Stabling shelf face side cpl. (valid from 08/28/2017)	1.0 Each
	<a href="#">379760</a>	Tray shelf face side (valid from 08/28/2017)	1.0 Each
	<a href="#">105029</a>	Tubular heater 250W 20.21843 230V (valid from 08/28/2017)	2.0 Each
	<a href="#">105899</a>	Thermostat capillar 55.18019.130 35-85°C (valid from 08/28/2017)	1.0 Each
	<a href="#">267063</a>	Seal for controller + switch (valid from 08/28/2017)	1.0 Each











Image	Code	Name	Quantity in device
	<a href="#"><u>292846</u></a>	Toggle dia. 42 with labelling (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>107035</u></a>	Mounting thermometer digital display (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>106868</u></a>	Power switch bipolar 16A B4MASK-series (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>376806</u></a>	Shell type handle RAL 7043 (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>246471</u></a>	Washer (valid from 08/28/2017)	4.0 Each
	<a href="#"><u>71357</u></a>	Slotted headless screw M4x20 A1 ISO 2342 (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>144345</u></a>	Ball catch IDEAL size III brass 70x13R (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>298579</u></a>	Spacer 6 mm (valid from 08/28/2017)	4.0 Each
	<a href="#"><u>146506</u></a>	Glass wool 540x420x20 (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>279539</u></a>	Distance sheet for ball catch 2 mm (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>380810</u></a>	Bottom 3x1/1 cpl. (valid from 08/28/2017)	1.0 Each



Image	Code	Name	Quantity in device
	<a href="#"><u>381205</u></a>	Hinge cpl. Bottom left (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>381204</u></a>	Hinge cpl. Bottom right (valid from 08/28/2017)	1.0 Each
	<a href="#"><u>382844</u></a>	Counter part magnet (valid from 01/16/2020)	2.0 Each
	<a href="#"><u>381373</u></a>	Magnetic snapper 245.67.310 (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>381724</u></a>	Pot magnet with threaded pin GTN-10 (valid from 02/26/2020)	4.0 Each
	<a href="#"><u>369185</u></a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>369186</u></a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 08/28/2017)	2.0 Each
	<a href="#"><u>380419</u></a>	Adjustable foot cpl. (valid from 08/28/2017)	4.0 Each
	<a href="#"><u>145056</u></a>	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 08/28/2017)	2.0 Each










Image	Code	Name	Quantity in device
	<a href="#">145057</a>	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 08/28/2017)	2.0 Each
	<a href="#">384285</a>	Fixing plate komplet (valid from 08/28/2017)	4.0 Each
	<a href="#">381001</a>	Balancing plate (valid from 08/28/2017)	4.0 Each
	<a href="#">146680</a>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 08/28/2017)	4.0 Each
	<a href="#">383836</a>	Ball valve 1/2" (valid from 02/27/2019)	1.0 Each
	<a href="#">383869</a>	Extension 1/2"x25 VI 1513 MS (valid from 02/28/2019)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 08/28/2017)	1.0 Each
	<a href="#">105494</a>	terminal block Wieland KL 24/5 SL (valid from 08/28/2017)	1.0 Each
	<a href="#">105902</a>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 08/28/2017)	1.0 Each
	<a href="#">107658</a>	Spiral cable Europa 3x1,5qmm_long (valid from 12/10/2021)	1.0 Each
	<a href="#">105489</a>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 08/28/2017)	3.0 Meter
















Image	Code	Name	Quantity in device
	<a href="#">105876</a>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 08/28/2017)	1.0 Each
	<a href="#">106850</a>	Plug 230V / 16A CH type 23 (valid from 08/28/2017)	1.0 Each
	<a href="#">107256</a>	CABLE 230V, H07RN-F 3M LONG CH (valid from 08/28/2017)	1.0 Each
	<a href="#">106702</a>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 08/28/2017)	1.0 Each
	<a href="#">107659</a>	Spiral cable open ends 5x1,5 qmm long (valid from 12/10/2021)	1.0 Each
	<a href="#">100085</a>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 08/28/2017)	3.0 Meter
	<a href="#">107776</a>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<a href="#">104094</a>	PLUG-CEE 5x16A (valid from 12/10/2021)	1.0 Each
	<a href="#">107809</a>	Plug 400V/16A CH Typ 25 (valid from 08/28/2017)	1.0 Each
	<a href="#">106891</a>	seal for ABL electrical outlets (valid from 08/09/2021)	1.0 Each
	<a href="#">107554</a>	Socket Typ 1661060 (valid from 08/28/2017)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">107716</a>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<a href="#">106802</a>	Build-in socket CH 10A T13 (valid from 08/28/2017)	2.0 Each
	<a href="#">107715</a>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<a href="#">107701</a>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<a href="#">106803</a>	Build-in socket British standard (valid from 08/28/2017)	2.0 Each
	<a href="#">106822</a>	Safety socket Denmark (valid from 08/28/2017)	2.0 Each
	<a href="#">106737</a>	Build-in socket with pin (valid from 08/28/2017)	2.0 Each
	<a href="#">107514</a>	LED converter univer. 20W BI; 350-700mA (valid from 08/28/2017)	1.0 Each
	<a href="#">107524</a>	Axial AC FAN 80mm 230V SF23080A (valid from 08/28/2017)	1.0 Each