

# Sparepart documentation



## BASIC LINE SK-3

**Prod. No.:** 381879

### **Product details:**









Cold buffet with active contact cooling 3 x GN 1/1  
Stainless-steel top surface with seamlessly welded-in, contact-cooled 3/1 GN well with central safety drain valve.  
Completely encapsulated refrigeration unit in underframe, ready to plug in.  
Temperature controller on the operator-side panel.  
Capacity: 3 x GN 1/1, max. depth: 150 mm  
Temperature range: +4 °C to +15 °C  
Exterior dimensions (without options or accessories):  
W x D x H (mm)  
1255 x 690 x 900 / 1305 ( with bridge attachment)










### Spareparts












| Image | Code                   | Name   | Quantity in device |
|-------|------------------------|--|--------------------|
|       | <a href="#">376256</a> | Extension 1/2"x60 VI 1513<br>(valid from 09/19/2017)           | 2.0 Each           |
|       | <a href="#">383836</a> | Ball valve 1/2"<br>(valid from 02/27/2019)                     | 1.0 Each           |
|       | <a href="#">383869</a> | Extension 1/2"x25 VI 1513 MS<br>(valid from 02/28/2019)        | 1.0 Each           |
|       | <a href="#">107513</a> | LED spot IPLine LCH-023_4200K (NW)<br>(valid from 09/19/2017)  | 3.0 Each           |
|       | <a href="#">382160</a> | Glas pillar - without heat radiator<br>(valid from 09/19/2017) | 1.0 Each           |
|       | <a href="#">381871</a> | Glas pillar Standard<br>(valid from 02/19/2025)                | 1.0 Each           |



| Image   | Code                   | Name  | Quantity in device |
|---|------------------------|---|--------------------|
|    | <a href="#">134267</a> | Glass support Highline with mounting<br>(valid from 02/05/2025) | 1.0 Each           |
|    | <a href="#">381415</a> | Sneeze guard holder<br>(valid from 09/19/2017)                  | 2.0 Each           |
|  | <a href="#">381418</a> | Glas pillar Highline<br>(valid from 09/19/2017)                 | 1.0 Each           |
|  | <a href="#">71323</a>  | Screw M5x10 DIN551<br>(valid from 09/19/2017)                   | 1.0 Each           |
|  | <a href="#">369011</a> | Tube tray slide 3x1/1<br>(valid from 09/19/2017)                | 1.0 Each           |
|  | <a href="#">385974</a> | Mini fastening 822-4-C-NI<br>(valid from 02/05/2021)            | 1.0 Each           |
|  | <a href="#">378652</a> | Tray slide 3x1/1<br>(valid from 09/19/2017)                     | 1.0 Each           |
|  | <a href="#">378645</a> | Plate slide 3x1/1<br>(valid from 09/19/2017)                    | 1.0 Each           |
|  | <a href="#">369402</a> | Tube tray slide face side<br>(valid from 09/19/2017)            | 1.0 Each           |

| Image   | Code                          | Name   | Quantity in device |
|---|-------------------------------|--|--------------------|
|    | <a href="#"><u>378640</u></a> | Stabling shelf face side cpl.<br>(valid from 09/19/2017)             | 1.0 Each           |
|    | <a href="#"><u>379760</u></a> | Tray shelf face side<br>(valid from 09/19/2017)                      | 1.0 Each           |
|    | <a href="#"><u>382015</u></a> | Bottom 3x1/1 cpl.<br>(valid from 09/19/2017)                         | 1.0 Each           |
|    | <a href="#"><u>380810</u></a> | Bottom 3x1/1 cpl.<br>(valid from 09/19/2017)                         | 1.0 Each           |
|    | <a href="#"><u>381724</u></a> | Pot magnet with threaded pin GTN-10<br>(valid from 09/28/2017)       | 4.0 Each           |
|    | <a href="#"><u>246471</u></a> | Washer<br>(valid from 11/28/2018)                                    | 2.0 Each           |
|  | <a href="#"><u>381205</u></a> | Hinge cpl. Bottom left<br>(valid from 09/19/2017)                    | 1.0 Each           |
|  | <a href="#"><u>381373</u></a> | Magnetic snapper 245.67.310<br>(valid from 09/19/2017)               | 1.0 Each           |
|  | <a href="#"><u>369185</u></a> | DOUBLE STR. CASTOR75 lock.boa.galv. steel<br>(valid from 09/19/2017) | 2.0 Each           |
|  | <a href="#"><u>369186</u></a> | DOUBLE STR. CASTOR 75 board galv. steel<br>(valid from 09/19/2017)   | 2.0 Each           |
|  | <a href="#"><u>380419</u></a> | Adjustable foot cpl.<br>(valid from 09/19/2017)                      | 4.0 Each           |

| Image   | Code                   | Name  | Quantity in device |
|---|------------------------|---|--------------------|
|    | <a href="#">145056</a> | WHEEL, CASTER-2470 PJO 125 P60<br>CNS<br>(valid from 09/19/2017)        | 2.0 Each           |
|    | <a href="#">145057</a> | WHEEL, CASTER- 2477 PJO 125 P60<br>CNS<br>(valid from 09/19/2017)       | 2.0 Each           |
|    | <a href="#">384285</a> | Fixing plate komplet<br>(valid from 09/19/2017)                         | 4.0 Each           |
|    | <a href="#">381001</a> | Balancing plate<br>(valid from 09/19/2017)                              | 4.0 Each           |
|   | <a href="#">146680</a> | EXPAND. NUT 72.30.459 F. SHEET<br>SCR. 4.2<br>(valid from 09/19/2017)   | 4.0 Each           |
|  | <a href="#">106311</a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 09/19/2017)                | 1.0 Each           |
|  | <a href="#">105494</a> | terminal block Wieland KL 24/5 SL<br>(valid from 09/19/2017)            | 1.0 Each           |
|  | <a href="#">106868</a> | Power switch bipolar 16A B4MASK-series<br>(valid from 09/19/2017)       | 2.0 Each           |
|  | <a href="#">107662</a> | Power switch bipolar 16A B4MASK-Ser.<br>ATEX<br>(valid from 01/01/2022) | 2.0 Each           |
|  | <a href="#">134191</a> | Digital con. BASIC-LINE SK-3 / SK-4<br>(valid from 01/01/2022)          | 1.0 Each           |

| Image   | Code                   | Name  | Quantity in device |
|---|------------------------|---|--------------------|
|    | <a href="#">106926</a> | Sensor SN7PK150 NTC, 1.5m<br>(valid from 09/19/2017)                  | 1.0 Each           |
|    | <a href="#">149754</a> | Filter drier DTG-b05 061-901<br>(valid from 09/20/2021)               | 1.0 Each           |
|    | <a href="#">149758</a> | filter drier Danfoss DML 1.52s 023Z8254<br>(valid from 01/01/2022)    | 1.0 Each           |
|    | <a href="#">105789</a> | RUBBER SEAL GU 000000<br>(valid from 09/19/2017)                      | 1.0 Each           |
|    | <a href="#">105902</a> | CABLE H07RN-F 3X1,5QMM3M LONG<br>(valid from 09/19/2017)              | 1.0 Each           |
|   | <a href="#">107658</a> | Spiral cable Europa 3x1,5qmm_long<br>(valid from 12/10/2021)          | 1.0 Each           |
|   | <a href="#">105489</a> | CABLE-RUBBER- HO7 RN-F 3X1,5 QMM<br>BLACK<br>(valid from 09/19/2017)  | 3.0 Meter          |
|  | <a href="#">105876</a> | PLUG, ENGLAND 351363/A 13 AMP 250<br>V<br>(valid from 09/19/2017)     | 1.0 Each           |
|  | <a href="#">106850</a> | Plug 230V / 16A CH type 23<br>(valid from 09/19/2017)                 | 1.0 Each           |
|  | <a href="#">107256</a> | CABLE 230V, H07RN-F 3M LONG CH<br>(valid from 09/19/2017)             | 1.0 Each           |
|  | <a href="#">106702</a> | Connecting cable H07RN-F 5x1,5mm²/4,<br>5m<br>(valid from 09/19/2017) | 1.0 Each           |
|   | <a href="#">107659</a> | Spiral cable open ends 5x1,5 qmm long<br>(valid from 12/10/2021)      | 1.0 Each           |
|  | <a href="#">100085</a> | CABLE, RUBBER-SHEATHED. NMH 5X1,<br>5 QMM<br>(valid from 09/19/2017)  | 3.0 Meter          |

| Image   | Code                          | Name  | Quantity in device |
|---|-------------------------------|---|--------------------|
|    | <a href="#"><u>107776</u></a> | Plug KALTHOFF SEV IP55, Typ15, CH<br>(valid from 01/25/2023)        | 1.0 Each           |
|    | <a href="#"><u>104094</u></a> | PLUG-CEE 5x16A<br>(valid from 12/10/2021)                           | 1.0 Each           |
|    | <a href="#"><u>107809</u></a> | Plug 400V/16A CH Typ 25<br>(valid from 09/19/2017)                  | 1.0 Each           |
|    | <a href="#"><u>106891</u></a> | seal for ABL electrical outlets<br>(valid from 08/09/2021)          | 1.0 Each           |
|    | <a href="#"><u>107554</u></a> | Socket Typ 1661060<br>(valid from 09/19/2017)                       | 2.0 Each           |
|  | <a href="#"><u>107716</u></a> | Socket outlet protective contact-black<br>(valid from 05/03/2022)   | 1.0 Each           |
|  | <a href="#"><u>106802</u></a> | Build-in socket CH 10A T13<br>(valid from 09/19/2017)               | 2.0 Each           |
|  | <a href="#"><u>107715</u></a> | Protective-socket Swiss-Standard T13 bla<br>(valid from 05/03/2022) | 1.0 Each           |
|  | <a href="#"><u>107701</u></a> | Build-in socket CH typ 23 seid.<br>(valid from 04/12/2022)          | 2.0 Each           |
|  | <a href="#"><u>106803</u></a> | Build-in socket British standard<br>(valid from 09/19/2017)         | 2.0 Each           |
|  | <a href="#"><u>106822</u></a> | Safety socket Denmark<br>(valid from 09/19/2017)                    | 2.0 Each           |

| Image   | Code                          | Name  | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <a href="#"><u>106737</u></a> | Build-in socket with pin<br><i>(valid from 09/19/2017)</i>                | 2.0 Each           |
|  | <a href="#"><u>107514</u></a> | LED converter univer. 20W BI; 350-700mA<br><i>(valid from 09/19/2017)</i> | 1.0 Each           |