

# Sparepart documentation



## BASIC LINE S-3

**Prod. No.:** 381891

### **Product details:**

Soup station  
Stainless-steel top surface with built-in, heatable 10L spring soup pot (either on left or right on operator side)  
Optional built-in, heatable plate dispenser  
TSE-H1 18-33 ET: 684 with 8 low plate guide rods  
for soup bowls  
Two socket outlets each with 230 V Schuko to connect soup pot and plate dispenser  
Exterior dimensions (without options or accessories):  
W x D x H (mm)  
1255 x 690 x 900 / 1050 (Height soup pot)

### Spareparts

Image	Code	Name	Quantity in device
	<a href="#">375462</a>	Frame 630 low (valid from 09/20/2017)	1.0 Each
	<a href="#">375464</a>	Guidance rod frame 630 low (valid from 09/20/2017)	4.0 Each
	<a href="#">573771</a>	Cover hood PC (valid from 09/20/2017)	1.0 Each
	<a href="#">107649</a>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<a href="#">387662</a>	Tubular heater Cpl. (valid from 08/11/2022)	3.0 Each
	<a href="#">105899</a>	Thermostat capillar 55.18019.130 35-85°C (valid from 09/20/2017)	1.0 Each
	<a href="#">146902</a>	FIXING COLLAR (valid from 09/20/2017)	1.0 Each















Image	Code	Name	Quantity in device
	<a href="#"><u>105805</u></a>	Safety temperature limiter 135 °C (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>105429</u></a>	terminal block Wieland KL 24/3 SL (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>106868</u></a>	Power switch bipolar 16A B4MASK-series (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>105675</u></a>	TOGGLE-THERMOSTAT 53960 (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>105301</u></a>	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 05/17/2022)	1.0 Meter
	<a href="#"><u>144885</u></a>	PLUG-LAMINATE- 25RD BLK. (valid from 09/19/2018)	6.0 Each
	<a href="#"><u>369011</u></a>	Tube tray slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>385974</u></a>	Mini fastening 822-4-C-NI (valid from 02/05/2021)	1.0 Each
	<a href="#"><u>378652</u></a>	Tray slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>378645</u></a>	Plate slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>369402</u></a>	Tube tray slide face side (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>378640</u></a>	Stabling shelf face side cpl. (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>379760</u></a>	Tray shelf face side (valid from 09/20/2017)	1.0 Each
	<a href="#"><u>380810</u></a>	Bottom 3x1/1 cpl. (valid from 09/20/2017)	1.0 Each







Image	Code	Name	Quantity in device
	<a href="#">381724</a>	Pot magnet with threaded pin GTN-10 (valid from 09/28/2017)	4.0 Each
	<a href="#">144345</a>	Ball catch IDEAL size III brass 70x13R (valid from 09/20/2017)	2.0 Each
	<a href="#">369185</a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 09/20/2017)	2.0 Each
	<a href="#">369186</a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 09/20/2017)	2.0 Each
	<a href="#">380419</a>	Adjustable foot cpl. (valid from 09/20/2017)	4.0 Each
	<a href="#">145056</a>	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 09/20/2017)	2.0 Each
	<a href="#">145057</a>	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 09/20/2017)	2.0 Each
	<a href="#">384285</a>	Fixing plate komplet (valid from 09/20/2017)	4.0 Each
	<a href="#">381001</a>	Balancing plate (valid from 09/20/2017)	4.0 Each
	<a href="#">146680</a>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 09/20/2017)	4.0 Each










Image	Code	Name	Quantity in device
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 09/20/2017)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 09/20/2017)	1.0 Each
	<a href="#">105494</a>	terminal block Wieland KL 24/5 SL (valid from 09/20/2017)	1.0 Each
	<a href="#">105902</a>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 09/20/2017)	1.0 Each
	<a href="#">107658</a>	Spiral cable Europa 3x1,5qmm_long (valid from 12/10/2021)	1.0 Each
	<a href="#">105489</a>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 09/20/2017)	3.0 Meter
	<a href="#">105876</a>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 09/20/2017)	1.0 Each
	<a href="#">106850</a>	Plug 230V / 16A CH type 23 (valid from 09/20/2017)	1.0 Each
	<a href="#">107256</a>	CABLE 230V, H07RN-F 3M LONG CH (valid from 09/20/2017)	1.0 Each
	<a href="#">106702</a>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 09/20/2017)	1.0 Each
	<a href="#">107659</a>	Spiral cable open ends 5x1,5 qmm long (valid from 12/10/2021)	1.0 Each
	<a href="#">100085</a>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 09/20/2017)	3.0 Meter

















Image	Code	Name	Quantity in device
	<a href="#">107776</a>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<a href="#">104094</a>	PLUG-CEE 5x16A (valid from 12/10/2021)	1.0 Each
	<a href="#">107809</a>	Plug 400V/16A CH Typ 25 (valid from 09/20/2017)	1.0 Each
	<a href="#">106891</a>	seal for ABL electrical outlets (valid from 08/09/2021)	1.0 Each
	<a href="#">107554</a>	Socket Typ 1661060 (valid from 09/20/2017)	1.0 Each
	<a href="#">107716</a>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<a href="#">106802</a>	Build-in socket CH 10A T13 (valid from 09/20/2017)	2.0 Each
	<a href="#">107715</a>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<a href="#">107701</a>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<a href="#">106803</a>	Build-in socket British standard (valid from 09/20/2017)	2.0 Each
	<a href="#">106822</a>	Safety socket Denmark (valid from 09/20/2017)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>106737</u></a>	Build-in socket with pin <i>(valid from 09/20/2017)</i>	2.0 Each
	<a href="#"><u>381393</u></a>	Soup station 10L with heating <i>(valid from 03/06/2019)</i>	1.0 Each
	<a href="#"><u>121778</u></a>	Heating element EU 500W/230V without reg <i>(valid from 03/06/2019)</i>	1.0 Each