


Sparepart documentation



[CE 88/61](#)

Prod. No.: 383374

Product details:

Platform dispensers
Made of corrosion-resistant stainless steel, not
heatable
Capacity: Dependent on type of dishes Stacking height:
without hooded cover: 540 mm
Illustration similar

Spareparts



Image	Code	Name	Quantity in device
	146302	Tension spring 20GR (valid from 05/07/2019)	10.0 Each
	146305	Tension spring 8GR (valid from 05/07/2019)	2.0 Each
	376343	Tray cpl. 88/61 (valid from 05/07/2019)	1.0 Each
	146285	BEARING,STEEL- (valid from 05/07/2019)	8.0 Each
	386501	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	386502	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each




Image	Code	Name	Quantity in device
	362533	Cast. whl. 125 DIN-PL CNS (valid from 05/07/2019)	2.0 Each
	362534	Cast. whl. 125 lock., DIN PL, CNS (valid from 05/07/2019)	2.0 Each
	373992	Cast. whl. 125 DIN galvanized (valid from 05/07/2019)	2.0 Each
	373991	Cast. whl. w. brake 125 DIN galvanized (valid from 05/07/2019)	2.0 Each
	367558	Cover hood 88/61 (valid from 05/07/2019)	1.0 Each
	374069	Corner guard bottom part (valid from 05/07/2019)	4.0 Each
	383205	Holder bumper guard L 483 (valid from 05/07/2019)	2.0 Each
	374144	Holder bumper guard L 833 (valid from 05/07/2019)	2.0 Each
	383192	Sidebar guard L 483 (valid from 05/07/2019)	2.0 Each
	374142	Sidebar guard L 883 (valid from 05/07/2019)	2.0 Each
	374065	Corner guard top part, open (valid from 05/07/2019)	4.0 Each
	374064	Corner guard top part, closed (valid from 05/07/2019)	4.0 Each

Image	Code	Name	Quantity in device
	<u>383515</u>	Tube D28x1,0-530 (valid from 05/07/2019)	1.0 Each
	<u>372911</u>	body for push handle holder (valid from 05/09/2019)	2.0 Each
	<u>372912</u>	Cover push handle holder right, logo (valid from 05/09/2019)	1.0 Each
	<u>372913</u>	Cover push handle holder left, logo (valid from 05/09/2019)	1.0 Each
	<u>372914</u>	Cover push handle holder without logo (valid from 05/09/2019)	2.0 Each
	<u>383480</u>	Push handle Objekt 660 (valid from 05/07/2019)	1.0 Each