

Sparepart documentation



[CE 53/53](#)

Prod. No.: 383378

Product details:

Basket dispenser, unheated, made of stainless steel, closed version.

Basket dimensions: 500 x 500/525 x 525 mm
Capacity: 6 baskets each 115 mm or 9 baskets each 75 mm high
Stacking height: with cover: 680 mm without cover: 540 mm

Spareparts



Image	Code	Name	Quantity in device
	<u>146302</u>	Tension spring 20GR (valid from 05/07/2019)	10.0 Each
	<u>296109</u>	Tray cpl. 53/53 (valid from 05/07/2019)	1.0 Each
	<u>146285</u>	BEARING, STEEL- (valid from 05/07/2019)	16.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	<u>362533</u>	Cast. whl. 125 DIN-PL CNS (valid from 05/07/2019)	2.0 Each



Image	Code	Name	Quantity in device
	<u>362534</u>	Cast. whl. 125 lock., DIN PL, CNS (valid from 05/07/2019)	2.0 Each
	<u>373992</u>	Cast. whl. 125 DIN galvanized (valid from 05/07/2019)	2.0 Each
	<u>373991</u>	Cast. whl. w. brake 125 DIN galvanized (valid from 05/07/2019)	2.0 Each
	<u>296813</u>	Cover hood square 813 (valid from 05/07/2019)	1.0 Each
	<u>374069</u>	Corner guard bottom part (valid from 05/07/2019)	4.0 Each
	<u>383090</u>	Holder bumper guard L 453 (valid from 05/07/2019)	2.0 Each
	<u>383094</u>	Sidebar guard L 453 (valid from 05/07/2019)	2.0 Each
	<u>383095</u>	Sidebar guard L 463 (valid from 05/07/2019)	2.0 Each
	<u>374065</u>	Corner guard top part, open (valid from 05/07/2019)	4.0 Each
	<u>374064</u>	Corner guard top part, closed (valid from 05/07/2019)	4.0 Each
	<u>383544</u>	Tube D28x1,0-500 (valid from 05/07/2019)	1.0 Each
	<u>372911</u>	body for push handle holder (valid from 05/09/2019)	2.0 Each
	<u>372912</u>	Cover push handle holder right, logo (valid from 05/09/2019)	1.0 Each

Image	Code	Name	Quantity in device
	372913	Cover push handle holder left, logo <i>(valid from 05/09/2019)</i>	1.0 Each
	372914	Cover push handle holder without logo <i>(valid from 05/09/2019)</i>	2.0 Each
	383541	Push handle Objekt 630 <i>(valid from 05/07/2019)</i>	1.0 Each