

Sparepart documentation



[CE-UK 53/53](#)

Prod. No.: 383386

Product details:

Basket dispenser, cooled
Made of corrosion-resistant stainless steel
Basket dimensions: 500 x 500/525 x 525 mm
Capacity: 5 baskets with 115 mm or 8 baskets of 75 mm height
Stacking height: with hooded cover: 680 mm without hooded cover: 540 mm
Illustration similar

Spareparts


Image	Code	Name	Quantity in device
	384557	Door cpl. CE-UK (valid from 05/08/2019)	1.0 Each
	384012	Seal door (valid from 05/08/2019)	1.0 Each
	146645	Seal door (valid from 05/08/2019)	2.863 Meter
	376806	Shell type handle RAL 7043 (valid from 05/08/2019)	2.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 05/08/2019)	4.0 Each
	374069	Corner guard bottom part (valid from 05/08/2019)	4.0 Each
	374064	Corner guard top part, closed (valid from 05/08/2019)	4.0 Each
	146302	Tension spring 20GR (valid from 05/08/2019)	12.0 Each




Image	Code	Name	Quantity in device
	<u>296813</u>	Cover hood square 813 (valid from 05/08/2019)	1.0 Each
	<u>146285</u>	BEARING, STEEL- (valid from 05/08/2019)	16.0 Each
	<u>379653</u>	Guidance rod D16-780 (valid from 05/08/2019)	12.0 Each
	<u>383543</u>	Tube D28x1,0-575 (valid from 05/08/2019)	1.0 Each
	<u>372911</u>	body for push handle holder (valid from 05/09/2019)	2.0 Each
	<u>372912</u>	Cover push handle holder right, logo (valid from 05/09/2019)	1.0 Each
	<u>372913</u>	Cover push handle holder left, logo (valid from 05/09/2019)	1.0 Each
	<u>372914</u>	Cover push handle holder without logo (valid from 05/09/2019)	2.0 Each
	<u>383542</u>	Push handle Objekt 705 (valid from 05/08/2019)	1.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 05/08/2019)	2.0 Each
	<u>386514</u>	Swivel castor 125 lock, DIN-PL, PA, anti. (valid from 05/08/2019)	2.0 Each





Image	Code	Name	Quantity in device
	362534	Cast. whl. 125 lock., DIN PL, CNS (valid from 05/08/2019)	2.0 Each
	368461	Fixed wheel 125 DIN-PL crs. CNS (valid from 05/08/2019)	2.0 Each
	373392	Castor wheel with brake LE-VPP160R-FI-SG (valid from 05/08/2019)	2.0 Each
	373393	FIXED WHEEL B-VPP 160R-SG (valid from 05/08/2019)	2.0 Each
	146794	CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 05/08/2019)	2.0 Each
	146795	FIXED WHEEL BX-VPP 160XR-SG (valid from 05/08/2019)	2.0 Each
	373395	CASTER WHEEL LE-VPP 200R-FI-SG (valid from 05/08/2019)	2.0 Each
	373396	FIXED WHEEL B-VPP 200R-SG- 763618 (valid from 05/08/2019)	2.0 Each
	386502	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each



Image	Code	Name	Quantity in device
	<u>362533</u>	Cast. whl. 125 DIN-PL CNS (valid from 05/08/2019)	2.0 Each
	<u>373991</u>	Cast. whl. w. brake 125 DIN galvanized (valid from 05/08/2019)	2.0 Each
	<u>373992</u>	Cast. whl. 125 DIN galvanized (valid from 05/08/2019)	2.0 Each
	<u>149744</u>	Cond. unit Danfoss NL7CNKN0 (114F2505) (valid from 01/07/2022)	1.0 Each
	<u>149577</u>	Evaporator Polar SKW382 Lüfter IP54 (valid from 05/08/2019)	1.0 Each
	<u>107662</u>	Power switch bipolar 16A B4MASK-Ser. ATEX (valid from 05/08/2019)	1.0 Each
	<u>105848</u>	PTC sensor SN6P0150 (valid from 05/08/2019)	1.0 Each
	<u>134184</u>	Digital controller CE-UK (valid from 02/11/2022)	1.0 Each
	<u>149754</u>	Filter drier DTG-b05 061-901 (valid from 09/20/2021)	1.0 Each
	<u>149758</u>	filter drier Danfoss DML 1.52s 023Z8254 (valid from 01/07/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 05/08/2019)	1.0 Each
	<u>105494</u>	terminal block Wieland KL 24/5 SL (valid from 05/08/2019)	1.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>107624</u>	Spiral cable Switzerland 3x1,5 qmm(10A) (valid from 11/02/2020)	1.0 Each
	<u>106947</u>	Spiral cable England 3x1,5 qmm BL-450 (valid from 05/08/2019)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 05/08/2019)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 05/08/2019)	1.0 Each
	<u>105316</u>	CABLE-NYMHY-J 3X1,0 BLACK (valid from 05/08/2019)	2.0 Meter
	<u>369654</u>	Plug holder universal (valid from 05/08/2019)	1.0 Each
	<u>149630</u>	Ex. valve Danfoss TUA f. R134a < 12.2021 (valid from 05/08/2019)	1.0 Each
	<u>370252</u>	Nozzle 1 f.TUA-valve 068U1031 (valid from 05/08/2019)	1.0 Each