

Sparepart documentation



BPT E 30 N

Prod. No.: 386604

Product details:

B.PROTHERM E 30 x 1/1 neutral
B.PROTHERM E food transport container 1/1, neutral
Made of corrosion-resistant steel, with hinged door, mobile.
30 pairs of support ledges
Space between ledges: 38.3 mm

Spareparts

Image	Code	Name	Quantity in device
	388087	Insert (valid from 03/02/2022)	1.0 Each
	386859	Adapter (valid from 03/02/2022)	4.0 Each
	386646	Spring VD-165 (valid from 07/28/2022)	1.0 Each
	246508	Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022)	2.0 Each
	388101	Comfort opening right without drawbar (valid from 03/02/2022)	1.0 Each
	144218	PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022)	2.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 09/07/2022)	3.0 Each
	388136	Mounting bracket 80° (valid from 03/02/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>386649</u>	Corpus hinge top right (valid from 03/02/2022)	1.0 Each
	<u>374840</u>	Rubber buffer D25xh12-d5 (valid from 03/02/2022)	1.0 Each
	<u>386867</u>	Tube Ø25x1,0 L=586,4 (valid from 03/02/2022)	1.0 Each
	<u>386569</u>	body for push handle holder Ø25 (valid from 03/02/2022)	2.0 Each
	<u>372913</u>	Cover push handle holder left, logo (valid from 03/02/2022)	1.0 Each
	<u>372912</u>	Cover push handle holder right, logo (valid from 03/02/2022)	1.0 Each
	<u>386652</u>	Hinge (valid from 03/02/2022)	1.0 Each
	<u>386579</u>	mold without lock (valid from 03/02/2022)	1.0 Each





Image	Code	Name	Quantity in device
	386581	mold with lock <i>(valid from 03/02/2022)</i>	1.0 Each
	386673	Lock <i>(valid from 03/02/2022)</i>	1.0 Each
	70914	Allen screw ISO 7380 M5x8 A2 m. Fl. <i>(valid from 03/02/2022)</i>	1.0 Each
	386903	Key <i>(valid from 03/02/2022)</i>	2.0 Each
	386766	Push Rod 30 <i>(valid from 03/02/2022)</i>	1.0 Each










Image	Code	Name	Quantity in device
	<u>386771</u>	Spring cpl. (valid from 11/29/2022)	1.0 Each
	<u>388138</u>	Knob cpl. (valid from 03/02/2022)	1.0 Each
	<u>386565</u>	Door handle (valid from 03/02/2022)	1.0 Each
	<u>387941</u>	Emergency opening (valid from 12/02/2024)	1.0 Each
	<u>377734</u>	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	<u>386562</u>	Cover (valid from 03/02/2022)	1.0 Each
	<u>389058</u>	Bushing (valid from 03/02/2022)	1.0 Each
	<u>386778</u>	Seal (valid from 03/02/2022)	3.188 Meter
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 03/02/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/02/2022)	2.0 Each
	<u>362534</u>	Cast. whl. 125 lock., DIN PL, CNS (valid from 03/02/2022)	2.0 Each















Image	Code	Name	Quantity in device
	368461	Fixed wheel 125 DIN-PL crs. CNS (valid from 03/02/2022)	2.0 Each
	386514	Swivel castor 125 lock, DIN-PL, PA, anti. (valid from 03/02/2022)	2.0 Each
	389841	Bearing plate (valid from 09/23/2024)	2.0 Each
	373392	Castor wheel with brake LE-VPP160R-FI-SG (valid from 03/02/2022)	2.0 Each
	373393	FIXED WHEEL B-VPP 160R-SG (valid from 03/02/2022)	2.0 Each
	373593	Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 03/02/2022)	2.0 Each
	373594	Fixed castor B-POEV 160R-SG 843899 (valid from 03/02/2022)	2.0 Each
	146794	CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 03/02/2022)	2.0 Each
	146795	FIXED WHEEL BX-VPP 160XR-SG (valid from 03/02/2022)	2.0 Each

Image	Code	Name	Quantity in device
	373398	Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 03/02/2022)	2.0 Each
	373399	WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 03/02/2022)	2.0 Each
	387228	3-sided gallery for BPT E (valid from 03/02/2022)	1.0 Each
	387226	4-sided gallery for BPT E (valid from 03/02/2022)	1.0 Each
	387196	Bumper guard top cpl. (valid from 03/02/2022)	1.0 Each