

# Sparepart documentation



## BPT E 18 H

**Prod. No.:** 386606

**Product details:**

B.PROTHERM E 18 x 1/1 heated  
B.PROTHERM E food transport container 1/1, convection-heated  
Made of corrosion-resistant steel, with hinged door, mobile.  
18 pairs of support ledges  
Space between ledges: 38.3 mm  
Temperature range adjustable between +30 °C and +95 °C.  
Mains frequency: 50/60 Hz

### Spareparts

Image	Code	Name	Quantity in device
	<a href="#">388087</a>	Insert (valid from 01/27/2022)	1.0 Each
	<a href="#">386859</a>	Adapter (valid from 01/27/2022)	4.0 Each
	<a href="#">386646</a>	Spring VD-165 (valid from 07/28/2022)	1.0 Each
	<a href="#">246508</a>	Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022)	2.0 Each
	<a href="#">388101</a>	Comfort opening right without drawbar (valid from 01/27/2022)	1.0 Each
	<a href="#">144218</a>	PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022)	2.0 Each
	<a href="#">83031</a>	washer A 8.4 DIN 125 brass (valid from 09/07/2022)	3.0 Each
	<a href="#">388136</a>	Mounting bracket 80° (valid from 01/27/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>386649</u></a>	Corpus hinge top right (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>374840</u></a>	Rubber buffer D25xh12-d5 (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>387315</u></a>	Tube D28x1 L=268 (valid from 01/28/2022)	1.0 Each
	<a href="#"><u>372911</u></a>	body for push handle holder (valid from 01/28/2022)	2.0 Each
	<a href="#"><u>372913</u></a>	Cover push handle holder left, logo (valid from 01/28/2022)	1.0 Each
	<a href="#"><u>372912</u></a>	Cover push handle holder right, logo (valid from 01/28/2022)	1.0 Each
	<a href="#"><u>386652</u></a>	Hinge (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>387303</u></a>	Warm module cpl. 760W (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>107469</u></a>	Radial Fan R2K150/0020-4218 (valid from 01/28/2022)	1.0 Each
	<a href="#"><u>388233</u></a>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each








Image	Code	Name	Quantity in device
	<a href="#">107673</a>	Tubular heater 760W 20.43035.000 (valid from 01/28/2022)	1.0 Each
	<a href="#">107694</a>	Temperature sensor PT1000_B. PROTHERM (valid from 01/28/2022)	1.0 Each
	<a href="#">105805</a>	Safety temperature limiter 135 °C (valid from 01/28/2022)	1.0 Each
	<a href="#">386579</a>	mold without lock (valid from 01/27/2022)	1.0 Each
	<a href="#">386581</a>	mold with lock (valid from 01/27/2022)	1.0 Each
	<a href="#">386673</a>	Lock (valid from 01/27/2022)	1.0 Each
	<a href="#">70914</a>	Allen screw ISO 7380 M5x8 A2 m. FI. (valid from 01/27/2022)	1.0 Each
	<a href="#">386903</a>	Key (valid from 01/27/2022)	2.0 Each










Image	Code	Name	Quantity in device
	<a href="#"><u>386771</u></a>	Spring cpl. (valid from 11/29/2022)	1.0 Each
	<a href="#"><u>388138</u></a>	Knob cpl. (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>386565</u></a>	Door handle (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>387941</u></a>	Emergency opening (valid from 12/02/2024)	1.0 Each
	<a href="#"><u>377734</u></a>	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	<a href="#"><u>386562</u></a>	Cover (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>389058</u></a>	Bushing (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>386778</u></a>	Seal (valid from 01/27/2022)	2.228 Meter
	<a href="#"><u>389005</u></a>	Ventilation flap (valid from 08/09/2024)	1.0 Each
	<a href="#"><u>365428</u></a>	O-RING, 67.00 X 1.50 EPDM70 (valid from 01/27/2022)	1.0 Each
	<a href="#"><u>386580</u></a>	Retaining tube for ventilation flap (valid from 01/27/2022)	1.0 Each




















Image	Code	Name	Quantity in device
	<a href="#">386547</a>	Display Mount (valid from 01/27/2022)	1.0 Each
	<a href="#">107664</a>	BPT Display (valid from 01/27/2022)	1.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 01/27/2022)	1.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 01/27/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 01/27/2022)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 01/27/2022)	1.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 01/27/2022)	1.0 Each
	<a href="#">107666</a>	BPT Power PCB (max.) (valid from 01/31/2022)	1.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 01/27/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 01/27/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 01/27/2022)	1.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 01/27/2022)	1.0 Each
	<a href="#">107682</a>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each

Image	Code	Name	Quantity in device
A black spiral cable with a three-pronged UK plug and a bare wire end.	<a href="#">107683</a>	Spiral cable UK 3x1,5 qmm BL-570 (13A) (valid from 01/27/2022)	1.0 Each
A black spiral cable with a three-pronged Swiss plug and a bare wire end.	<a href="#">107684</a>	Spiral cable CH 3x1,5 qmm BL-570 (10A) (valid from 01/27/2022)	1.0 Each
A black spiral cable with a three-pronged Australian plug and a bare wire end.	<a href="#">107687</a>	Spiral cable AUS 3x1,5 qmm B-570 10A (valid from 01/27/2022)	1.0 Each
A black spiral cable with a three-pronged Danish plug and a bare wire end.	<a href="#">107689</a>	Spiral cable Denmark 3x1,5 qmm B-570 13A (valid from 01/27/2022)	1.0 Each
A black protective socket with a circular opening and a hinged cover.	<a href="#">107715</a>	Protective-socket Swiss-Standard T13 bla (valid from 01/27/2022)	1.0 Each
A black built-in socket with a rectangular opening and a hinged cover.	<a href="#">106803</a>	Build-in socket British standard (valid from 01/27/2022)	1.0 Each
A grey safety socket with a rectangular opening and a hinged cover.	<a href="#">106822</a>	Safety socket Denmark (valid from 01/27/2022)	1.0 Each
A black built-in socket with a rectangular opening and a hinged cover, featuring a pin.	<a href="#">106737</a>	Build-in socket with pin (valid from 01/27/2022)	1.0 Each
A black socket outlet with a rectangular opening and a hinged cover.	<a href="#">107716</a>	Socket outlet protective contact-black (valid from 01/27/2022)	1.0 Each
A black square seal with a circular hole in the center.	<a href="#">106891</a>	seal for ABL electrical outlets (valid from 01/27/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">386501</a>	Swivel castor 125 lock., DIN-PL (gray) (valid from 01/27/2022)	2.0 Each
	<a href="#">382548</a>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 01/27/2022)	2.0 Each
	<a href="#">362534</a>	Cast. whl. 125 lock., DIN PL, CNS (valid from 01/27/2022)	2.0 Each
	<a href="#">368461</a>	Fixed wheel 125 DIN-PL crs. CNS (valid from 01/27/2022)	2.0 Each
	<a href="#">386514</a>	Swivel castor 125 lock, DIN-PL, PA, anti. (valid from 01/27/2022)	2.0 Each
	<a href="#">389841</a>	Bearing plate (valid from 08/21/2024)	2.0 Each
	<a href="#">373392</a>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 01/27/2022)	2.0 Each
	<a href="#">373393</a>	FIXED WHEEL B-VPP 160R-SG (valid from 01/27/2022)	2.0 Each
	<a href="#">373593</a>	Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 01/27/2022)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>373594</u></a>	Fixed castor B-POEV 160R-SG 843899 (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>146794</u></a>	CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>146795</u></a>	FIXED WHEEL BX-VPP 160XR-SG (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>373398</u></a>	Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>373399</u></a>	WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>387316</u></a>	4-sided gallery undercounter (valid from 01/28/2022)	1.0 Each
	<a href="#"><u>387317</u></a>	3-sided gallery undercounter (valid from 01/28/2022)	1.0 Each