

Sparepart documentation



BPT E 2 x 16 (10) combi H/C banquet

Prod. No.: 386622

Product details:

B.PROTHERM E 2 x 16 (10) x 2/1 combi heated/cooled banquet
B. PROTHERM E food transport container 2/1, convection-heated /convection-cooled
Made of corrosion-resistant steel, with hinged doors, mobile.
upper compartment: convection-heated, temperature range adjustable between +30 °C and +95 °C
16 pairs of support ledges
lower compartment: convection-cooled, temperature range adjustable between +2 °C and +10 °C
16 pairs of support ledges with 10 x 2/1 and 6 x 1/1
Refrigerant: propane R290.
Mains frequency: 50/60 Hz

Spareparts



Image	Code	Name	Quantity in device
	388087	Insert (valid from 05/17/2022)	1.0 Each
	388090	Pan cpl. (valid from 09/16/2022)	1.0 Each
	388101	Comfort opening right without drawbar (valid from 05/17/2022)	1.0 Each
	144218	PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022)	2.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 09/07/2022)	3.0 Each
	388104	Comfort opening right with drawbar (valid from 09/12/2022)	1.0 Each
	386646	Spring VD-165 (valid from 07/28/2022)	1.0 Each
	246508	Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022)	2.0 Each


Image	Code	Name	Quantity in device
	388136	Mounting bracket 80° (valid from 05/17/2022)	2.0 Each
	386649	Corpus hinge top right (valid from 05/17/2022)	1.0 Each
	384619	Grip (valid from 05/17/2022)	1.0 Each
	105108	Edge protection 1-2mm black (valid from 05/17/2022)	0.48 Meter
	386724	Filter (valid from 05/17/2022)	1.0 Each
	387488	Cover cap (valid from 05/17/2022)	1.0 Each
	284644	magnet KR-27-16-05-N (valid from 05/17/2022)	1.0 Each
	386786	Tube D28x1 L=586,4 (valid from 05/17/2022)	1.0 Each
	372911	body for push handle holder (valid from 05/17/2022)	2.0 Each
	372913	Cover push handle holder left, logo (valid from 05/17/2022)	1.0 Each
	372912	Cover push handle holder right, logo (valid from 05/17/2022)	1.0 Each




Image	Code	Name	Quantity in device
	<u>386652</u>	Hinge (valid from 05/17/2022)	1.0 Each
	<u>387418</u>	Hinge cmpl. (valid from 05/17/2022)	1.0 Each
	<u>387411</u>	Partition bar cpl. (valid from 05/17/2022)	1.0 Each
	<u>387165</u>	Warm module cpl. 950 W (valid from 05/17/2022)	1.0 Each
	<u>107469</u>	Radial Fan R2K150/0020-4218 (valid from 05/17/2022)	1.0 Each
	<u>388233</u>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each
	<u>107672</u>	Tubular heater 950W 20.43035.010 (valid from 05/17/2022)	1.0 Each
	<u>107694</u>	Temperature sensor PT1000_B. PROTHERM (valid from 05/17/2022)	1.0 Each
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 05/17/2022)	1.0 Each
	<u>387945</u>	Evaporator pan cpl. (valid from 09/16/2022)	1.0 Each


Image	Code	Name	Quantity in device
	<u>107667</u>	Vibratory pump 230-240V/50HZ (valid from 09/16/2022)	1.0 Each
	<u>107669</u>	Pump NME1 220V 60Hz (valid from 09/16/2022)	1.0 Each
	<u>387593</u>	Hose silicone ID 6 mm (valid from 09/16/2022)	0.25 Meter
	<u>387592</u>	Hose silicone ID 8mm (valid from 09/16/2022)	0.6 Meter
	<u>106303</u>	Screw joint, M16 black (valid from 09/16/2022)	1.0 Each
	<u>106310</u>	Hexagon nut, M16 (synthetic) (valid from 09/16/2022)	1.0 Each
	<u>107680</u>	Humidity sensor SP1 (HS13) (valid from 09/16/2022)	1.0 Each
	<u>149200</u>	Axial fan 4656 ZWU 230VAC (valid from 05/17/2022)	2.0 Each
	<u>134246</u>	Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024)	1.0 Each
	<u>149785</u>	Condenser Fan of Cooling Modul with R290 (valid from 05/17/2022)	1.0 Each
	<u>386716</u>	Condensate pan cpl. (valid from 05/17/2022)	1.0 Each
	<u>386579</u>	mold without lock (valid from 05/17/2022)	1.0 Each





Image	Code	Name	Quantity in device
	<u>386581</u>	mold with lock (valid from 05/17/2022)	1.0 Each
	<u>386673</u>	Lock (valid from 05/17/2022)	1.0 Each
	<u>70914</u>	Allen screw ISO 7380 M5x8 A2 m. FI. (valid from 05/17/2022)	1.0 Each
	<u>386903</u>	Key (valid from 05/17/2022)	2.0 Each
	<u>386771</u>	Spring cpl. (valid from 11/29/2022)	1.0 Each
	<u>388138</u>	Knob cpl. (valid from 05/17/2022)	1.0 Each
	<u>386565</u>	Door handle (valid from 05/17/2022)	1.0 Each
	<u>387941</u>	Emergency opening (valid from 12/02/2024)	1.0 Each
	<u>377734</u>	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	<u>386562</u>	Cover (valid from 05/17/2022)	1.0 Each
	<u>284700</u>	magnet KV-25-25-13-N (valid from 05/17/2022)	1.0 Each







Image	Code	Name	Quantity in device
	<u>389058</u>	Bushing (valid from 05/17/2022)	1.0 Each
	<u>386778</u>	Seal (valid from 05/17/2022)	2.509 Meter
	<u>386547</u>	Display Mount (valid from 05/17/2022)	2.0 Each
	<u>107664</u>	BPT Display (valid from 05/17/2022)	2.0 Each
	<u>386476</u>	Display Foil Atlas (valid from 05/17/2022)	2.0 Each
	<u>369654</u>	Plug holder universal (valid from 05/17/2022)	1.0 Each
	<u>117766</u>	plastic cover ring for plug holder (valid from 05/17/2022)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 05/17/2022)	2.0 Each
	<u>107722</u>	BPT Power PCB (valid from 05/17/2022)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 05/17/2022)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 05/17/2022)	1.0 Each
	<u>106708</u>	magnetic switch MK4-1A75-C-300W (valid from 05/17/2022)	2.0 Each

Image	Code	Name	Quantity in device
	107692	Decal equipotential bonding (valid from 05/17/2022)	1.0 Each
	107682	Spiral cabel Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	107683	Spiral cable UK 3x1,5 qmm BL-570 (13A) (valid from 05/17/2022)	1.0 Each
	107684	Spiral cable CH 3x1,5 qmm BL-570 (10A) (valid from 05/17/2022)	1.0 Each
	107687	Spiral cable AUS 3x1,5 qmm B-570 10A (valid from 05/17/2022)	1.0 Each
	107689	Spiral cable Denmark 3x1,5 qmm B-570 13A (valid from 05/17/2022)	1.0 Each
	107715	Protective-socket Swiss-Standard T13 bla (valid from 05/17/2022)	1.0 Each
	106803	Build-in socket British standard (valid from 05/17/2022)	1.0 Each
	106822	Safety socket Denmark (valid from 05/17/2022)	1.0 Each
	106737	Build-in socket with pin (valid from 05/17/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>107716</u>	Socket outlet protective contact-black (valid from 05/17/2022)	1.0 Each
	<u>106891</u>	seal for ABL electrical outlets (valid from 05/17/2022)	1.0 Each
	<u>373397</u>	Swivel castor LEX-POEV 160XR-SG-844624 (valid from 05/17/2022)	2.0 Each
	<u>373398</u>	Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 05/17/2022)	2.0 Each
	<u>373399</u>	WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 05/17/2022)	2.0 Each
	<u>373393</u>	FIXED WHEEL B-VPP 160R-SG (valid from 05/17/2022)	2.0 Each
	<u>373593</u>	Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 09/14/2022)	2.0 Each
	<u>373594</u>	Fixed castor B-POEV 160R-SG 843899 (valid from 09/14/2022)	2.0 Each
	<u>373394</u>	CASTER WHEEL LE-VPP 200R-SG (valid from 05/17/2022)	2.0 Each

Image	Code	Name	Quantity in device
	373395	CASTER WHEEL LE-VPP 200R-FI-SG (valid from 05/17/2022)	2.0 Each
	373396	FIXED WHEEL B-VPP 200R-SG- 763618 (valid from 05/17/2022)	2.0 Each
	373400	WHEEL, CASTER-LEX-POEV 200XR-SG- 844628 (valid from 05/17/2022)	2.0 Each
	373401	WHEEL, CASTER LEX-POEV 200XR-SG- 844629 (valid from 05/17/2022)	2.0 Each
	373402	Fixed castor BX-POEV 200XR-SG-844630 (valid from 05/17/2022)	2.0 Each
	373391	Castor wheel LE-VPP 160R-SG (valid from 05/17/2022)	2.0 Each
	373392	Castor wheel with brake LE-VPP160R-FI-SG (valid from 05/17/2022)	2.0 Each
	387238	3-sided gallery for BPT E banquet (valid from 05/17/2022)	1.0 Each
	387233	4-sided gallery for BPT E banquet (valid from 05/17/2022)	1.0 Each