

Sparepart documentation



KS-UK RWR-161

Prod. No.: 389047

Product details:

Cooling station for RWR 161 KS shelf trolleys, for maintaining the cold temperature of food supplied in the shelf trolley for portioning on a food distribution conveyor.
- Active convection cooling
- For connecting to a customer-supplied refrigeration system
- Temperature can be regulated down to the degree

Spareparts

Image	Code	Name	Quantity in device
	288212	Adjustable foot 40x40 grey (valid from 10/10/2023)	6.0 Each
	356643	(valid from 10/16/2023)	1.0 Each
	149200	Axial fan 4656 ZWU 230VAC (valid from 10/10/2023)	4.0 Each
	105933	HIGH-VOLTAGE SYMBOL (valid from 10/10/2023)	2.0 Each
	358977	Evaporator for chill trough. 2x1/1 (valid from 10/10/2023)	1.0 Each
	149201	Axial fan 8556 VWU 230V 50/60Hz 12W (valid from 10/10/2023)	3.0 Each
	106310	Hexagon nut, M16 (synthetic) (valid from 10/10/2023)	3.0 Each
	81293	Pan-head screw M5X3 DIN 923 1.4301 (valid from 10/10/2023)	2.0 Each

Image	Code	Name	Quantity in device
	146708	Bow-type handle CNS 128mm (valid from 10/10/2023)	1.0 Each
	139979	Fixing for foot, screwed (valid from 10/10/2023)	6.0 Each
	139980	Fixing for adjustable foot (valid from 10/10/2023)	6.0 Each
	139981	Sleeve nut, nickel-plated brass (valid from 10/10/2023)	12.0 Each
	372450	Hinged door right for KS-UK RWR-VP163 (valid from 10/10/2023)	1.0 Each
	372454	Sealing frame for door KS-UK RWR-VP163 (valid from 10/12/2023)	1.0 Each
	291364	Lock with lock (RAL7043) same (valid from 10/12/2023)	1.0 Each
	284979	door lock 2074-U111-IA (valid from 10/12/2023)	1.0 Each
	373441	Hinge door RAL7043 (valid from 10/12/2023)	2.0 Each
	144110	PLUG-PLASTIC- 25 GREY SERIES 4560 (valid from 10/12/2023)	2.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 10/13/2023)	1.0 Each
	146085	EVAPORATOR ART.NO. 2705-1010-1000 CAMLOC (valid from 10/10/2023)	1.0 Each

Image	Code	Name	Quantity in device
	<u>149625</u>	Cryostat Dixell XR60CX-5N0C1 (valid from 10/16/2023)	1.0 Each
	<u>105848</u>	PTC sensor SN6P0150 (valid from 10/16/2023)	2.0 Each
	<u>106926</u>	Sensor SN7PK150 NTC, 1.5m (valid from 10/19/2023)	2.0 Each
	<u>107662</u>	Power switch bipolar 16A B4MASK-Ser. ATEX (valid from 10/16/2023)	1.0 Each
	<u>105489</u>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 10/16/2023)	7.0 Meter
	<u>105072</u>	PLUG-ANGLED-SAFETY BLACK (valid from 10/16/2023)	1.0 Each
	<u>107260</u>	Angle plug type 12 with 7m power cable (valid from 10/16/2023)	1.0 Each
	<u>105386</u>	NOZZLE, RUBBER, NO. 4700033 (valid from 10/16/2023)	2.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 10/16/2023)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 10/16/2023)	1.0 Each
	<u>105108</u>	Edge protection 1-2mm black (valid from 10/16/2023)	0.2 Meter

Image	Code	Name	Quantity in device
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 10/16/2023)	1.0 Each
	<u>149630</u>	Ex. valve Danfoss TUA f. R134a < 12.2021 (valid from 10/17/2023)	4.0 Each
	<u>370252</u>	Nozzle 1 f.TUA-valve 068U1031 (valid from 10/17/2023)	1.0 Each
	<u>370253</u>	Danfoss nozzle 2 for TUA-valve 068U1032 (valid from 10/17/2023)	2.0 Each
	<u>370254</u>	Nozzle 3 for TUA-valve 068U1033 (valid from 10/17/2023)	1.0 Each
	<u>149635</u>	Coil Danf. 18F6271 für EV220B 2,5m Kabel (valid from 10/17/2023)	1.0 Each
	<u>149579</u>	Magnetický ventil Danf. EVO101 032L2031 (valid from 10/17/2023)	1.0 Each
	<u>149634</u>	Expansion valve Danfoss TUA for R404A (valid from 10/17/2023)	4.0 Each
	<u>370718</u>	solenoid valve Danfoss EV220B12B (valid from 10/18/2024)	2.0 Each
	<u>149637</u>	Magnetic valve Danfoss EV220B15B (valid from 10/10/2023)	2.0 Each

Image	Code	Name	Quantity in device
	<u>149781</u>	Reinforced hose 300mm,DN13,1/2"ÜMx1/2"AG (valid from 10/16/2023)	2.0 Each
	<u>149782</u>	Screw connection AG3/8" x 1/2"IG brass (valid from 10/16/2023)	4.0 Each