

Sparepart documentation



KS-UK RWR 3-A

Prod. No.: 389048

Product details:

Cooling station for RWR 3 KS and RWR 3-A KS shelf trolleys, for maintaining the cold temperature of food supplied in the shelf trolley for portioning on a food distribution conveyor.
- Active convection cooling
- For connecting to a customer-supplied refrigeration system
- Temperature can be regulated down to the degree

Spareparts



Image	Code	Name	Quantity in device
	288212	Adjustable foot 40x40 grey (valid from 08/16/2023)	6.0 Each
	356644	Evaporator KS-UK RWR 3-A large (valid from 10/12/2023)	1.0 Each
	373288	Cooler KS-UK RWR 3-A big (valid from 10/12/2023)	1.0 Each
	356646	Evaporator KS-UK RWR 3-A small (valid from 10/12/2023)	1.0 Each
	373289	Cooler KS-UK RWR 3-A small (valid from 10/12/2023)	1.0 Each
	149200	Axial fan 4656 ZWU 230VAC (valid from 08/16/2023)	2.0 Each
	81293	Pan-head screw M5X3 DIN 923 1.4301 (valid from 08/17/2023)	2.0 Each
	146708	Bow-type handle CNS 128mm (valid from 08/17/2023)	2.0 Each
	139979	Fixing for foot, screwed (valid from 08/17/2023)	6.0 Each




Image	Code	Name	Quantity in device
	<u>139980</u>	Fixing for adjustable foot (valid from 08/17/2023)	6.0 Each
	<u>139981</u>	Sleeve nut, nickel-plated brass (valid from 08/17/2023)	12.0 Each
	<u>297116</u>	SPRINGY PRESSURE PIECE, M12 (valid from 08/16/2023)	1.0 Each
	<u>83031</u>	washer A 8.4 DIN 125 brass (valid from 08/16/2023)	1.0 Each
	<u>146516</u>	NUT, ROUNDHEAD- M5 (valid from 08/16/2023)	1.0 Each
	<u>70914</u>	Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 08/16/2023)	1.0 Each
	<u>372826</u>	Welding assembly door hinge 1/3 right (valid from 08/16/2023)	1.0 Each
	<u>376806</u>	Shell type handle RAL 7043 (valid from 08/16/2023)	1.0 Each
	<u>372823</u>	Welding assembly door hinge 2/3 left (valid from 08/16/2023)	1.0 Each
	<u>372825</u>	Welding assembly door hinge 1/3 left (valid from 08/16/2023)	1.0 Each
	<u>372824</u>	Welding assembly door hinge 2/3 right (valid from 08/16/2023)	1.0 Each
	<u>377654</u>	Door locking KS right (valid from 08/17/2023)	1.0 Each

Image	Code	Name	Quantity in device
	<u>376778</u>	Stop bar RAL7043 (valid from 08/17/2023)	3.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 08/17/2023)	9.0 Each
	<u>146085</u>	EVAPORATOR ART.NO. 2705-1010-1000 CAMLOC (valid from 08/18/2023)	1.0 Each
	<u>149625</u>	Cryostat Dixell XR60CX-5N0C1 (valid from 08/18/2023)	1.0 Each
	<u>105848</u>	PTC sensor SN6P0150 (valid from 08/18/2023)	2.0 Each
	<u>106926</u>	Sensor SN7PK150 NTC, 1.5m (valid from 10/19/2023)	2.0 Each
	<u>107662</u>	Power switch bipolar 16A B4MASK-Ser. ATEX (valid from 08/18/2023)	1.0 Each
	<u>105489</u>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 08/18/2023)	7.0 Meter
	<u>105072</u>	PLUG-ANGLED-SAFETY BLACK (valid from 08/18/2023)	1.0 Each
	<u>107260</u>	Angle plug type 12 with 7m power cable (valid from 08/18/2023)	1.0 Each
	<u>105386</u>	NOZZLE, RUBBER, NO. 4700033 (valid from 08/18/2023)	2.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 08/18/2023)	1.0 Each

Image	Code	Name	Quantity in device
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 08/18/2023)	1.0 Each
	<u>106303</u>	Screw joint, M16 black (valid from 08/18/2023)	8.0 Each
	<u>106310</u>	Hexagon nut, M16 (synthetic) (valid from 08/18/2023)	8.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 08/18/2023)	1.0 Each
	<u>149635</u>	Coil Danf. 18F6271 für EV220B 2,5m Kabel (valid from 08/21/2023)	1.0 Each
	<u>149630</u>	Ex. valve Danfoss TUA f. R134a < 12.2021 (valid from 08/21/2023)	2.0 Each
	<u>370253</u>	Danfoss nozzle 2 for TUA-valve 068U1032 (valid from 08/21/2023)	1.0 Each
	<u>373217</u>	Nozzle Danfoss 5 for TUA valve 068U1035 (valid from 08/21/2023)	1.0 Each
	<u>149634</u>	Expansion valve Danfoss TUA for R404A (valid from 08/21/2023)	2.0 Each
	<u>149637</u>	Magnetic valve Danfoss EV220B15B (valid from 08/21/2023)	2.0 Each