

Sparepart documentation



[CE-UK 53/53](#)

Prod. No.: 572431

Product details:

Basket dispenser, cooled
Made of corrosion-resistant stainless steel
Basket dimensions: 500 x 500/525 x 525 mm
Capacity: 5 baskets with 115 mm or 8 baskets of 75 mm height
Stacking height: with hooded cover: 680 mm without hooded cover: 54
basic model 364573

Spareparts

Image	Code	Name	Quantity in device
	144345	Ball catch IDEAL size III brass 70x13R (valid from 02/16/2004)	2.0 Each
	149284	PROFILE, INSERTION, GREY, NO. SH 6554 (valid from 02/16/2004)	0.656 Meter
	376806	Shell type handle RAL 7043 (valid from 02/16/2004)	2.0 Each
	364595	Sealing frame cooled basket dispenser (valid from 02/16/2004)	1.0 Each
	376812	Corner guard closed RAL7043 (valid from 03/18/2014)	4.0 Each
	376371	Plug corner guard RAL 7043 (valid from 03/18/2014)	16.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCR. 4.2 (valid from 02/16/2004)	12.0 Each
	146302	Tension spring 20GR (valid from 02/16/2004)	12.0 Each



Image	Code	Name	Quantity in device
	<u>296813</u>	Cover hood square 813 (valid from 02/16/2004)	1.0 Each
	<u>146285</u>	BEARING, STEEL- (valid from 02/16/2004)	4.0 Each
	<u>362755</u>	Tube, 32x1.5x642, fixed L, 1.4301 GSL 220 K (valid from 02/16/2004)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>376809</u>	Push-handle holder left RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>81320</u>	Tapping screw ISO7051-ST4, 2x19 (valid from 02/16/2004)	4.0 Each
	<u>376810</u>	Cover for right push hand., grey RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>376811</u>	Cover for left push hand., grey RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/01/2018)	2.0 Each
	<u>149577</u>	Evaporator Polar SKW382 Lüfter IP54 (valid from 02/16/2004)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 03/07/2008)	1.0 Each

Image	Code	Name	Quantity in device
	<u>105848</u>	PTC sensor SN6P0150 (valid from 02/16/2004)	1.0 Each
	<u>134184</u>	Digital controller CE-UK (valid from 11/17/2022)	1.0 Each
	<u>149630</u>	Ex. valve Danfoss TUA f. R134a < 12.2021 (valid from 09/25/2008)	1.0 Each
	<u>370252</u>	Nozzle 1 f.TUA-valve 068U1031 (valid from 09/25/2008)	1.0 Each
	<u>149754</u>	Filter drier DTG-b05 061-901 (valid from 09/20/2021)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 02/16/2004)	1.0 Each
	<u>105494</u>	terminal block Wieland KL 24/5 SL (valid from 02/16/2004)	1.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 02/16/2004)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 02/16/2004)	1.0 Each
	<u>105316</u>	CABLE-NYMHY-J 3X1,0 BLACK (valid from 02/16/2004)	2.0 Meter
	<u>369654</u>	Plug holder universal (valid from 03/17/2008)	1.0 Each

Image	Code	Name	Quantity in device
	117766	plastic cover ring for plug holder <i>(valid from 10/02/2008)</i>	1.0 Each