

# Sparepart documentation



## SAG 3


**Prod. No.:** 574460



### **Product details:**

Food serving trolleys<br>Made of corrosion-resistant stainless steel<br>3 individual wells for 3x GN 1/1-200 or its subdivisions<br>Compartments: 3 compartments, heatable, with 6 pairs of support ledges each for GN 1/1,<br>spacing: 57.5 mm<br>Wells and compartments that can be regulated and heated separately<br>basic model 362593<br>Illustration similar (572151 SAG 3)



## Spareparts

| Image                                                                               | Code                   | Name                                                         | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|--------------------------------------------------------------|--------------------|
|    | <a href="#">385096</a> | Seal 9x5,5 black<br>(valid from 02/05/2020)                  | 1.0 Meter          |
|   | <a href="#">276953</a> | HEATING 250W F. HEATED CABINET<br>(valid from 10/08/2002)    | 3.0 Each           |
|  | <a href="#">105029</a> | Tubular heater 250W 20.21843 230V<br>(valid from 10/08/2002) | 1.0 Each           |
|  | <a href="#">146902</a> | FIXING COLLAR<br>(valid from 10/08/2002)                     | 2.0 Each           |
|                                                                                     | <a href="#">146506</a> | Glass wool 540x420x20<br>(valid from 10/08/2002)             | 2.0 Each           |
|                                                                                     | <a href="#">146505</a> | Glass wool 420x600x20<br>(valid from 10/08/2002)             | 2.0 Each           |
|                                                                                     | <a href="#">146503</a> | Glass wool 1150x600x20<br>(valid from 10/08/2002)            | 1.0 Each           |
|                                                                                     | <a href="#">146504</a> | Glass wool 1080x360x20<br>(valid from 10/08/2002)            | 1.0 Each           |
|  | <a href="#">362582</a> | Door kpl. left<br>(valid from 10/08/2002)                    | 1.0 Each           |

| Image                                                                                            | Code                   | Name                                                              | Quantity in device |
|--------------------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------|--------------------|
|                 | <a href="#">70914</a>  | Allen screw ISO 7380 M5x8 A2 m. Fl.<br>(valid from 01/31/2018)    | 1.0 Each           |
|                 | <a href="#">83031</a>  | washer A 8.4 DIN 125 brass<br>(valid from 01/31/2018)             | 1.0 Each           |
|                 | <a href="#">146516</a> | NUT, ROUNDHEAD- M5<br>(valid from 01/31/2018)                     | 1.0 Each           |
|                 | <a href="#">144345</a> | Ball catch IDEAL size III brass 70x13R<br>(valid from 10/08/2002) | 1.0 Each           |
|                 | <a href="#">386059</a> | Spacer 5 mm<br>(valid from 10/08/2002)                            | 1.0 Each           |
|                | <a href="#">376806</a> | Shell type handle RAL 7043<br>(valid from 10/08/2002)             | 1.0 Each           |
|               | <a href="#">362583</a> | Door kpl. right<br>(valid from 10/08/2002)                        | 1.0 Each           |
|               | <a href="#">362599</a> | Door kpl. middle<br>(valid from 10/08/2002)                       | 1.0 Each           |
|               | <a href="#">146845</a> | Double nipple 1/2"<br>(valid from 09/29/2022)                     | 3.0 Each           |
|               | <a href="#">384634</a> | Drain 3x1/1<br>(valid from 10/08/2002)                            | 1.0 Each           |
|  | <a href="#">139861</a> | Ball valve R 1/2" machined<br>(valid from 02/04/2008)             | 3.0 Each           |

| Image                                                                               | Code                          | Name                                                                   | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>128204</u></a> | Nut, handle socketed ball valve, 139861<br>(valid from 10/08/2002)     | 3.0 Each           |
|    | <a href="#"><u>134047</u></a> | Socket spanner SW 11<br>(valid from 02/26/2020)                        | 1.0 Each           |
|    | <a href="#"><u>384633</u></a> | Drain bend<br>(valid from 02/04/2020)                                  | 3.0 Each           |
|    | <a href="#"><u>145411</u></a> | SCR. CONN PIPEFIX 1/2"-15 NO<br>19.183.001R<br>(valid from 10/08/2002) | 3.0 Each           |
|    | <a href="#"><u>146447</u></a> | RING CONNEC. TYPE 35A MAT. NBR-N<br>3909-60<br>(valid from 10/08/2002) | 3.0 Each           |
|  | <a href="#"><u>146781</u></a> | Plug SFL18, black<br>(valid from 10/08/2002)                           | 3.0 Each           |
|  | <a href="#"><u>297909</u></a> | Washer valve<br>(valid from 10/08/2002)                                | 3.0 Each           |
|  | <a href="#"><u>376894</u></a> | locking handle gray RAL7043<br>(valid from 11/14/2002)                 | 3.0 Each           |
|                                                                                     | <a href="#"><u>146507</u></a> | Glass wool 265x590x20<br>(valid from 10/08/2002)                       | 1.0 Each           |
|  | <a href="#"><u>106380</u></a> | Capillary tube controller 27-106°C<br>(valid from 10/08/2002)          | 3.0 Each           |
|  | <a href="#"><u>105899</u></a> | Thermostat capillar 55.18019.130 35-85°C<br>(valid from 10/08/2002)    | 2.0 Each           |
|  | <a href="#"><u>367982</u></a> | Heating well, complete, 700 W<br>(valid from 10/08/2002)               | 3.0 Each           |

| Image                                                                               | Code                          | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>105020</u></a> | PIPE HEATER 20.21719.000 700W 230V<br>(valid from 10/08/2002)     | 1.0 Each           |
|    | <a href="#"><u>294096</u></a> | SENSOR MOUNTING F.GN<br>(valid from 05/18/2006)                   | 3.0 Each           |
|    | <a href="#"><u>106340</u></a> | Wiring harness SAG 3 basin<br>(valid from 10/08/2002)             | 1.0 Each           |
|    | <a href="#"><u>105896</u></a> | Wiring harness SAG 3 hot comp.<br>(valid from 10/08/2002)         | 1.0 Each           |
|    | <a href="#"><u>106868</u></a> | Power switch bipolar 16A B4MASK-series<br>(valid from 10/08/2002) | 5.0 Each           |
|    | <a href="#"><u>292846</u></a> | Toggle dia. 42 with labelling<br>(valid from 10/08/2002)          | 5.0 Each           |
|  | <a href="#"><u>107649</u></a> | Spiral cable Europe 3x1,5 qmmst WG<br>(valid from 03/03/2021)     | 1.0 Each           |
|  | <a href="#"><u>106304</u></a> | Cable gland M20x1.5 black<br>(valid from 10/08/2002)              | 1.0 Each           |
|  | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 10/08/2002)          | 1.0 Each           |
|  | <a href="#"><u>267063</u></a> | Seal for controller + switch<br>(valid from 10/08/2002)           | 5.0 Each           |
|  | <a href="#"><u>105897</u></a> | Fibre glass cord no. 86.046.4.1<br>(valid from 10/08/2002)        | 2.0 Each           |
|  | <a href="#"><u>369654</u></a> | Plug holder universal<br>(valid from 10/08/2002)                  | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                                    | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------|--------------------|
|    | <a href="#">105429</a> | terminal block Wieland KL 24/3 SL<br>(valid from 05/10/2022)            | 1.0 Each           |
|    | <a href="#">386501</a> | Swivel castor 125 lock., DIN-PL (gray)<br>(valid from 08/24/2022)       | 2.0 Each           |
|    | <a href="#">382548</a> | Fixed wheel 125 DIN-PL, PA (gray)<br>(valid from 03/01/2018)            | 2.0 Each           |
|    | <a href="#">376812</a> | Corner guard closed RAL7043<br>(valid from 10/08/2002)                  | 4.0 Each           |
|   | <a href="#">376371</a> | Plug corner guard RAL 7043<br>(valid from 10/08/2002)                   | 16.0 Each          |
|  | <a href="#">146680</a> | EXPAND. NUT 72.30.459 F. SHEET<br>SCR.W. 4.2<br>(valid from 10/08/2002) | 12.0 Each          |
|  | <a href="#">363258</a> | Tube D32x1,5-612<br>(valid from 10/08/2002)                             | 1.0 Each           |
|  | <a href="#">376808</a> | Push-handle holder right RAL7043<br>(valid from 10/08/2002)             | 1.0 Each           |
|  | <a href="#">376809</a> | Push-handle holder left RAL7043<br>(valid from 10/08/2002)              | 1.0 Each           |
|                                                                                     | <a href="#">81320</a>  | Tapping screw ISO7051-ST4,2x19<br>(valid from 11/25/2002)               | 4.0 Each           |
|  | <a href="#">376810</a> | Cover for right. push hand., grey RAL7043<br>(valid from 11/25/2002)    | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                               | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|--------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>376811</u></a> | Cover for left push hand., grey RAL7043<br>(valid from 11/25/2002) | 1.0 Each           |
|    | <a href="#"><u>298405</u></a> | Tube cover<br>(valid from 11/25/2004)                              | 4.0 Each           |
|    | <a href="#"><u>298291</u></a> | Glass holder<br>(valid from 11/25/2004)                            | 2.0 Each           |
|    | <a href="#"><u>298289</u></a> | Glass holder support<br>(valid from 11/25/2004)                    | 2.0 Each           |
|    | <a href="#"><u>298290</u></a> | Glass holder top<br>(valid from 11/25/2004)                        | 2.0 Each           |
|    | <a href="#"><u>146671</u></a> | Plug glass holder<br>(valid from 06/17/2005)                       | 4.0 Each           |
|  | <a href="#"><u>293497</u></a> | Washer rubber<br>(valid from 11/25/2004)                           | 8.0 Each           |
|  | <a href="#"><u>144902</u></a> | PLUG, RIBBED, 32RD BLACK<br>(valid from 11/25/2004)                | 4.0 Each           |
|  | <a href="#"><u>144361</u></a> | Glass holder<br>(valid from 11/25/2004)                            | 2.0 Each           |