

Sparepart documentation



SAG 3

Prod. No.: 574461

Product details:

Food serving trolleys
Made of corrosion-resistant stainless steel
3 individual wells for 3x GN 1/1-200 or its subdivisions
Compartments: 3 compartments, heatable, with 6 pairs of support ledges each for GN 1/1,
spacing: 57.5 mm
Wells and compartments that can be regulated and heated separately
basic model 362593
Illustration similar (572151 SAG 3)

Spareparts

Image	Code	Name	Quantity in device
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	276953	HEATING 250W F. HEATED CABINET (valid from 10/08/2002)	3.0 Each
	105029	Tubular heater 250W 20.21843 230V (valid from 10/08/2002)	1.0 Each
	146902	FIXING COLLAR (valid from 10/08/2002)	2.0 Each
	146506	Glass wool 540x420x20 (valid from 10/08/2002)	2.0 Each
	146505	Glass wool 420x600x20 (valid from 10/08/2002)	2.0 Each
	146503	Glass wool 1150x600x20 (valid from 10/08/2002)	1.0 Each
	146504	Glass wool 1080x360x20 (valid from 10/08/2002)	1.0 Each
	362582	Door kpl. left (valid from 10/08/2002)	1.0 Each


Image	Code	Name	Quantity in device
	70914	Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 01/31/2018)	1.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 01/31/2018)	1.0 Each
	146516	NUT, ROUNDHEAD- M5 (valid from 01/31/2018)	1.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 10/08/2002)	1.0 Each
	386059	Spacer 5 mm (valid from 10/08/2002)	1.0 Each
	376806	Shell type handle RAL 7043 (valid from 10/08/2002)	1.0 Each
	362583	Door kpl. right (valid from 10/08/2002)	1.0 Each
	362599	Door kpl. middle (valid from 10/08/2002)	1.0 Each
	146845	Double nipple 1/2" (valid from 09/29/2022)	3.0 Each
	384634	Drain 3x1/1 (valid from 10/08/2002)	1.0 Each
	139861	Ball valve R 1/2" machined (valid from 02/04/2008)	3.0 Each



Image	Code	Name	Quantity in device
	<u>128204</u>	Nut, handle socketed ball valve, 139861 (valid from 10/08/2002)	3.0 Each
	<u>134047</u>	Socket spanner SW 11 (valid from 02/26/2020)	1.0 Each
	<u>145411</u>	SCR. CONN PIPEFIX 1/2"-15 NO 19.183.001R (valid from 10/08/2002)	3.0 Each
	<u>146447</u>	RING CONNEC. TYPE 35A MAT. NBR-N 3909-60 (valid from 10/08/2002)	3.0 Each
	<u>146781</u>	Plug SFL18, black (valid from 10/08/2002)	3.0 Each
	<u>297909</u>	Washer valve (valid from 10/08/2002)	3.0 Each
	<u>376894</u>	locking handle gray RAL7043 (valid from 11/14/2002)	3.0 Each
	<u>146507</u>	Glass wool 265x590x20 (valid from 10/08/2002)	1.0 Each
	<u>106380</u>	Capillary tube controller 27-106°C (valid from 10/08/2002)	3.0 Each
	<u>105899</u>	Thermostat capillar 55.18019.130 35-85°C (valid from 10/08/2002)	2.0 Each
	<u>367982</u>	Heating well, complete, 700 W (valid from 10/08/2002)	3.0 Each
	<u>105020</u>	PIPE HEATER 20.21719.000 700W 230V (valid from 10/08/2002)	1.0 Each
	<u>294096</u>	SENSOR MOUNTING F.GN (valid from 05/18/2006)	3.0 Each

Image	Code	Name	Quantity in device
	<u>106340</u>	Wiring harness SAG 3 basin (valid from 10/08/2002)	1.0 Each
	<u>105896</u>	Wiring harness SAG 3 hot comp. (valid from 10/08/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 10/08/2002)	5.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 10/08/2002)	5.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 10/08/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 10/08/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 10/08/2002)	5.0 Each
	<u>105897</u>	Fibre glass cord no. 86.046.4.1 (valid from 10/08/2002)	2.0 Each
	<u>369654</u>	Plug holder universal (valid from 10/08/2002)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 05/10/2022)	1.0 Each



Image	Code	Name	Quantity in device
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/01/2018)	2.0 Each
	<u>376812</u>	Corner guard closed RAL7043 (valid from 10/08/2002)	4.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 10/08/2002)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCR. 4.2 (valid from 10/08/2002)	12.0 Each
	<u>363258</u>	Tube D32x1,5-612 (valid from 10/08/2002)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 10/08/2002)	1.0 Each
	<u>376809</u>	Push-handle holder left RAL7043 (valid from 10/08/2002)	1.0 Each
	<u>81320</u>	Tapping screw ISO7051-ST4,2x19 (valid from 11/25/2002)	4.0 Each
	<u>376810</u>	Cover for right. push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	<u>376811</u>	Cover for left push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	<u>363395</u>	Shelf foldable face side cpl. (valid from 10/08/2002)	1.0 Each

Image	Code	Name	Quantity in device
	298405	Tube cover (valid from 11/25/2004)	4.0 Each
	298291	Glass holder (valid from 11/25/2004)	2.0 Each
	298289	Glass holder support (valid from 11/25/2004)	2.0 Each
	298290	Glass holder top (valid from 11/25/2004)	2.0 Each
	146671	Plug glass holder (valid from 06/17/2005)	4.0 Each
	293497	Washer rubber (valid from 11/25/2004)	8.0 Each
	144902	PLUG, RIBBED, 32RD BLACK (valid from 11/25/2004)	4.0 Each
	144361	Glass holder (valid from 11/25/2004)	2.0 Each