

Sparepart documentation



SAG 3

Prod. No.: 574477

Product details:

Food serving trolleys
Made of corrosion-resistant stainless steel
3 individual wells for 3x GN 1/1-200 or its subdivisions
Compartments: 3 compartments, heatable, with 6 pairs of support ledges each for GN 1/1,
spacing: 57.5 mm
Wells and compartments that can be regulated and heated separately
basic model 362593
Illustration similar (572151 SAG 3)

Spareparts

Image	Code	Name	Quantity in device
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	276953	HEATING 250W F. HEATED CABINET (valid from 10/08/2002)	3.0 Each
	105029	Tubular heater 250W 20.21843 230V (valid from 10/08/2002)	1.0 Each
	146902	FIXING COLLAR (valid from 10/08/2002)	2.0 Each
	146506	Glass wool 540x420x20 (valid from 10/08/2002)	2.0 Each
	146505	Glass wool 420x600x20 (valid from 10/08/2002)	2.0 Each
	146503	Glass wool 1150x600x20 (valid from 10/08/2002)	1.0 Each
	146504	Glass wool 1080x360x20 (valid from 10/08/2002)	1.0 Each
	362582	Door kpl. left (valid from 10/08/2002)	1.0 Each



Image	Code	Name	Quantity in device
	<u>70914</u>	Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 01/31/2018)	1.0 Each
	<u>83031</u>	washer A 8.4 DIN 125 brass (valid from 01/31/2018)	1.0 Each
	<u>146516</u>	NUT, ROUNDHEAD- M5 (valid from 01/31/2018)	1.0 Each
	<u>144345</u>	Ball catch IDEAL size III brass 70x13R (valid from 10/08/2002)	1.0 Each
	<u>386059</u>	Spacer 5 mm (valid from 10/08/2002)	1.0 Each
	<u>376806</u>	Shell type handle RAL 7043 (valid from 10/08/2002)	1.0 Each
	<u>362583</u>	Door kpl. right (valid from 10/08/2002)	1.0 Each
	<u>362599</u>	Door kpl. middle (valid from 10/08/2002)	1.0 Each
	<u>146845</u>	Double nipple 1/2" (valid from 09/29/2022)	3.0 Each
	<u>384634</u>	Drain 3x1/1 (valid from 10/08/2002)	1.0 Each
	<u>139861</u>	Ball valve R 1/2" machined (valid from 02/04/2008)	3.0 Each



Image	Code	Name	Quantity in device
	<u>128204</u>	Nut, handle socketed ball valve, 139861 (valid from 10/08/2002)	3.0 Each
	<u>134047</u>	Socket spanner SW 11 (valid from 02/26/2020)	1.0 Each
	<u>384633</u>	Drain bend (valid from 02/04/2020)	3.0 Each
	<u>145411</u>	SCR. CONN PIPEFIX 1/2"-15 NO 19.183.001R (valid from 10/08/2002)	3.0 Each
	<u>146447</u>	RING CONNEC. TYPE 35A MAT. NBR-N 3909-60 (valid from 10/08/2002)	3.0 Each
	<u>146781</u>	Plug SFL18, black (valid from 10/08/2002)	3.0 Each
	<u>297909</u>	Washer valve (valid from 10/08/2002)	3.0 Each
	<u>376894</u>	locking handle gray RAL7043 (valid from 11/14/2002)	3.0 Each
	<u>146507</u>	Glass wool 265x590x20 (valid from 10/08/2002)	1.0 Each
	<u>106380</u>	Capillary tube controller 27-106°C (valid from 10/08/2002)	3.0 Each
	<u>105899</u>	Thermostat capillar 55.18019.130 35-85°C (valid from 10/08/2002)	2.0 Each
	<u>367982</u>	Heating well, complete, 700 W (valid from 10/08/2002)	3.0 Each

Image	Code	Name	Quantity in device
	<u>105020</u>	PIPE HEATER 20.21719.000 700W 230V (valid from 10/08/2002)	1.0 Each
	<u>294096</u>	SENSOR MOUNTING F.GN (valid from 05/18/2006)	3.0 Each
	<u>106340</u>	Wiring harness SAG 3 basin (valid from 10/08/2002)	1.0 Each
	<u>105896</u>	Wiring harness SAG 3 hot comp. (valid from 10/08/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 10/08/2002)	5.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 10/08/2002)	5.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 10/08/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 10/08/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 10/08/2002)	5.0 Each
	<u>105897</u>	Fibre glass cord no. 86.046.4.1 (valid from 10/08/2002)	2.0 Each
	<u>369654</u>	Plug holder universal (valid from 10/08/2002)	1.0 Each



Image	Code	Name	Quantity in device
	105429	terminal block Wieland KL 24/3 SL (valid from 05/10/2022)	1.0 Each
	386501	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	382548	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/01/2018)	2.0 Each
	376812	Corner guard closed RAL7043 (valid from 10/08/2002)	4.0 Each
	376371	Plug corner guard RAL 7043 (valid from 10/08/2002)	16.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCR.W. 4.2 (valid from 10/08/2002)	12.0 Each
	363258	Tube D32x1,5-612 (valid from 10/08/2002)	1.0 Each
	376808	Push-handle holder right RAL7043 (valid from 10/08/2002)	1.0 Each
	376809	Push-handle holder left RAL7043 (valid from 10/08/2002)	1.0 Each
	81320	Tapping screw ISO7051-ST4,2x19 (valid from 11/25/2002)	4.0 Each
	376810	Cover for right. push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each

Image	Code	Name	Quantity in device
	<u>376811</u>	Cover for left push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	<u>298405</u>	Tube cover (valid from 11/25/2004)	4.0 Each
	<u>298291</u>	Glass holder (valid from 11/25/2004)	2.0 Each
	<u>298289</u>	Glass holder support (valid from 11/25/2004)	2.0 Each
	<u>298290</u>	Glass holder top (valid from 11/25/2004)	2.0 Each
	<u>146671</u>	Plug glass holder (valid from 06/17/2005)	4.0 Each
	<u>293497</u>	Washer rubber (valid from 11/25/2004)	8.0 Each
	<u>144902</u>	PLUG, RIBBED, 32RD BLACK (valid from 11/25/2004)	4.0 Each