

Sparepart documentation



SAG 3

Prod. No.: 574478

Product details:

Food serving trolleys
Made of corrosion-resistant stainless steel
3 individual wells for 3x GN 1/1-200 or its subdivisions
Compartments: 3 compartments, heatable, with 6 pairs of support ledges each for GN 1/1,
spacing: 57.5 mm
Wells and compartments that can be regulated and heated separately
Illustration similar (572151 SAG 3)

Spareparts

Image	Code	Name	Quantity in device
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	276953	HEATING 250W F. HEATED CABINET (valid from 10/08/2002)	3.0 Each
	105029	Tubular heater 250W 20.21843 230V (valid from 10/08/2002)	1.0 Each
	146902	FIXING COLLAR (valid from 10/08/2002)	2.0 Each
	146506	Glass wool 540x420x20 (valid from 10/08/2002)	2.0 Each
	146505	Glass wool 420x600x20 (valid from 10/08/2002)	2.0 Each
	146503	Glass wool 1150x600x20 (valid from 10/08/2002)	1.0 Each
	146504	Glass wool 1080x360x20 (valid from 10/08/2002)	1.0 Each
	362582	Door kpl. left (valid from 10/08/2002)	1.0 Each


Image	Code	Name	Quantity in device
	70914	Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 01/31/2018)	1.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 01/31/2018)	1.0 Each
	146516	NUT, ROUNDHEAD- M5 (valid from 01/31/2018)	1.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 10/08/2002)	1.0 Each
	386059	Spacer 5 mm (valid from 10/08/2002)	1.0 Each
	376806	Shell type handle RAL 7043 (valid from 10/08/2002)	1.0 Each
	362583	Door kpl. right (valid from 10/08/2002)	1.0 Each
	362599	Door kpl. middle (valid from 10/08/2002)	1.0 Each
	146845	Double nipple 1/2" (valid from 09/29/2022)	3.0 Each
	384634	Drain 3x1/1 (valid from 10/08/2002)	1.0 Each
	139861	Ball valve R 1/2" machined (valid from 02/04/2008)	3.0 Each



Image	Code	Name	Quantity in device
	<u>128204</u>	Nut, handle socketed ball valve, 139861 (valid from 10/08/2002)	3.0 Each
	<u>134047</u>	Socket spanner SW 11 (valid from 02/26/2020)	1.0 Each
	<u>384633</u>	Drain bend (valid from 02/04/2020)	3.0 Each
	<u>145411</u>	SCR. CONN PIPEFIX 1/2"-15 NO 19.183.001R (valid from 10/08/2002)	3.0 Each
	<u>146447</u>	RING CONNEC. TYPE 35A MAT. NBR-N 3909-60 (valid from 10/08/2002)	3.0 Each
	<u>146781</u>	Plug SFL18, black (valid from 10/08/2002)	3.0 Each
	<u>297909</u>	Washer valve (valid from 10/08/2002)	3.0 Each
	<u>376894</u>	locking handle gray RAL7043 (valid from 11/14/2002)	3.0 Each
	<u>146507</u>	Glass wool 265x590x20 (valid from 10/08/2002)	1.0 Each
	<u>106380</u>	Capillary tube controller 27-106°C (valid from 10/08/2002)	3.0 Each
	<u>105899</u>	Thermostat capillar 55.18019.130 35-85°C (valid from 10/08/2002)	2.0 Each
	<u>367982</u>	Heating well, complete, 700 W (valid from 10/08/2002)	3.0 Each

Image	Code	Name	Quantity in device
	<u>105020</u>	PIPE HEATER 20.21719.000 700W 230V (valid from 10/08/2002)	1.0 Each
	<u>294096</u>	SENSOR MOUNTING F.GN (valid from 05/18/2006)	3.0 Each
	<u>106340</u>	Wiring harness SAG 3 basin (valid from 10/08/2002)	1.0 Each
	<u>105896</u>	Wiring harness SAG 3 hot comp. (valid from 10/08/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 10/08/2002)	5.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 10/08/2002)	5.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 10/08/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 10/08/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 10/08/2002)	5.0 Each
	<u>105897</u>	Fibre glass cord no. 86.046.4.1 (valid from 10/08/2002)	2.0 Each
	<u>369654</u>	Plug holder universal (valid from 10/08/2002)	1.0 Each


Image	Code	Name	Quantity in device
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>382548</u>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 03/01/2018)	2.0 Each
	<u>376812</u>	Corner guard closed RAL7043 (valid from 10/08/2002)	4.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 10/08/2002)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 10/08/2002)	12.0 Each
	<u>363258</u>	Tube D32x1,5-612 (valid from 10/08/2002)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 10/08/2002)	1.0 Each
	<u>376809</u>	Push-handle holder left RAL7043 (valid from 10/08/2002)	1.0 Each
	<u>81320</u>	Tapping screw ISO7051-ST4,2x19 (valid from 11/25/2002)	4.0 Each
	<u>376810</u>	Cover for right. push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each
	<u>376811</u>	Cover for left push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each


Image	Code	Name	Quantity in device
	298405	Tube cover (valid from 11/25/2004)	4.0 Each
	298291	Glass holder (valid from 11/25/2004)	2.0 Each
	298289	Glass holder support (valid from 11/25/2004)	2.0 Each
	298290	Glass holder top (valid from 11/25/2004)	2.0 Each
	146671	Plug glass holder (valid from 06/17/2005)	4.0 Each
	293497	Washer rubber (valid from 11/25/2004)	8.0 Each
	105120	RADIATOR-INFRARED- FSR 250W (valid from 12/15/2004)	3.0 Each
	105301	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 02/10/2005)	0.42 Meter
	105298	CABLE-TEFLON- 3X1,0 TEGL WHITE (valid from 02/10/2005)	5.4 Meter
	106184	Warning sign hot surface (valid from 02/10/2005)	1.0 Each
	144902	PLUG, RIBBED, 32RD BLACK (valid from 11/25/2004)	4.0 Each
	144361	Glass holder (valid from 11/25/2004)	2.0 Each
	384708	Rubber washer (valid from 05/15/2020)	2.0 Each

Image	Code	Name	Quantity in device
	105386	NOZZLE, RUBBER, NO. 4700033 <i>(valid from 11/25/2004)</i>	2.0 Each