

# Sparepart documentation



## SAG L-2


**Prod. No.:** 574842


### **Product details:**



Food serving trolleys<br>Made of corrosion-resistant stainless steel<br>2 individual wells for 2x GN 1/1-200 or its subdivisions<br>Compartments: 2 compartments, heatable, with 6 pairs of support ledges<br>each for GN 1/1, spacing: 57.5 mm<br>Wells and compartments that can be regulated and heated separately<br>especially for use on a servery counter (push handle and operating<br>

## Spareparts

| Image | Code                   | Name                                                         | Quantity in device |
|-------|------------------------|--------------------------------------------------------------|--------------------|
|       | <a href="#">276953</a> | HEATING 250W F. HEATED CABINET<br>(valid from 11/02/2016)    | 2.0 Each           |
|       | <a href="#">105029</a> | Tubular heater 250W 20.21843 230V<br>(valid from 11/02/2016) | 1.0 Each           |
|       | <a href="#">146902</a> | FIXING COLLAR<br>(valid from 11/02/2016)                     | 2.0 Each           |
|       | <a href="#">146506</a> | Glass wool 540x420x20<br>(valid from 11/02/2016)             | 3.0 Each           |
|       | <a href="#">146505</a> | Glass wool 420x600x20<br>(valid from 11/02/2016)             | 2.0 Each           |
|       | <a href="#">146497</a> | Glass wool 810x600x20<br>(valid from 11/02/2016)             | 1.0 Each           |
|       | <a href="#">146508</a> | Glass wool 740x360x20<br>(valid from 11/02/2016)             | 1.0 Each           |
|       | <a href="#">136020</a> | PLATE, NOISE-SUPPR. 500X190X1,9<br>(valid from 03/02/2017)   | 0.5 Each           |
|       | <a href="#">362582</a> | Door kpl. left<br>(valid from 11/02/2016)                    | 1.0 Each           |

| Image                                                                                                            | Code                          | Name                                                                | Quantity in device |
|------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------|--------------------|
|                                 | <a href="#"><u>83031</u></a>  | washer A 8.4 DIN 125 brass<br>(valid from 11/02/2016)               | 1.0 Each           |
|                                 | <a href="#"><u>146516</u></a> | NUT,ROUNDHEAD- M5<br>(valid from 11/02/2016)                        | 1.0 Each           |
|                                 | <a href="#"><u>70914</u></a>  | Allen screw ISO 7380 M5x8 A2 m. Fl.<br>(valid from 11/02/2016)      | 1.0 Each           |
|                                 | <a href="#"><u>144345</u></a> | Ball catch IDEAL size III brass 70x13R<br>(valid from 11/02/2016)   | 1.0 Each           |
|                                 | <a href="#"><u>376806</u></a> | Shell type handle RAL 7043<br>(valid from 11/02/2016)               | 1.0 Each           |
|                                | <a href="#"><u>362583</u></a> | Door kpl. right<br>(valid from 11/02/2016)                          | 1.0 Each           |
|                               | <a href="#"><u>146845</u></a> | Double nipple 1/2"<br>(valid from 09/29/2022)                       | 2.0 Each           |
|                               | <a href="#"><u>384635</u></a> | Drain 2x1/1<br>(valid from 11/02/2016)                              | 1.0 Each           |
|                               | <a href="#"><u>384633</u></a> | Drain bend<br>(valid from 11/02/2016)                               | 2.0 Each           |
|  | <a href="#"><u>145411</u></a> | SCR. CONN PIPEFIX 1/2"-15 NO 19.183.001R<br>(valid from 11/02/2016) | 2.0 Each           |

| Image                                                                               | Code                          | Name                                                                   | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>146447</u></a> | RING CONNEC. TYPE 35A MAT. NBR-N<br>3909-60<br>(valid from 11/02/2016) | 2.0 Each           |
|    | <a href="#"><u>146781</u></a> | Plug SFL18, black<br>(valid from 11/02/2016)                           | 2.0 Each           |
|    | <a href="#"><u>297909</u></a> | Washer valve<br>(valid from 11/02/2016)                                | 2.0 Each           |
|    | <a href="#"><u>376894</u></a> | locking handle gray RAL7043<br>(valid from 11/02/2016)                 | 2.0 Each           |
|                                                                                     | <a href="#"><u>146507</u></a> | Glass wool 265x590x20<br>(valid from 11/02/2016)                       | 1.0 Each           |
|    | <a href="#"><u>106380</u></a> | Capillary tube controller 27-106°C<br>(valid from 11/02/2016)          | 2.0 Each           |
|  | <a href="#"><u>105899</u></a> | Thermostat capillar 55.18019.130 35-85°C<br>(valid from 11/02/2016)    | 2.0 Each           |
|  | <a href="#"><u>367982</u></a> | Heating well, complete, 700 W<br>(valid from 11/02/2016)               | 2.0 Each           |
|  | <a href="#"><u>294096</u></a> | SENSOR MOUNTING F.GN<br>(valid from 11/02/2016)                        | 2.0 Each           |
|  | <a href="#"><u>106339</u></a> | Wiring harness SAG 2 basin<br>(valid from 11/02/2016)                  | 1.0 Each           |
|  | <a href="#"><u>106868</u></a> | Power switch bipolar 16A B4MASK-series<br>(valid from 11/02/2016)      | 4.0 Each           |
|  | <a href="#"><u>292846</u></a> | Toggle dia. 42 with labelling<br>(valid from 11/02/2016)               | 4.0 Each           |

| Image                                                                               | Code                          | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>107649</u></a> | Spiral cable Europe 3x1,5 qmmst WG<br>(valid from 03/03/2021)     | 1.0 Each           |
|    | <a href="#"><u>106304</u></a> | Cable gland M20x1.5 black<br>(valid from 11/02/2016)              | 1.0 Each           |
|    | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 11/02/2016)          | 1.0 Each           |
|    | <a href="#"><u>267063</u></a> | Seal for controller + switch<br>(valid from 11/02/2016)           | 4.0 Each           |
|    | <a href="#"><u>369654</u></a> | Plug holder universal<br>(valid from 11/02/2016)                  | 1.0 Each           |
|   | <a href="#"><u>105429</u></a> | terminal block Wieland KL 24/3 SL<br>(valid from 05/10/2022)      | 1.0 Each           |
|                                                                                     | <a href="#"><u>288292</u></a> | Adhesive W.Lock AN 302-43/50ml<br>(valid from 11/02/2016)         | 0.025 Each         |
|  | <a href="#"><u>386501</u></a> | Swivel castor 125 lock., DIN-PL (gray)<br>(valid from 08/24/2022) | 2.0 Each           |
|  | <a href="#"><u>386502</u></a> | Swivel castor 125, DIN-PL, (gray)<br>(valid from 08/24/2022)      | 2.0 Each           |
|  | <a href="#"><u>376812</u></a> | Corner guard closed RAL7043<br>(valid from 11/02/2016)            | 4.0 Each           |
|  | <a href="#"><u>376371</u></a> | Plug corner guard RAL 7043<br>(valid from 11/02/2016)             | 16.0 Each          |

| Image                                                                               | Code                          | Name                                                                   | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>146680</u></a> | EXPAND. NUT 72.30.459 F. SHEET<br>SCRW. 4.2<br>(valid from 11/02/2016) | 12.0 Each          |
|    | <a href="#"><u>362687</u></a> | Tube D32x1,5-762<br>(valid from 11/02/2016)                            | 1.0 Each           |
|    | <a href="#"><u>376808</u></a> | Push-handle holder right RAL7043<br>(valid from 11/02/2016)            | 1.0 Each           |
|    | <a href="#"><u>376809</u></a> | Push-handle holder left RAL7043<br>(valid from 11/02/2016)             | 1.0 Each           |
|                                                                                     | <a href="#"><u>81320</u></a>  | Tapping screw ISO7051-ST4,2x19<br>(valid from 11/02/2016)              | 4.0 Each           |
|    | <a href="#"><u>376810</u></a> | Cover for right. push hand., grey RAL7043<br>(valid from 11/02/2016)   | 1.0 Each           |
|  | <a href="#"><u>376811</u></a> | Cover for left push hand., grey RAL7043<br>(valid from 11/02/2016)     | 1.0 Each           |