

# Sparepart documentation



## UNI-H 59/29

**Prod. No.:** 574909



### **Product details:**

Universal dispenser, <br>heatable (convection) <br>+30 °C to +110 °C, <br>closed model <br>Made of corrosion-resistant stainless steel <br>Capacity: dependent on type of dishes <br>Stacking height: with hooded cover: 680 mm without hooded cover: 540 <br>mm <br>basic model 383387 <br>

## Spareparts

| Image | Code                   | Name                                                             | Quantity in device |
|-------|------------------------|------------------------------------------------------------------|--------------------|
|       | <a href="#">374269</a> | Foil for control panel NSG<br>(valid from 05/09/2019)            | 1.0 Each           |
|       | <a href="#">146302</a> | Tension spring 20GR<br>(valid from 05/09/2019)                   | 8.0 Each           |
|       | <a href="#">385096</a> | Seal 9x5,5 black<br>(valid from 02/05/2020)                      | 1.0 Meter          |
|       | <a href="#">364814</a> | Tray cpl. 59/29 perforated<br>(valid from 05/09/2019)            | 1.0 Each           |
|       | <a href="#">146285</a> | BEARING, STEEL-<br>(valid from 05/09/2019)                       | 16.0 Each          |
|       | <a href="#">379653</a> | Guidance rod D16-780<br>(valid from 05/09/2019)                  | 6.0 Each           |
|       | <a href="#">105913</a> | Radial fan R2A 150-AC01-21<br>(valid from 05/09/2019)            | 1.0 Each           |
|       | <a href="#">105708</a> | Tubular heater 1800W Nr. 20.28907.000<br>(valid from 05/09/2019) | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>369654</u></a> | Plug holder universal<br>(valid from 05/09/2019)                    | 1.0 Each           |
|    | <a href="#"><u>107650</u></a> | Spiral cable Europe 3x1,5 qmm WG BL-650<br>(valid from 03/03/2021)  | 1.0 Each           |
|    | <a href="#"><u>106304</u></a> | Cable gland M20x1.5 black<br>(valid from 05/09/2019)                | 1.0 Each           |
|    | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 05/09/2019)            | 1.0 Each           |
|    | <a href="#"><u>106868</u></a> | Power switch bipolar 16A B4MASK-series<br>(valid from 05/09/2019)   | 1.0 Each           |
|    | <a href="#"><u>146902</u></a> | FIXING COLLAR<br>(valid from 05/09/2019)                            | 1.0 Each           |
|  | <a href="#"><u>106344</u></a> | Temp. guard 135°C KO 340-135-03-A<br>(valid from 05/09/2019)        | 1.0 Each           |
|  | <a href="#"><u>297578</u></a> | TEMP.-LIMITER 150°C KB 344-150-05-A<br>(valid from 05/09/2019)      | 1.0 Each           |
|  | <a href="#"><u>105900</u></a> | Thermostat capillar 55.18022.040 35-130°<br>(valid from 05/09/2019) | 1.0 Each           |
|  | <a href="#"><u>267063</u></a> | Seal for controller + switch<br>(valid from 05/09/2019)             | 1.0 Each           |
|  | <a href="#"><u>374171</u></a> | Knob model 591<br>(valid from 05/09/2019)                           | 1.0 Each           |
|                                                                                     | <a href="#"><u>106348</u></a> | Cable harness, CHV/2SHV/UNI-H<br>(valid from 05/09/2019)            | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#">386501</a> | Swivel castor 125 lock., DIN-PL (gray)<br>(valid from 08/24/2022) | 2.0 Each           |
|    | <a href="#">386502</a> | Swivel castor 125, DIN-PL, (gray)<br>(valid from 08/24/2022)      | 2.0 Each           |
|    | <a href="#">146904</a> | Cover hood UNI 59/29<br>(valid from 05/09/2019)                   | 1.0 Each           |
|    | <a href="#">374069</a> | Corner guard bottom part<br>(valid from 05/09/2019)               | 4.0 Each           |
|   | <a href="#">374064</a> | Corner guard top part, closed<br>(valid from 05/09/2019)          | 4.0 Each           |
|  | <a href="#">374155</a> | Tube D28x1,0-320<br>(valid from 05/09/2019)                       | 1.0 Each           |
|  | <a href="#">372911</a> | body for push handle holder<br>(valid from 05/09/2019)            | 2.0 Each           |
|                                                                                     | <a href="#">372912</a> | Cover push handle holder right, logo<br>(valid from 05/09/2019)   | 1.0 Each           |
|  | <a href="#">372913</a> | Cover push handle holder left, logo<br>(valid from 05/09/2019)    | 1.0 Each           |
|  | <a href="#">358964</a> | Label-no plastic<br>(valid from 05/09/2019)                       | 1.0 Each           |
|  | <a href="#">106184</a> | Warning sign hot surface<br>(valid from 05/09/2019)               | 1.0 Each           |