

# Sparepart documentation



## BPT E 12 H

**Prod. No.:** 575199

**Product details:**

B.PROTHERM E 12 x 1/1 heated<br>B.PROTHERM E food transport container 1/1, convection-heated<br>Made of corrosion-resistant steel, with hinged door, mobile.<br>12 pairs of support ledges<br>Space between ledges: 38.3 mm<br>Temperature range adjustable between +30 °C and +95°C<br>Mains frequency: 50/60 Hz<br><br>Base model: 386605

### Spareparts







Image	Code	Name	Quantity in device
	<a href="#">386752</a>	Mounting bracket (valid from 01/31/2022)	1.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 01/31/2022)	1.0 Each
	<a href="#">374840</a>	Rubber buffer D25xh12-d5 (valid from 01/31/2022)	1.0 Each
	<a href="#">387315</a>	Tube D28x1 L=268 (valid from 01/31/2022)	1.0 Each
	<a href="#">372911</a>	body for push handle holder (valid from 01/31/2022)	2.0 Each
	<a href="#">372913</a>	Cover push handle holder left, logo (valid from 01/31/2022)	1.0 Each
	<a href="#">372912</a>	Cover push handle holder right, logo (valid from 01/31/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">386652</a>	Hinge (valid from 01/31/2022)	1.0 Each
	<a href="#">83031</a>	washer A 8.4 DIN 125 brass (valid from 01/31/2022)	1.0 Each
	<a href="#">387303</a>	Warm module cpl. 760W (valid from 01/31/2022)	1.0 Each
	<a href="#">105913</a>	Radial fan R2A 150-AC01-21 (valid from 01/31/2022)	1.0 Each
	<a href="#">107748</a>	Insulating plate (valid from 01/31/2022)	1.0 Each
	<a href="#">107673</a>	Tubular heater 760W 20.43035.000 (valid from 01/31/2022)	1.0 Each
	<a href="#">107694</a>	Temperature sensor PT1000_B. PROTHERM (valid from 01/31/2022)	1.0 Each
	<a href="#">105805</a>	Safety temperature limiter 135 °C (valid from 01/31/2022)	1.0 Each





Image	Code	Name	Quantity in device
	<a href="#">386579</a>	mold without lock <i>(valid from 01/31/2022)</i>	1.0 Each
	<a href="#">387186</a>	Push Rod 12 <i>(valid from 01/31/2022)</i>	1.0 Each
	<a href="#">386771</a>	Spring cpl. <i>(valid from 01/31/2022)</i>	1.0 Each
	<a href="#">386565</a>	Door handle <i>(valid from 01/31/2022)</i>	1.0 Each
	<a href="#">387941</a>	Emergency opening <i>(valid from 03/11/2026)</i>	1.0 Each
	<a href="#">386562</a>	Cover <i>(valid from 01/31/2022)</i>	1.0 Each




















Image	Code	Name	Quantity in device
	<a href="#"><u>389058</u></a>	Bushing (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>377734</u></a>	Pressure spring VD-180-07 (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>386778</u></a>	Seal (valid from 01/31/2022)	1.348 Meter
	<a href="#"><u>389005</u></a>	Ventilation flap (valid from 08/09/2024)	1.0 Each
	<a href="#"><u>365428</u></a>	O-RING, 67.00 X 1.50 EPDM70 (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>386580</u></a>	Retaining tube for ventilation flap (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>107664</u></a>	BPT Display (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>386476</u></a>	Display Foil Atlas (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>369654</u></a>	Plug holder universal (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>117766</u></a>	plastic cover ring for plug holder (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>105429</u></a>	terminal block Wieland KL 24/3 SL (valid from 01/31/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>107722</u></a>	BPT Power PCB (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>106304</u></a>	Cable gland M20x1.5 black (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>106311</u></a>	Hexagon nut M20x1.5 (plastic) (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>106708</u></a>	magnetic switch MK4-1A75-C-300W (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>107692</u></a>	Decal equipotential bonding (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>107682</u></a>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 01/31/2022)	1.0 Each
	<a href="#"><u>369185</u></a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 01/31/2022)	2.0 Each
	<a href="#"><u>369186</u></a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 01/31/2022)	2.0 Each