

# Sparepart documentation






## BPT E 36 (30) C




Prod. No.: 575204



### Product details:



B.PROTHERM E 36 (30) x 1/1 cooled  
B.PROTHERM E food transport container 1/1, convection-cooled, made of corrosion-resistant steel, with hinged door, mobile.  
36 support ledges: 30 x 1/1 and 6 x 1/2.  
Space between ledges: 38.3 mm  
Temperature range adjustable between +2 °C and +10 °C.  
Refrigerant: propane R290  
Mains frequency: 50/60 Hz  
Base model 386610



## Spareparts

| Image                                                                               | Code                   | Name                                                       | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------|--------------------|
|   | <a href="#">386752</a> | Mounting bracket<br>(valid from 10/05/2021)                | 1.0 Each           |
|  | <a href="#">386649</a> | Corpus hinge top right<br>(valid from 10/05/2021)          | 1.0 Each           |
|  | <a href="#">386724</a> | Filter<br>(valid from 10/05/2021)                          | 1.0 Each           |
|  | <a href="#">374840</a> | Rubber buffer D25xh12-d5<br>(valid from 10/05/2021)        | 1.0 Each           |
|  | <a href="#">386867</a> | Tube Ø25x1,0 L=586,4<br>(valid from 10/05/2021)            | 1.0 Each           |
|  | <a href="#">386569</a> | body for push handle holder Ø25<br>(valid from 10/05/2021) | 2.0 Each           |

| Image                                                                               | Code                          | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>372913</u></a> | Cover push handle holder left, logo<br>(valid from 10/05/2021)      | 1.0 Each           |
|                                                                                     | <a href="#"><u>372912</u></a> | Cover push handle holder right, logo<br>(valid from 10/05/2021)     | 1.0 Each           |
|    | <a href="#"><u>386652</u></a> | Hinge<br>(valid from 10/05/2021)                                    | 1.0 Each           |
|    | <a href="#"><u>83031</u></a>  | washer A 8.4 DIN 125 brass<br>(valid from 10/05/2021)               | 1.0 Each           |
|  | <a href="#"><u>149200</u></a> | Axial fan 4656 ZWU 230VAC<br>(valid from 10/05/2021)                | 1.0 Each           |
|  | <a href="#"><u>134246</u></a> | Condenser Fan of Cooling Modul with R290<br>(valid from 03/19/2024) | 1.0 Each           |
|  | <a href="#"><u>149785</u></a> | Condenser Fan of Cooling Modul with R290<br>(valid from 10/05/2021) | 1.0 Each           |
|  | <a href="#"><u>386715</u></a> | Condensate pan cpl.<br>(valid from 10/05/2021)                      | 1.0 Each           |
|  | <a href="#"><u>386579</u></a> | mold without lock<br>(valid from 10/06/2021)                        | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                        | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------|--------------------|
|   | <a href="#">386767</a> | Push Rod 36<br><i>(valid from 10/06/2021)</i>               | 1.0 Each           |
|  | <a href="#">386771</a> | Spring cpl.<br><i>(valid from 10/06/2021)</i>               | 1.0 Each           |
|  | <a href="#">386565</a> | Door handle<br><i>(valid from 10/06/2021)</i>               | 1.0 Each           |
|                                                                                     | <a href="#">387941</a> | Emergency opening<br><i>(valid from 03/11/2026)</i>         | 1.0 Each           |
|                                                                                     | <a href="#">386562</a> | Cover<br><i>(valid from 10/06/2021)</i>                     | 1.0 Each           |
|  | <a href="#">389058</a> | Bushing<br><i>(valid from 10/06/2021)</i>                   | 1.0 Each           |
|  | <a href="#">377734</a> | Pressure spring VD-180-07<br><i>(valid from 10/06/2021)</i> | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#">386778</a> | Seal<br>(valid from 10/06/2021)                                     | 3.648 Meter        |
|    | <a href="#">386547</a> | Display Mount<br>(valid from 10/05/2021)                            | 1.0 Each           |
|    | <a href="#">107664</a> | BPT Display<br>(valid from 10/05/2021)                              | 1.0 Each           |
|    | <a href="#">386476</a> | Display Foil Atlas<br>(valid from 10/05/2021)                       | 1.0 Each           |
|    | <a href="#">369654</a> | Plug holder universal<br>(valid from 10/05/2021)                    | 1.0 Each           |
|    | <a href="#">117766</a> | plastic cover ring for plug holder<br>(valid from 10/13/2021)       | 1.0 Each           |
|   | <a href="#">107694</a> | Temperature sensor PT1000_B.<br>PROTHERM<br>(valid from 10/05/2021) | 1.0 Each           |
|  | <a href="#">106302</a> | Screwed cable gland, M12 PVC black<br>(valid from 10/05/2021)       | 1.0 Each           |
|  | <a href="#">106309</a> | SkinTop cable screw jnt., Nut M12 PVC<br>(valid from 10/05/2021)    | 1.0 Each           |
|  | <a href="#">105429</a> | terminal block Wieland KL 24/3 SL<br>(valid from 10/05/2021)        | 1.0 Each           |
|  | <a href="#">107722</a> | BPT Power PCB<br>(valid from 03/16/2022)                            | 1.0 Each           |
|  | <a href="#">107702</a> | Cable gland M20x1.5 BM-22 black<br>(valid from 10/05/2021)          | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                              | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 10/05/2021)          | 1.0 Each           |
|    | <a href="#"><u>106708</u></a> | magnetic switch MK4-1A75-C-300W<br>(valid from 10/05/2021)        | 1.0 Each           |
|    | <a href="#"><u>107691</u></a> | Decal pressure<br>(valid from 10/05/2021)                         | 1.0 Each           |
|    | <a href="#"><u>107692</u></a> | Decal equipotential bonding<br>(valid from 10/05/2021)            | 1.0 Each           |
|    | <a href="#"><u>107690</u></a> | Decal warning flammable material<br>(valid from 10/20/2021)       | 1.0 Each           |
|   | <a href="#"><u>107682</u></a> | Spiral cable Europe 3x1,5 qmm BL-570<br>(valid from 10/05/2021)   | 1.0 Each           |
|  | <a href="#"><u>386501</u></a> | Swivel castor 125 lock., DIN-PL (gray)<br>(valid from 08/24/2022) | 2.0 Each           |
|  | <a href="#"><u>382548</u></a> | Fixed wheel 125 DIN-PL, PA (gray)<br>(valid from 10/06/2021)      | 2.0 Each           |