

Sparepart documentation



BPT E 2 x 30 (24) duo H/C

Prod. No.: 575211

Product details:

B.PROTHERM E 2 x 30 (24) x 1/1 duo heated/cooled
B. PROTHERM E food transport container 1/1, convection-heated /convection-cooled
Made of corrosion-resistant steel, with hinged doors, mobile.
left compartment: convection-heated, temperature range adjustable between +30 °C and +95 °C, 30 pairs of support ledges
right compartment: convection-cooled, temperature range adjustable between +2 °C and +10 °C, 30 pairs of support ledges with 24 x 1/1 and 6 x 1/2
Refrigerant: propane R290.
Mains frequency: 50/60 Hz
Basic model: 386616

Spareparts




Image	Code	Name	Quantity in device
	386752	Mounting bracket (valid from 05/11/2022)	2.0 Each
	386649	Corpus hinge top right (valid from 05/11/2022)	1.0 Each
	386650	Corpus hinge top left (valid from 05/11/2022)	1.0 Each
	386724	Filter (valid from 05/11/2022)	1.0 Each
	374840	Rubber buffer D25xh12-d5 (valid from 05/11/2022)	2.0 Each
	386786	Tube D28x1 L=586,4 (valid from 05/11/2022)	1.0 Each
	372911	body for push handle holder (valid from 05/11/2022)	2.0 Each



Image	Code	Name	Quantity in device
	372913	Cover push handle holder left, logo (valid from 05/11/2022)	1.0 Each
	372912	Cover push handle holder right, logo (valid from 05/11/2022)	1.0 Each
	386652	Hinge (valid from 05/11/2022)	2.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 05/11/2022)	2.0 Each
	387165	Warm module cpl. 950 W (valid from 05/11/2022)	1.0 Each
	107469	Radial Fan R2K150/0020-4218 (valid from 05/11/2022)	1.0 Each
	107672	Tubular heater 950W 20.43035.010 (valid from 05/11/2022)	1.0 Each
	107694	Temperature sensor PT1000_B. PROTHERM (valid from 05/11/2022)	1.0 Each
	105805	Safety temperature limiter 135 °C (valid from 05/11/2022)	1.0 Each



Image	Code	Name	Quantity in device
	<u>149200</u>	Axial fan 4656 ZWU 230VAC (valid from 07/06/2022)	1.0 Each
	<u>134246</u>	Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024)	1.0 Each
	<u>149785</u>	Condenser Fan of Cooling Modul with R290 (valid from 07/06/2022)	1.0 Each
	<u>386715</u>	Condensate pan cpl. (valid from 05/11/2022)	1.0 Each
	<u>386579</u>	mold without lock (valid from 05/11/2022)	1.0 Each



Image	Code	Name	Quantity in device
	<u>386766</u>	Push Rod 30 <i>(valid from 05/11/2022)</i>	1.0 Each
	<u>386771</u>	Spring cpl. <i>(valid from 05/11/2022)</i>	1.0 Each
	<u>386565</u>	Door handle <i>(valid from 05/11/2022)</i>	1.0 Each
	<u>387941</u>	Emergency opening <i>(valid from 03/11/2026)</i>	1.0 Each
	<u>386562</u>	Cover <i>(valid from 05/11/2022)</i>	1.0 Each
	<u>389058</u>	Bushing <i>(valid from 05/11/2022)</i>	1.0 Each
	<u>377734</u>	Pressure spring VD-180-07 <i>(valid from 05/11/2022)</i>	1.0 Each


Image	Code	Name	Quantity in device
	386778	Seal (valid from 05/11/2022)	3.188 Meter
	387946	Emergency opening left (valid from 05/11/2022)	1.0 Each
	389005	Ventilation flap (valid from 08/09/2024)	1.0 Each
	365428	O-RING, 67.00 X 1.50 EPDM70 (valid from 05/11/2022)	1.0 Each
	386580	Retaining tube for ventilation flap (valid from 05/11/2022)	1.0 Each
	107664	BPT Display (valid from 05/16/2022)	2.0 Each
	386476	Display Foil Atlas (valid from 05/16/2022)	2.0 Each
	369654	Plug holder universal (valid from 05/16/2022)	1.0 Each
	117766	plastic cover ring for plug holder (valid from 05/11/2022)	1.0 Each
	105429	terminal block Wieland KL 24/3 SL (valid from 05/16/2022)	2.0 Each
	107722	BPT Power PCB (valid from 05/16/2022)	2.0 Each
	106304	Cable gland M20x1.5 black (valid from 05/16/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 05/16/2022)	1.0 Each
	<u>106708</u>	magnetic switch MK4-1A75-C-300W (valid from 05/16/2022)	2.0 Each
	<u>107692</u>	Decal equipotential bonding (valid from 05/16/2022)	1.0 Each
	<u>107682</u>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	<u>373391</u>	Castor wheel LE-VPP 160R-SG (valid from 05/11/2022)	2.0 Each
	<u>373392</u>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 05/11/2022)	2.0 Each