

# Sparepart documentation




## TTW 40-115 EZU




**Prod. No.:** 575564

**Product details:**

Tray transport trolley, single-walled<br>2 compartments<br>Capacity: 40 Euronorm or Gastronorm trays<br>insertion: crosswise<br>Space between ledges: 115 mm<br>basic model 390242

### Spareparts

| Image                                                                               | Code                   | Name                                                           | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------|--------------------|
|    | <a href="#">350498</a> | Corpus hinge right cpl., passivated<br>(valid from 04/01/2025) | 1.0 Each           |
|   | <a href="#">350496</a> | Corpus hinge left cpl., passivated<br>(valid from 04/01/2025)  | 1.0 Each           |
|  | <a href="#">373056</a> | Corner bumper bottom part<br>(valid from 04/01/2025)           | 1.0 Each           |
|  | <a href="#">372932</a> | Corner bumper both sides open<br>(valid from 04/01/2025)       | 1.0 Each           |
|  | <a href="#">284988</a> | Shock profile 2x20°, 2F-U<br>(valid from 04/01/2025)           | 1.0 Each           |
|  | <a href="#">373291</a> | holder for bumper profile L0 632<br>(valid from 04/01/2025)    | 1.0 Each           |
|  | <a href="#">284989</a> | Shock profile 2x20°, U<br>(valid from 04/01/2025)              | 1.0 Each           |
|  | <a href="#">284978</a> | handle, not lockable grey (RAL7043)<br>(valid from 04/01/2025) | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#">291311</a> | door seal TTW-Relaunch<br>(valid from 04/01/2025)                   | 3.208 Meter        |
|    | <a href="#">284998</a> | Plastic locking<br>(valid from 04/01/2025)                          | 1.0 Each           |
|    | <a href="#">70914</a>  | Allen screw ISO 7380 M5x8 A2 m. FI.<br>(valid from 04/01/2025)      | 4.0 Each           |
|    | <a href="#">373392</a> | Castor wheel with brake LE-VPP160R-FI-SG<br>(valid from 04/01/2025) | 2.0 Each           |
|   | <a href="#">373393</a> | FIXED WHEEL B-VPP 160R-SG<br>(valid from 04/01/2025)                | 2.0 Each           |
|  | <a href="#">83144</a>  | WASHER,BACKING A 8,4DIN 9021 1.4301<br>(valid from 04/01/2025)      | 16.0 Each          |
|  | <a href="#">81098</a>  | Hexagon screw ISO 4017-M8x25<br>(valid from 04/01/2025)             | 16.0 Each          |
|  | <a href="#">372911</a> | body for push handle holder<br>(valid from 04/01/2025)              | 2.0 Each           |
|  | <a href="#">350519</a> | Tube D28x1-489 Form A<br>(valid from 04/01/2025)                    | 1.0 Each           |
|                                                                                     | <a href="#">372912</a> | Cover push handle holder right, logo<br>(valid from 04/01/2025)     | 1.0 Each           |

| Image                                                                             | Code                          | Name                                                           | Quantity in device |
|-----------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------|--------------------|
|  | <a href="#"><u>372913</u></a> | Cover push handle holder left, logo<br>(valid from 04/01/2025) | 1.0 Each           |
|  | <a href="#"><u>83031</u></a>  | washer A 8.4 DIN 125 brass<br>(valid from 04/01/2025)          | 8.0 Each           |
|  | <a href="#"><u>284979</u></a> | door lock 2074-U111-IA<br>(valid from 04/01/2025)              | 2.0 Each           |
|  | <a href="#"><u>355603</u></a> | Stop<br>(valid from 04/01/2025)                                | 2.0 Each           |
|  | <a href="#"><u>147251</u></a> | SPRING,PRESSURE- VD 162<br>(valid from 04/01/2025)             | 1.0 Each           |