

# Sparepart documentation




## TTW-PK 24-115 DZG



Prod. No.: 575590

### Product details:

Tray transport trolley, for passive cooling<br>with 4 eutectic plates (not included in the scope of delivery), double-walled, insulated<br>2 compartments<br>Capacity: 24 Gastronorm trays<br>insertion: lengthwise<br>Space between ledges: 115 mm<br>basic model 390256

## Spareparts

| Image                                                                               | Code                   | Name                                                           | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------|--------------------|
|    | <a href="#">144098</a> | Rubber buffer 12.5 rd form 2492<br>(valid from 03/20/2025)     | 39.0 Each          |
|   | <a href="#">350498</a> | Corpus hinge right cpl., passivated<br>(valid from 03/20/2025) | 1.0 Each           |
|  | <a href="#">350496</a> | Corpus hinge left cpl., passivated<br>(valid from 03/20/2025)  | 1.0 Each           |
|  | <a href="#">373056</a> | Corner bumper bottom part<br>(valid from 03/20/2025)           | 1.0 Each           |
|  | <a href="#">372932</a> | Corner bumper both sides open<br>(valid from 03/20/2025)       | 1.0 Each           |
|  | <a href="#">284998</a> | Plastic locking<br>(valid from 03/20/2025)                     | 1.0 Each           |
|                                                                                     | <a href="#">389922</a> | Lock - plastic, left<br>(valid from 03/20/2025)                | 1.0 Each           |
|  | <a href="#">284288</a> | Insert for door lock, not lockable<br>(valid from 03/20/2025)  | 1.0 Each           |

| Image                                                                               | Code                   | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#">70914</a>  | Allen screw ISO 7380 M5x8 A2 m. FI.<br>(valid from 03/20/2025)      | 4.0 Each           |
|    | <a href="#">373392</a> | Castor wheel with brake LE-VPP160R-FI-SG<br>(valid from 03/20/2025) | 2.0 Each           |
|    | <a href="#">373393</a> | FIXED WHEEL B-VPP 160R-SG<br>(valid from 03/20/2025)                | 2.0 Each           |
|    | <a href="#">83144</a>  | WASHER, BACKING A 8,4 DIN 9021 1.4301<br>(valid from 03/20/2025)    | 16.0 Each          |
|   | <a href="#">81098</a>  | Hexagon screw ISO 4017-M8x25<br>(valid from 03/20/2025)             | 16.0 Each          |
|  | <a href="#">372911</a> | body for push handle holder<br>(valid from 03/20/2025)              | 2.0 Each           |
|  | <a href="#">350519</a> | Tube D28x1-489 Form A<br>(valid from 03/20/2025)                    | 1.0 Each           |
|                                                                                     | <a href="#">372912</a> | Cover push handle holder right, logo<br>(valid from 03/20/2025)     | 1.0 Each           |
|  | <a href="#">372913</a> | Cover push handle holder left, logo<br>(valid from 03/20/2025)      | 1.0 Each           |
|  | <a href="#">83031</a>  | washer A 8.4 DIN 125 brass<br>(valid from 03/20/2025)               | 8.0 Each           |

| Image                                                                             | Code                   | Name                                               | Quantity in device |
|-----------------------------------------------------------------------------------|------------------------|----------------------------------------------------|--------------------|
|  | <a href="#">284979</a> | door lock 2074-U111-IA<br>(valid from 03/20/2025)  | 2.0 Each           |
|  | <a href="#">355603</a> | Stop<br>(valid from 03/20/2025)                    | 2.0 Each           |
|  | <a href="#">147251</a> | SPRING,PRESSURE- VD 162<br>(valid from 03/20/2025) | 1.0 Each           |