

# Sparepart documentation



## BASIC LINE UK-4




**Prod. No.:** 381882







### **Product details:**




Cold buffet with active convection cooling 4 x GN 1/1<br>Stainless-steel top surface with seamlessly welded-in, convection-cooled 4/1 GN well with manually emptied condensation-water catch tray.<br>Completely encapsulated refrigeration unit in underframe, ready to plug in.<br>Temperature controller on the operator-side panel.<br>Capacity: 4 x GN 1/1, max. depth: 200 mm<br>Temperature range: +2 °C to +15 °C<br>Exterior dimensions (without options or accessories):<br>W x D x H (mm)<br>1595 x 690 x 900 / 1305 ( with bridge attachment)

## Spareparts

| Image | Code                   | Name                                                               | Quantity in device |
|-------|------------------------|--------------------------------------------------------------------|--------------------|
|       | <a href="#">146698</a> | Plug GPN 910/3759<br>(valid from 10/26/2017)                       | 2.0 Each           |
|       | <a href="#">359030</a> | Evaporator 4x1/1<br>(valid from 09/18/2017)                        | 1.0 Each           |
|       | <a href="#">149765</a> | Evaporator 4x1/1 R290 Cathaphorese Coat<br>(valid from 06/09/2022) | 1.0 Each           |
|       | <a href="#">358978</a> | Protective grid fan<br>(valid from 09/18/2017)                     | 1.0 Each           |
|       | <a href="#">149201</a> | Axial fan 8556 VWU 230V 50/60Hz 12W<br>(valid from 09/18/2017)     | 1.0 Each           |
|       | <a href="#">361810</a> | Bridge cpl.<br>(valid from 09/18/2017)                             | 1.0 Each           |
|       | <a href="#">107513</a> | LED spot IPLine LCH-023_4200K (NW)<br>(valid from 09/18/2017)      | 4.0 Each           |

| Image                                                                               | Code                          | Name                                                            | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------|--------------------|
|    | <a href="#"><u>381871</u></a> | Glas pillar Standard<br>(valid from 02/19/2025)                 | 1.0 Each           |
|    | <a href="#"><u>382160</u></a> | Glas pillar - without heat radiator<br>(valid from 02/19/2025)  | 1.0 Each           |
|   | <a href="#"><u>381415</u></a> | Sneeze guard holder<br>(valid from 09/18/2017)                  | 2.0 Each           |
|  | <a href="#"><u>134267</u></a> | Glass support Highline with mounting<br>(valid from 02/05/2025) | 1.0 Each           |
|  | <a href="#"><u>384708</u></a> | Rubber washer<br>(valid from 09/18/2017)                        | 1.0 Each           |
|  | <a href="#"><u>71323</u></a>  | Screw M5x10 DIN551<br>(valid from 09/18/2017)                   | 1.0 Each           |
|  | <a href="#"><u>144885</u></a> | PLUG-LAMINATE- 25RD BLK.<br>(valid from 09/19/2018)             | 6.0 Each           |

| Image                                                                               | Code                   | Name                                                           | Quantity in device |
|-------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------|--------------------|
|    | <a href="#">369388</a> | Tube tray slide 4x1/1<br>(valid from 09/18/2017)               | 1.0 Each           |
|    | <a href="#">378657</a> | Tray slide 4x1/1<br>(valid from 09/18/2017)                    | 1.0 Each           |
|    | <a href="#">378650</a> | Plate slide 4x1/1<br>(valid from 09/18/2017)                   | 1.0 Each           |
|    | <a href="#">369402</a> | Tube tray slide face side<br>(valid from 09/18/2017)           | 1.0 Each           |
|    | <a href="#">378640</a> | Stabling shelf face side cpl.<br>(valid from 09/18/2017)       | 1.0 Each           |
|    | <a href="#">379760</a> | Tray shelf face side<br>(valid from 09/18/2017)                | 1.0 Each           |
|    | <a href="#">382016</a> | Bottom 4x1/1 cpl.<br>(valid from 09/18/2017)                   | 1.0 Each           |
|   | <a href="#">381724</a> | Pot magnet with threaded pin GTN-10<br>(valid from 09/28/2017) | 4.0 Each           |
|  | <a href="#">246471</a> | Washer<br>(valid from 11/28/2018)                              | 4.0 Each           |
|  | <a href="#">381205</a> | Hinge cpl. Bottom left<br>(valid from 09/18/2017)              | 1.0 Each           |
|  | <a href="#">381204</a> | Hinge cpl. Bottom right<br>(valid from 09/18/2017)             | 1.0 Each           |
|  | <a href="#">381373</a> | Magnetic snapper 245.67.310<br>(valid from 09/18/2017)         | 2.0 Each           |

| Image                                                                               | Code                          | Name                                                                 | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>369185</u></a> | DOUBLE STR. CASTOR75 lock.boa.galv. steel<br>(valid from 09/18/2017) | 2.0 Each           |
|    | <a href="#"><u>369186</u></a> | DOUBLE STR. CASTOR 75 board galv. steel<br>(valid from 09/18/2017)   | 2.0 Each           |
|    | <a href="#"><u>380419</u></a> | Adjustable foot cpl.<br>(valid from 09/18/2017)                      | 4.0 Each           |
|    | <a href="#"><u>145056</u></a> | WHEEL, CASTER-2470 PJO 125 P60 CNS<br>(valid from 09/18/2017)        | 2.0 Each           |
|   | <a href="#"><u>145057</u></a> | WHEEL, CASTER- 2477 PJO 125 P60 CNS<br>(valid from 09/18/2017)       | 2.0 Each           |
|  | <a href="#"><u>384285</u></a> | Fixing plate komplet<br>(valid from 09/18/2017)                      | 4.0 Each           |
|  | <a href="#"><u>381001</u></a> | Balancing plate<br>(valid from 09/18/2017)                           | 4.0 Each           |
|  | <a href="#"><u>146680</u></a> | EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2<br>(valid from 09/18/2017)  | 4.0 Each           |
|                                                                                     | <a href="#"><u>293685</u></a> | Insert grate<br>(valid from 09/19/2017)                              | 4.0 Each           |
|  | <a href="#"><u>372358</u></a> | Air ventilation sheet 4x1/1<br>(valid from 09/19/2017)               | 4.0 Each           |
|  | <a href="#"><u>106304</u></a> | Cable gland M20x1.5 black<br>(valid from 09/18/2017)                 | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                                 | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>106311</u></a> | Hexagon nut M20x1.5 (plastic)<br>(valid from 09/18/2017)             | 1.0 Each           |
|    | <a href="#"><u>105494</u></a> | terminal block Wieland KL 24/5 SL<br>(valid from 09/18/2017)         | 1.0 Each           |
|    | <a href="#"><u>106868</u></a> | Power switch bipolar 16A B4MASK-series<br>(valid from 09/18/2017)    | 1.0 Each           |
|    | <a href="#"><u>107662</u></a> | Power switch bipolar 16A B4MASK-Ser. ATEX<br>(valid from 01/01/2021) | 1.0 Each           |
|   | <a href="#"><u>134192</u></a> | Digital con. BASIC-LINE UK-3 / UK-4<br>(valid from 01/01/2022)       | 1.0 Each           |
|  | <a href="#"><u>106926</u></a> | Sensor SN7PK150 NTC, 1.5m<br>(valid from 09/18/2017)                 | 1.0 Each           |
|  | <a href="#"><u>149754</u></a> | Filter drier DTG-b05 061-901<br>(valid from 09/20/2021)              | 1.0 Each           |
|  | <a href="#"><u>149758</u></a> | filter drier Danfoss DML 1.52s 023Z8254<br>(valid from 01/01/2022)   | 1.0 Each           |
|  | <a href="#"><u>149630</u></a> | Ex. valve Danfoss TUA f. R134a < 12.2021<br>(valid from 09/18/2017)  | 1.0 Each           |
|  | <a href="#"><u>370254</u></a> | Nozzle 3 for TUA-valve 068U1033<br>(valid from 09/18/2017)           | 1.0 Each           |
|  | <a href="#"><u>105789</u></a> | RUBBER SEAL GU 000000<br>(valid from 09/18/2017)                     | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                                  | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>105902</u></a> | CABLE H07RN-F 3X1,5QMM3M LONG<br>(valid from 09/18/2017)              | 1.0 Each           |
|                                                                                     | <a href="#"><u>107658</u></a> | Spiral cable Europa 3x1,5qmm_long<br>(valid from 12/10/2021)          | 1.0 Each           |
|                                                                                     | <a href="#"><u>105489</u></a> | CABLE-RUBBER- HO7 RN-F 3X1,5 QMM<br>BLACK<br>(valid from 09/18/2017)  | 3.0 Meter          |
|    | <a href="#"><u>105876</u></a> | PLUG, ENGLAND 351363/A 13 AMP 250<br>V<br>(valid from 09/18/2017)     | 1.0 Each           |
|    | <a href="#"><u>106850</u></a> | Plug 230V / 16A CH type 23<br>(valid from 09/18/2017)                 | 1.0 Each           |
|    | <a href="#"><u>107256</u></a> | CABLE 230V, H07RN-F 3M LONG CH<br>(valid from 09/18/2017)             | 1.0 Each           |
|   | <a href="#"><u>106702</u></a> | Connecting cable H07RN-F 5x1,5mm²/4,<br>5m<br>(valid from 09/18/2017) | 1.0 Each           |
|                                                                                     | <a href="#"><u>107659</u></a> | Spiral cable open ends 5x1,5 qmm long<br>(valid from 12/10/2021)      | 1.0 Each           |
|  | <a href="#"><u>100085</u></a> | CABLE, RUBBER-SHEATHED. NMH 5X1,<br>5 QMM<br>(valid from 09/18/2017)  | 3.0 Meter          |
|  | <a href="#"><u>107776</u></a> | Plug KALTHOFF SEV IP55, Typ15, CH<br>(valid from 01/25/2023)          | 1.0 Each           |
|  | <a href="#"><u>104094</u></a> | PLUG-CEE 5x16A<br>(valid from 12/10/2021)                             | 1.0 Each           |
|  | <a href="#"><u>107809</u></a> | Plug 400V/16A CH Typ 25<br>(valid from 09/18/2017)                    | 1.0 Each           |
|  | <a href="#"><u>106891</u></a> | seal for ABL electrical outlets<br>(valid from 08/09/2021)            | 1.0 Each           |

| Image                                                                               | Code                          | Name                                                                | Quantity in device |
|-------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------|--------------------|
|    | <a href="#"><u>107554</u></a> | Socket Typ 1661060<br>(valid from 09/18/2017)                       | 2.0 Each           |
|    | <a href="#"><u>107716</u></a> | Socket outlet protective contact-black<br>(valid from 05/03/2022)   | 1.0 Each           |
|    | <a href="#"><u>106802</u></a> | Build-in socket CH 10A T13<br>(valid from 09/18/2017)               | 2.0 Each           |
|    | <a href="#"><u>107715</u></a> | Protective-socket Swiss-Standard T13 bla<br>(valid from 05/03/2022) | 1.0 Each           |
|   | <a href="#"><u>107701</u></a> | Build-in socket CH typ 23 seid.<br>(valid from 04/12/2022)          | 2.0 Each           |
|  | <a href="#"><u>106803</u></a> | Build-in socket British standard<br>(valid from 09/18/2017)         | 2.0 Each           |
|  | <a href="#"><u>106822</u></a> | Safety socket Denmark<br>(valid from 09/18/2017)                    | 2.0 Each           |
|  | <a href="#"><u>106737</u></a> | Build-in socket with pin<br>(valid from 09/18/2017)                 | 2.0 Each           |
|  | <a href="#"><u>107514</u></a> | LED converter univer. 20W BI; 350-700mA<br>(valid from 09/18/2017)  | 1.0 Each           |