


Sparepart documentation



BASIC LINE N-V

Prod. No.: 381885

Product details:

Plain module, variable
With smooth, one-piece stainless-steel top surface
Module length can be selected in the range of 400 - 1900 mm
Exterior dimensions (without options or accessories):
D x H (mm)
690 x 900

Spareparts



Image	Code	Name	Quantity in device
	105108	Edge protection 1-2mm black (valid from 08/29/2019)	0.08 Meter
	145692	cable bushing 60RD HAEF.429.99.520 (valid from 08/29/2019)	1.0 Each
	381149	Hinge left (valid from 08/29/2019)	1.0 Each
	381150	Hinge right (valid from 08/29/2019)	1.0 Each
	144885	PLUG-LAMINATE- 25RD BLK. (valid from 08/29/2019)	6.0 Each
	385974	Mini fastening 822-4-C-NI (valid from 08/29/2019)	1.0 Each
	369402	Tube tray slide face side (valid from 08/29/2019)	1.0 Each





Image	Code	Name	Quantity in device
	378640	Stabling shelf face side cpl. (valid from 08/29/2019)	1.0 Each
	379760	Tray shelf face side (valid from 08/29/2019)	1.0 Each
	381724	Pot magnet with threaded pin GTN-10 (valid from 08/29/2019)	2.0 Each
	381204	Hinge cpl. Bottom right (valid from 08/29/2019)	1.0 Each
	381205	Hinge cpl. Bottom left (valid from 08/29/2019)	1.0 Each
	381373	Magnetic snapper 245.67.310 (valid from 08/29/2019)	2.0 Each
	246471	Washer (valid from 08/29/2019)	4.0 Each
	369185	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 08/29/2019)	2.0 Each
	369186	DOUBLE STR. CASTOR 75 board galv. steel (valid from 08/29/2019)	2.0 Each
	380419	Adjustable foot cpl. (valid from 08/29/2019)	4.0 Each



Image	Code	Name	Quantity in device
	145056	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 08/29/2019)	2.0 Each
	145057	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 08/29/2019)	2.0 Each
	384285	Fixing plate komplet (valid from 08/29/2019)	4.0 Each
	381001	Balancing plate (valid from 08/29/2019)	4.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 08/29/2019)	4.0 Each
	107702	Cable gland M20x1.5 BM-22 black (valid from 08/29/2019)	1.0 Each
	106311	Hexagon nut M20x1.5 (plastic) (valid from 08/29/2019)	1.0 Each
	105494	terminal block Wieland KL 24/5 SL (valid from 08/29/2019)	1.0 Each
	105902	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 08/29/2019)	1.0 Each
	105489	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 08/29/2019)	3.0 Meter

Image	Code	Name	Quantity in device
	<u>105876</u>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 08/29/2019)	1.0 Each
	<u>106850</u>	Plug 230V / 16A CH type 23 (valid from 08/29/2019)	1.0 Each
	<u>107256</u>	CABLE 230V, H07RN-F 3M LONG CH (valid from 08/29/2019)	1.0 Each
	<u>106702</u>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 08/29/2019)	1.0 Each
	<u>100085</u>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 08/29/2019)	3.0 Meter
	<u>107776</u>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<u>107809</u>	Plug 400V/16A CH Typ 25 (valid from 08/29/2019)	1.0 Each
	<u>107554</u>	Socket Typ 1661060 (valid from 08/29/2019)	2.0 Each
	<u>107716</u>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<u>106891</u>	seal for ABL electrical outlets (valid from 09/10/2019)	2.0 Each
	<u>106802</u>	Build-in socket CH 10A T13 (valid from 08/29/2019)	2.0 Each

Image	Code	Name	Quantity in device
	<u>107715</u>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<u>107701</u>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<u>106803</u>	Build-in socket British standard (valid from 08/29/2019)	2.0 Each
	<u>106822</u>	Safety socket Denmark (valid from 08/29/2019)	2.0 Each
	<u>106737</u>	Build-in socket with pin (valid from 08/29/2019)	2.0 Each
	<u>105386</u>	NOZZLE, RUBBER, NO. 4700033 (valid from 12/11/2021)	1.0 Each