


# Sparepart documentation



## BASIC LINE N-V

**Prod. No.:** 381885

**Product details:**

Plain module, variable  
With smooth, one-piece stainless-steel top surface  
Module length can be selected in the range of 400 - 1900 mm  
Exterior dimensions (without options or accessories):  
D x H (mm)  
690 x 900

### Spareparts







Image	Code	Name	Quantity in device
	<a href="#">105108</a>	Edge protection 1-2mm black (valid from 08/29/2019)	0.08 Meter
	<a href="#">145692</a>	cable bushing 60RD HAEF.429.99.520 (valid from 08/29/2019)	1.0 Each
	<a href="#">381149</a>	Hinge left (valid from 08/29/2019)	1.0 Each
	<a href="#">381150</a>	Hinge right (valid from 08/29/2019)	1.0 Each
	<a href="#">144885</a>	PLUG-LAMINATE- 25RD BLK. (valid from 08/29/2019)	6.0 Each
	<a href="#">385974</a>	Mini fastening 822-4-C-NI (valid from 08/29/2019)	1.0 Each
	<a href="#">369402</a>	Tube tray slide face side (valid from 08/29/2019)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">378640</a>	Stabling shelf face side cpl. (valid from 08/29/2019)	1.0 Each
	<a href="#">379760</a>	Tray shelf face side (valid from 08/29/2019)	1.0 Each
	<a href="#">381724</a>	Pot magnet with threaded pin GTN-10 (valid from 08/29/2019)	2.0 Each
	<a href="#">381204</a>	Hinge cpl. Bottom right (valid from 08/29/2019)	1.0 Each
	<a href="#">381205</a>	Hinge cpl. Bottom left (valid from 08/29/2019)	1.0 Each
	<a href="#">381373</a>	Magnetic snapper 245.67.310 (valid from 08/29/2019)	2.0 Each
	<a href="#">246471</a>	Washer (valid from 08/29/2019)	4.0 Each
	<a href="#">369185</a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 08/29/2019)	2.0 Each
	<a href="#">369186</a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 08/29/2019)	2.0 Each
	<a href="#">380419</a>	Adjustable foot cpl. (valid from 08/29/2019)	4.0 Each










Image	Code	Name	Quantity in device
	<a href="#">145056</a>	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 08/29/2019)	2.0 Each
	<a href="#">145057</a>	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 08/29/2019)	2.0 Each
	<a href="#">384285</a>	Fixing plate komplet (valid from 08/29/2019)	4.0 Each
	<a href="#">381001</a>	Balancing plate (valid from 08/29/2019)	4.0 Each
	<a href="#">146680</a>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 08/29/2019)	4.0 Each
	<a href="#">107702</a>	Cable gland M20x1.5 BM-22 black (valid from 08/29/2019)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 08/29/2019)	1.0 Each
	<a href="#">105494</a>	terminal block Wieland KL 24/5 SL (valid from 08/29/2019)	1.0 Each
	<a href="#">105902</a>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 08/29/2019)	1.0 Each
	<a href="#">105489</a>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 08/29/2019)	3.0 Meter


















Image	Code	Name	Quantity in device
	<a href="#">105876</a>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 08/29/2019)	1.0 Each
	<a href="#">106850</a>	Plug 230V / 16A CH type 23 (valid from 08/29/2019)	1.0 Each
	<a href="#">107256</a>	CABLE 230V, H07RN-F 3M LONG CH (valid from 08/29/2019)	1.0 Each
	<a href="#">106702</a>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 08/29/2019)	1.0 Each
	<a href="#">100085</a>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 08/29/2019)	3.0 Meter
	<a href="#">107776</a>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<a href="#">107809</a>	Plug 400V/16A CH Typ 25 (valid from 08/29/2019)	1.0 Each
	<a href="#">107554</a>	Socket Typ 1661060 (valid from 08/29/2019)	2.0 Each
	<a href="#">107716</a>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<a href="#">106891</a>	seal for ABL electrical outlets (valid from 09/10/2019)	2.0 Each
	<a href="#">106802</a>	Build-in socket CH 10A T13 (valid from 08/29/2019)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>107715</u></a>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<a href="#"><u>107701</u></a>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<a href="#"><u>106803</u></a>	Build-in socket British standard (valid from 08/29/2019)	2.0 Each
	<a href="#"><u>106822</u></a>	Safety socket Denmark (valid from 08/29/2019)	2.0 Each
	<a href="#"><u>106737</u></a>	Build-in socket with pin (valid from 08/29/2019)	2.0 Each
	<a href="#"><u>105386</u></a>	NOZZLE, RUBBER, NO. 4700033 (valid from 12/11/2021)	1.0 Each