

Sparepart documentation



BASIC LINE S-3

Prod. No.: 381891

Product details:

Soup station
Stainless-steel top surface with built-in, heatable 10L spring soup pot (either on left or right on operator side)
Optional built-in, heatable plate dispenser
TSE-H1 18-33 ET: 684 with 8 low plate guide rods
for soup bowls
Two socket outlets each with 230 V Schuko to connect soup pot and plate dispenser
Exterior dimensions (without options or accessories):
W x D x H (mm)
1255 x 690 x 900 / 1050 (Height soup pot)

Spareparts

Image	Code	Name	Quantity in device
	375462	Frame 630 low (valid from 09/20/2017)	1.0 Each
	375464	Guidance rod frame 630 low (valid from 09/20/2017)	4.0 Each
	573771	Cover hood PC (valid from 09/20/2017)	1.0 Each
	107649	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	387662	Tubular heater Cpl. (valid from 08/11/2022)	3.0 Each
	105899	Thermostat capillar 55.18019.130 35-85°C (valid from 09/20/2017)	1.0 Each
	146902	FIXING COLLAR (valid from 09/20/2017)	1.0 Each






Image	Code	Name	Quantity in device
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 09/20/2017)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 09/20/2017)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 09/20/2017)	1.0 Each
	<u>105675</u>	TOGGLE-THERMOSTAT 53960 (valid from 09/20/2017)	1.0 Each
	<u>105301</u>	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 05/17/2022)	1.0 Meter
	<u>144885</u>	PLUG-LAMINATE- 25RD BLK. (valid from 09/19/2018)	6.0 Each
	<u>369011</u>	Tube tray slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<u>385974</u>	Mini fastening 822-4-C-NI (valid from 02/05/2021)	1.0 Each
	<u>378652</u>	Tray slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<u>378645</u>	Plate slide 3x1/1 (valid from 09/20/2017)	1.0 Each
	<u>369402</u>	Tube tray slide face side (valid from 09/20/2017)	1.0 Each
	<u>378640</u>	Stabling shelf face side cpl. (valid from 09/20/2017)	1.0 Each
	<u>379760</u>	Tray shelf face side (valid from 09/20/2017)	1.0 Each
	<u>380810</u>	Bottom 3x1/1 cpl. (valid from 09/20/2017)	1.0 Each




Image	Code	Name	Quantity in device
	381724	Pot magnet with threaded pin GTN-10 (valid from 09/28/2017)	4.0 Each
	144345	Ball catch IDEAL size III brass 70x13R (valid from 09/20/2017)	2.0 Each
	369185	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 09/20/2017)	2.0 Each
	369186	DOUBLE STR. CASTOR 75 board galv. steel (valid from 09/20/2017)	2.0 Each
	380419	Adjustable foot cpl. (valid from 09/20/2017)	4.0 Each
	145056	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 09/20/2017)	2.0 Each
	145057	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 09/20/2017)	2.0 Each
	384285	Fixing plate komplet (valid from 09/20/2017)	4.0 Each
	381001	Balancing plate (valid from 09/20/2017)	4.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 09/20/2017)	4.0 Each

Image	Code	Name	Quantity in device
	<u>106304</u>	Cable gland M20x1.5 black (valid from 09/20/2017)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 09/20/2017)	1.0 Each
	<u>105494</u>	terminal block Wieland KL 24/5 SL (valid from 09/20/2017)	1.0 Each
	<u>105902</u>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 09/20/2017)	1.0 Each
	<u>107658</u>	Spiral cable Europa 3x1,5qmm_long (valid from 12/10/2021)	1.0 Each
	<u>105489</u>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 09/20/2017)	3.0 Meter
	<u>105876</u>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 09/20/2017)	1.0 Each
	<u>106850</u>	Plug 230V / 16A CH type 23 (valid from 09/20/2017)	1.0 Each
	<u>107256</u>	CABLE 230V, H07RN-F 3M LONG CH (valid from 09/20/2017)	1.0 Each
	<u>106702</u>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 09/20/2017)	1.0 Each
	<u>107659</u>	Spiral cable open ends 5x1,5 qmm long (valid from 12/10/2021)	1.0 Each
	<u>100085</u>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 09/20/2017)	3.0 Meter

Image	Code	Name	Quantity in device
	<u>107776</u>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<u>104094</u>	PLUG-CEE 5x16A (valid from 12/10/2021)	1.0 Each
	<u>107809</u>	Plug 400V/16A CH Typ 25 (valid from 09/20/2017)	1.0 Each
	<u>106891</u>	seal for ABL electrical outlets (valid from 08/09/2021)	1.0 Each
	<u>107554</u>	Socket Typ 1661060 (valid from 09/20/2017)	1.0 Each
	<u>107716</u>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<u>106802</u>	Build-in socket CH 10A T13 (valid from 09/20/2017)	2.0 Each
	<u>107715</u>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<u>107701</u>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<u>106803</u>	Build-in socket British standard (valid from 09/20/2017)	2.0 Each
	<u>106822</u>	Safety socket Denmark (valid from 09/20/2017)	2.0 Each

Image	Code	Name	Quantity in device
	<u>106737</u>	Build-in socket with pin <i>(valid from 09/20/2017)</i>	2.0 Each
	<u>381393</u>	Soup station 10L with heating <i>(valid from 03/06/2019)</i>	1.0 Each
	<u>121778</u>	Heating element EU 500W/230V without reg <i>(valid from 03/06/2019)</i>	1.0 Each