

Sparepart documentation









BPT E 30 (24) C

Prod. No.: 386609








Product details:







B.PROTHERM E 30 (24) x 1/1 cooled
B.PROTHERM E food transport container 1/1, convection-cooled, made of corrosion-resistant steel, with hinged door, mobile.
30 support ledges: 24 x 1/1 and 6 x 1/2.
Space between ledges: 38.3 mm
Temperature range adjustable between +2 °C and +10 °C.
Refrigerant: propane R290













Spareparts











| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
| | 388087 | Insert (valid from 10/20/2021) | 1.0 Each |
|  | 386859 | Adapter (valid from 10/13/2021) | 4.0 Each |
|  | 386646 | Spring VD-165 (valid from 07/28/2022) | 1.0 Each |
|  | 246508 | Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022) | 2.0 Each |
|  | 388101 | Comfort opening right without drawbar (valid from 10/13/2021) | 1.0 Each |
|  | 144218 | PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022) | 2.0 Each |
|  | 83031 | washer A 8.4 DIN 125 brass (valid from 09/07/2022) | 3.0 Each |











| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 388136 | Mounting bracket 80° (valid from 10/13/2021) | 1.0 Each |
|  | 386649 | Corpus hinge top right (valid from 10/13/2021) | 1.0 Each |
|  | 386724 | Filter (valid from 10/13/2021) | 1.0 Each |
|  | 374840 | Rubber buffer D25xh12-d5 (valid from 10/13/2021) | 1.0 Each |
|  | 386867 | Tube Ø25x1,0 L=586,4 (valid from 10/13/2021) | 1.0 Each |
|  | 386569 | body for push handle holder Ø25 (valid from 10/13/2021) | 2.0 Each |
|  | 372913 | Cover push handle holder left, logo (valid from 10/13/2021) | 1.0 Each |
| | 372912 | Cover push handle holder right, logo (valid from 10/13/2021) | 1.0 Each |
|  | 386652 | Hinge (valid from 10/13/2021) | 1.0 Each |
|  | 149200 | Axial fan 4656 ZWU 230VAC (valid from 10/13/2021) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>134246</u> | Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024) | 1.0 Each |
|  | <u>149785</u> | Condenser Fan of Cooling Modul with R290 (valid from 10/13/2021) | 1.0 Each |
|  | <u>386715</u> | Condensate pan cpl. (valid from 10/13/2021) | 1.0 Each |
|  | <u>386579</u> | mold without lock (valid from 10/13/2021) | 1.0 Each |
|  | <u>386581</u> | mold with lock (valid from 10/13/2021) | 1.0 Each |
| | <u>386673</u> | Lock (valid from 10/13/2021) | 1.0 Each |
|  | <u>70914</u> | Allen screw ISO 7380 M5x8 A2 m. Fl. (valid from 10/13/2021) | 1.0 Each |
|  | <u>386903</u> | Key (valid from 10/20/2021) | 2.0 Each |





| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
|  | 386766 | Push Rod 30 (valid from 10/13/2021) | 1.0 Each |
|  | 386771 | Spring cpl. (valid from 11/29/2022) | 1.0 Each |
|  | 388138 | Knob cpl. (valid from 10/13/2021) | 1.0 Each |
|  | 386565 | Door handle (valid from 10/13/2021) | 1.0 Each |
| | 387941 | Emergency opening (valid from 12/02/2024) | 1.0 Each |
|  | 377734 | Pressure spring VD-180-07 (valid from 08/03/2022) | 2.0 Each |
| | 386562 | Cover (valid from 10/13/2021) | 1.0 Each |
|  | 389058 | Bushing (valid from 10/13/2021) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 386778 | Seal (valid from 10/13/2021) | 3.188 Meter |
|  | 386547 | Display Mount (valid from 10/13/2021) | 1.0 Each |
|  | 107664 | BPT Display (valid from 10/13/2021) | 1.0 Each |
|  | 386476 | Display Foil Atlas (valid from 10/13/2021) | 1.0 Each |
|  | 369654 | Plug holder universal (valid from 10/13/2021) | 1.0 Each |
|  | 117766 | plastic cover ring for plug holder (valid from 10/13/2021) | 1.0 Each |
|  | 107694 | Temperature sensor PT1000_B. PROTHERM (valid from 10/13/2021) | 1.0 Each |
|  | 106302 | Screwed cable gland, M12 PVC black (valid from 10/13/2021) | 1.0 Each |
|  | 106309 | SkinTop cable screw jnt., Nut M12 PVC (valid from 10/13/2021) | 1.0 Each |
|  | 105429 | terminal block Wieland KL 24/3 SL (valid from 10/13/2021) | 1.0 Each |
|  | 107722 | BPT Power PCB (valid from 10/13/2021) | 1.0 Each |
|  | 106304 | Cable gland M20x1.5 black (valid from 10/13/2021) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 106311 | Hexagon nut M20x1.5 (plastic) (valid from 10/13/2021) | 1.0 Each |
|  | 106708 | magnetic switch MK4-1A75-C-300W (valid from 10/13/2021) | 1.0 Each |
|  | 107691 | Decal pressure (valid from 10/13/2021) | 1.0 Each |
|  | 107692 | Decal equipotential bonding (valid from 10/13/2021) | 1.0 Each |
|  | 107690 | Decal warning flammable material (valid from 10/20/2021) | 1.0 Each |
|  | 107682 | Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022) | 1.0 Each |
|  | 107683 | Spiral cable UK 3x1,5 qmm BL-570 (13A) (valid from 10/13/2021) | 1.0 Each |
|  | 107684 | Spiral cable CH 3x1,5 qmm BL-570 (10A) (valid from 10/13/2021) | 1.0 Each |
|  | 107687 | Spiral cable AUS 3x1,5 qmm B-570 10A (valid from 10/13/2021) | 1.0 Each |
|  | 107689 | Spiral cable Denmark 3x1,5 qmm B-570 13A (valid from 10/13/2021) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 107715 | Protective-socket Swiss-Standard T13 bla (valid from 10/13/2021) | 1.0 Each |
|  | 106803 | Build-in socket British standard (valid from 10/13/2021) | 1.0 Each |
|  | 106822 | Safety socket Denmark (valid from 10/13/2021) | 1.0 Each |
|  | 106737 | Build-in socket with pin (valid from 10/13/2021) | 1.0 Each |
|  | 107716 | Socket outlet protective contact-black (valid from 10/13/2021) | 1.0 Each |
|  | 106891 | seal for ABL electrical outlets (valid from 10/13/2021) | 1.0 Each |
|  | 386501 | Swivel castor 125 lock., DIN-PL (gray) (valid from 10/13/2021) | 2.0 Each |
|  | 382548 | Fixed wheel 125 DIN-PL, PA (gray) (valid from 10/13/2021) | 2.0 Each |
|  | 362534 | Cast. whl. 125 lock., DIN PL, CNS (valid from 10/13/2021) | 2.0 Each |
|  | 368461 | Fixed wheel 125 DIN-PL crs. CNS (valid from 10/13/2021) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>386514</u> | Swivel castor 125 lock,DIN-PL,PA, anti. (valid from 10/13/2021) | 2.0 Each |
|  | <u>389841</u> | Bearing plate (valid from 08/21/2024) | 2.0 Each |
|  | <u>373392</u> | Castor wheel with brake LE-VPP160R-FI-SG (valid from 10/13/2021) | 2.0 Each |
|  | <u>373393</u> | FIXED WHEEL B-VPP 160R-SG (valid from 10/13/2021) | 2.0 Each |
|  | <u>373593</u> | Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 10/13/2021) | 2.0 Each |
|  | <u>373594</u> | Fixed castor B-POEV 160R-SG 843899 (valid from 10/13/2021) | 2.0 Each |
|  | <u>146794</u> | CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 10/13/2021) | 2.0 Each |
|  | <u>146795</u> | FIXED WHEEL BX-VPP 160XR-SG (valid from 10/13/2021) | 2.0 Each |
|  | <u>373398</u> | Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 10/13/2021) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>373399</u> | WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 10/13/2021) | 2.0 Each |
|  | <u>387228</u> | 3-sided gallery for BPT E (valid from 12/02/2021) | 1.0 Each |
|  | <u>387226</u> | 4-sided gallery for BPT E (valid from 12/02/2021) | 1.0 Each |
|  | <u>387196</u> | Bumper guard top cpl. (valid from 12/02/2021) | 1.0 Each |