

Sparepart documentation



BASIC LINE EKV-3

Prod. No.: 386864

Product details:

Built-in showcase, cooled, built into a Basic Line module.

Convection-cooled built-in showcase (make: IDEAL AKE) with either 2 or 3
levels and stainless-steel inside tray.

Glass structure:
Glass structure in rectangular design with normal glazing,
with customer-side serving doors made of acrylic glass,
2 sliding doors made of insulated glass on the operator side,
interior lighting on each level,
cleaning-friendly glass structure,
1 middle shelf made of toughened safety glass.

Inside tray:
Inside tray tightly welded in hygienic type,
tray can be loaded up to a maximum trough height of 150 mm,
inner tray lining removable,
insert base height-adjustable to attach to hanging edge.
Condensed water drain HD: 30 mm in diameter.

Refrigeration technology:
Fully automatic defrost,
forced-air refrigeration unit fitted underneath – can be pulled out for
inspection,
fully automatic condensation water evaporation;
coated finned evaporator – can be folded up for cleaning,
refrigeration unit in the underframe, installed ready to plug in,
electronic control with digital temperature display,
Refrigerant: R290

Ambient temperature up to 25 °C and relative humidity of 60%
Temperature range: + 5 °C
Tray temperature class: M2
Structure temperature class: H1

Exterior dimensions (without options or accessories):
W x D x H (mm)
1255 x 690 x 1431

Spareparts


Image	Code	Name	Quantity in device
	386927	Hinge sheet with welding stud cpl. (valid from 10/26/2021)	1.0 Each
	386928	Hinge sheet with welding stud right cpl. (valid from 10/26/2021)	1.0 Each
	146698	Plug GPN 910/3759 (valid from 10/26/2021)	2.0 Each
	381149	Hinge left (valid from 10/25/2021)	1.0 Each






Image	Code	Name	Quantity in device
	<u>381150</u>	Hinge right (valid from 10/25/2021)	1.0 Each
	<u>369011</u>	Tube tray slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<u>144885</u>	PLUG-LAMINATE- 25RD BLK. (valid from 10/25/2021)	6.0 Each
	<u>378652</u>	Tray slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<u>378645</u>	Plate slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<u>385974</u>	Mini fastening 822-4-C-NI (valid from 10/25/2021)	1.0 Each
	<u>369402</u>	Tube tray slide face side (valid from 10/25/2021)	1.0 Each
	<u>378640</u>	Stabling shelf face side cpl. (valid from 10/25/2021)	1.0 Each
	<u>379760</u>	Tray shelf face side (valid from 10/25/2021)	1.0 Each
	<u>382015</u>	Bottom 3x1/1 cpl. (valid from 10/25/2021)	1.0 Each
	<u>381724</u>	Pot magnet with threaded pin GTN-10 (valid from 10/25/2021)	2.0 Each
	<u>381205</u>	Hinge cpl. Bottom left (valid from 07/16/2025)	1.0 Each




Image	Code	Name	Quantity in device
	381373	Magnetic snapper 245.67.310 (valid from 07/16/2025)	1.0 Each
	246471	Washer (valid from 07/16/2025)	2.0 Each
	369185	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 10/25/2021)	2.0 Each
	369186	DOUBLE STR. CASTOR 75 board galv. steel (valid from 10/25/2021)	2.0 Each
	380419	Adjustable foot cpl. (valid from 10/25/2021)	4.0 Each
	145056	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 10/25/2021)	2.0 Each
	145057	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 10/25/2021)	2.0 Each
	384285	Fixing plate komplet (valid from 10/25/2021)	4.0 Each
	381001	Balancing plate (valid from 10/25/2021)	4.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCR.W. 4.2 (valid from 10/25/2021)	4.0 Each
	134281	Glass shelf depth 350 mm for Gastro 112 (valid from 01/27/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<u>134181</u>	Flap outside 384x225x8 (valid from 01/27/2022)	4.0 Each
	<u>134182</u>	Flap inside 323x225x8 (valid from 01/27/2022)	2.0 Each
	<u>134252</u>	(valid from 07/30/2024)	1.0 Each
	<u>134265</u>	Locking device for sliding doors (valid from 01/20/2025)	1.0 Each
	<u>134270</u>	(valid from 02/27/2025)	1.0 Each
	<u>134280</u>	Axial fan 1.2 watts (valid from 08/14/2025)	2.0 Each
	<u>134273</u>	Evaporator sensor yellow (valid from 02/27/2025)	1.0 Each
	<u>134271</u>	(valid from 02/27/2025)	1.0 Each
	<u>134272</u>	(valid from 02/27/2025)	1.0 Each
	<u>134250</u>	External flap 384x202x8 (valid from 01/27/2022)	6.0 Each
	<u>134251</u>	(valid from 01/27/2022)	3.0 Each
	<u>107702</u>	Cable gland M20x1.5 BM-22 black (valid from 10/26/2021)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 10/26/2021)	1.0 Each

Image	Code	Name	Quantity in device
	105494	terminal block Wieland KL 24/5 SL (valid from 10/26/2021)	1.0 Each
	107513	LED spot IPLINE LCH-023_4200K (NW) (valid from 10/26/2021)	1.0 Each
	105902	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 10/26/2021)	1.0 Each
	105489	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 10/26/2021)	3.0 Meter
	105876	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 10/26/2021)	1.0 Each
	106850	Plug 230V / 16A CH type 23 (valid from 10/26/2021)	1.0 Each
	107256	CABLE 230V, H07RN-F 3M LONG CH (valid from 10/26/2021)	1.0 Each
	106702	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 10/26/2021)	1.0 Each
	100085	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 10/26/2021)	3.0 Meter
	107776	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	107809	Plug 400V/16A CH Typ 25 (valid from 10/26/2021)	1.0 Each

Image	Code	Name	Quantity in device
	<u>107554</u>	Socket Typ 1661060 (valid from 10/26/2021)	1.0 Each
	<u>107716</u>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<u>106803</u>	Build-in socket British standard (valid from 10/26/2021)	2.0 Each
	<u>106822</u>	Safety socket Denmark (valid from 10/26/2021)	2.0 Each
	<u>107701</u>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<u>106802</u>	Build-in socket CH 10A T13 (valid from 10/26/2021)	2.0 Each
	<u>107715</u>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<u>106737</u>	Build-in socket with pin (valid from 10/26/2021)	2.0 Each
	<u>106891</u>	seal for ABL electrical outlets (valid from 10/26/2021)	1.0 Each
	<u>105386</u>	NOZZLE, RUBBER, NO. 4700033 (valid from 12/11/2021)	1.0 Each

Image	Code	Name	Quantity in device
	107690	Decal warning flammable material (valid from 11/09/2021)	1.0 Each
	107691	Decal pressure (valid from 11/09/2021)	1.0 Each
	107692	Decal equipotential bonding (valid from 11/09/2021)	1.0 Each