

# Sparepart documentation



## BASIC LINE EKV-3

**Prod. No.:** 386864

### **Product details:**

Built-in showcase, cooled, built into a Basic Line module.  
 <br>Convection-cooled built-in showcase (make: IDEAL AKE) with either 2 or 3<br>levels and stainless-steel inside tray.<br><br>Glass structure:<br>Glass structure in rectangular design with normal glazing,<br>with customer-side serving doors made of acrylic glass,<br>2 sliding doors made of insulated glass on the operator side,<br>interior lighting on each level,<br>cleaning-friendly glass structure,<br>1 middle shelf made of toughened safety glass.<br><br>Inside tray:<br>Inside tray tightly welded in hygienic type,<br>tray can be loaded up to a maximum trough height of 150 mm,<br>inner tray lining removable,<br>insert base height-adjustable to attach to hanging edge.<br>Condensed water drain HD: 30 mm in diameter.<br><br>Refrigeration technology:<br>Fully automatic defrost,<br>forced-air refrigeration unit fitted underneath – can be pulled out for<br>inspection,<br>fully automatic condensation water evaporation;<br>coated finned evaporator – can be folded up for cleaning,<br>refrigeration unit in the underframe, installed ready to plug in,<br>electronic control with digital temperature display,<br>Refrigerant: R290<br><br>Ambient temperature up to 25 °C and relative humidity of 60%<br>Temperature range: + 5 °C<br>Tray temperature class: M2<br>Structure temperature class: H1<br><br>Exterior dimensions (without options or accessories):<br>W x D x H (mm)<br>1255 x 690 x 1431

## Spareparts



Image	Code	Name	Quantity in device
	<a href="#">386927</a>	Hinge sheet with welding stud cpl. (valid from 10/26/2021)	1.0 Each
	<a href="#">386928</a>	Hinge sheet with welding stud right cpl. (valid from 10/26/2021)	1.0 Each
	<a href="#">146698</a>	Plug GPN 910/3759 (valid from 10/26/2021)	2.0 Each
	<a href="#">381149</a>	Hinge left (valid from 10/25/2021)	1.0 Each













Image	Code	Name	Quantity in device
	<a href="#"><u>381150</u></a>	Hinge right (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>369011</u></a>	Tube tray slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>144885</u></a>	PLUG-LAMINATE- 25RD BLK. (valid from 10/25/2021)	6.0 Each
	<a href="#"><u>378652</u></a>	Tray slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>378645</u></a>	Plate slide 3x1/1 (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>385974</u></a>	Mini fastening 822-4-C-NI (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>369402</u></a>	Tube tray slide face side (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>378640</u></a>	Stabling shelf face side cpl. (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>379760</u></a>	Tray shelf face side (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>382015</u></a>	Bottom 3x1/1 cpl. (valid from 10/25/2021)	1.0 Each
	<a href="#"><u>381724</u></a>	Pot magnet with threaded pin GTN-10 (valid from 10/25/2021)	2.0 Each
	<a href="#"><u>381205</u></a>	Hinge cpl. Bottom left (valid from 07/16/2025)	1.0 Each


Image	Code	Name	Quantity in device
	<a href="#">381373</a>	Magnetic snapper 245.67.310 (valid from 07/16/2025)	1.0 Each
	<a href="#">246471</a>	Washer (valid from 07/16/2025)	2.0 Each
	<a href="#">369185</a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 10/25/2021)	2.0 Each
	<a href="#">369186</a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 10/25/2021)	2.0 Each
	<a href="#">380419</a>	Adjustable foot cpl. (valid from 10/25/2021)	4.0 Each
	<a href="#">145056</a>	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 10/25/2021)	2.0 Each
	<a href="#">145057</a>	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 10/25/2021)	2.0 Each
	<a href="#">384285</a>	Fixing plate komplet (valid from 10/25/2021)	4.0 Each
	<a href="#">381001</a>	Balancing plate (valid from 10/25/2021)	4.0 Each
	<a href="#">146680</a>	EXPAND. NUT 72.30.459 F. SHEET SCR.W. 4.2 (valid from 10/25/2021)	4.0 Each
	<a href="#">134281</a>	Glass shelf depth 350 mm for Gastro 112 (valid from 01/27/2022)	1.0 Each










Image	Code	Name	Quantity in device
	<a href="#"><u>134181</u></a>	Flap outside 384x225x8 (valid from 01/27/2022)	4.0 Each
	<a href="#"><u>134182</u></a>	Flap inside 323x225x8 (valid from 01/27/2022)	2.0 Each
	<a href="#"><u>134252</u></a>	(valid from 07/30/2024)	1.0 Each
	<a href="#"><u>134265</u></a>	Locking device for sliding doors (valid from 01/20/2025)	1.0 Each
	<a href="#"><u>134270</u></a>	(valid from 02/27/2025)	1.0 Each
	<a href="#"><u>134280</u></a>	Axial fan 1.2 watts (valid from 08/14/2025)	2.0 Each
	<a href="#"><u>134273</u></a>	Evaporator sensor yellow (valid from 02/27/2025)	1.0 Each
	<a href="#"><u>134271</u></a>	(valid from 02/27/2025)	1.0 Each
	<a href="#"><u>134272</u></a>	(valid from 02/27/2025)	1.0 Each
	<a href="#"><u>134250</u></a>	External flap 384x202x8 (valid from 01/27/2022)	6.0 Each
	<a href="#"><u>134251</u></a>	(valid from 01/27/2022)	3.0 Each
	<a href="#"><u>107702</u></a>	Cable gland M20x1.5 BM-22 black (valid from 10/26/2021)	1.0 Each
	<a href="#"><u>106311</u></a>	Hexagon nut M20x1.5 (plastic) (valid from 10/26/2021)	1.0 Each



Image	Code	Name	Quantity in device
	<a href="#">105494</a>	terminal block Wieland KL 24/5 SL (valid from 10/26/2021)	1.0 Each
	<a href="#">107513</a>	LED spot IPLine LCH-023_4200K (NW) (valid from 10/26/2021)	1.0 Each
	<a href="#">105902</a>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 10/26/2021)	1.0 Each
	<a href="#">105489</a>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 10/26/2021)	3.0 Meter
	<a href="#">105876</a>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 10/26/2021)	1.0 Each
	<a href="#">106850</a>	Plug 230V / 16A CH type 23 (valid from 10/26/2021)	1.0 Each
	<a href="#">107256</a>	CABLE 230V, H07RN-F 3M LONG CH (valid from 10/26/2021)	1.0 Each
	<a href="#">106702</a>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 10/26/2021)	1.0 Each
	<a href="#">100085</a>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 10/26/2021)	3.0 Meter
	<a href="#">107776</a>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 01/25/2023)	1.0 Each
	<a href="#">107809</a>	Plug 400V/16A CH Typ 25 (valid from 10/26/2021)	1.0 Each














Image	Code	Name	Quantity in device
	<a href="#"><u>107554</u></a>	Socket Typ 1661060 (valid from 10/26/2021)	1.0 Each
	<a href="#"><u>107716</u></a>	Socket outlet protective contact-black (valid from 05/03/2022)	1.0 Each
	<a href="#"><u>106803</u></a>	Build-in socket British standard (valid from 10/26/2021)	2.0 Each
	<a href="#"><u>106822</u></a>	Safety socket Denmark (valid from 10/26/2021)	2.0 Each
	<a href="#"><u>107701</u></a>	Build-in socket CH typ 23 seid. (valid from 04/12/2022)	2.0 Each
	<a href="#"><u>106802</u></a>	Build-in socket CH 10A T13 (valid from 10/26/2021)	2.0 Each
	<a href="#"><u>107715</u></a>	Protective-socket Swiss-Standard T13 bla (valid from 05/03/2022)	1.0 Each
	<a href="#"><u>106737</u></a>	Build-in socket with pin (valid from 10/26/2021)	2.0 Each
	<a href="#"><u>106891</u></a>	seal for ABL electrical outlets (valid from 10/26/2021)	1.0 Each
	<a href="#"><u>105386</u></a>	NOZZLE, RUBBER, NO. 4700033 (valid from 12/11/2021)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">107690</a>	Decal warning flammable material (valid from 11/09/2021)	1.0 Each
	<a href="#">107691</a>	Decal pressure (valid from 11/09/2021)	1.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 11/09/2021)	1.0 Each