

# Sparepart documentation



## BASIC LINE WQ-3

**Prod. No.:** 392820

### **Product details:**

Hot buffet 3 x GN 1/1 across  
Stainless-steel top surface with three seamlessly cross-welded-in bain-maries with central safety drain valve.  
Bain-maries can be individually heated wet or dry.  
Capacity: 3 x GN 1/1, max. depth 200 mm  
Basin temperature range: +30 °C to +95 °C  
Exterior dimensions (without options or accessories):  
W x D x H (mm)  
1935 x 690 x 900 / 1305 ( with bridge attachment)

### Spareparts








Image	Code	Name	Quantity in device
	<a href="#">367982</a>	Heating well, complete, 700 W (valid from 02/05/2026)	3.0 Each
	<a href="#">294096</a>	SENSOR MOUNTING F.GN (valid from 02/05/2026)	3.0 Each
	<a href="#">392833</a>	Drain W-Q-3 cpl. (valid from 02/05/2026)	1.0 Each
	<a href="#">146649</a>	Washer 27 x 36 x 1 DIN 988 A 2 (valid from 02/05/2026)	3.0 Each
	<a href="#">146648</a>	Teflon seal 36 x 27 x 2 (valid from 02/05/2026)	3.0 Each
	<a href="#">83138</a>	WASHER, BACKING A 21,0 DIN 125 1.4301 (valid from 02/05/2026)	3.0 Each
	<a href="#">107512</a>	LED spot IPLine LCH-023_3000K (WW) (valid from 02/05/2026)	3.0 Each
	<a href="#">381746</a>	Mica plate for heat radiators (valid from 02/05/2026)	3.0 Each

Image	Code	Name	Quantity in device
	<a href="#">381747</a>	Mica plate 237x36x0,5 (valid from 02/05/2026)	6.0 Each
	<a href="#">107552</a>	Infrared radiator HTS/2 230V / 200W (valid from 02/05/2026)	3.0 Each
	<a href="#">105301</a>	HOSE,INSULAT. TYPE 01472 8/9 BLACK (valid from 02/05/2026)	1.26 Meter
	<a href="#">107755</a>	Socket clamp BM 9517 (valid from 02/05/2026)	3.0 Each
	<a href="#">146667</a>	COLLAR (valid from 02/05/2026)	1.0 Each
	<a href="#">381871</a>	Glas pillar Standard (valid from 02/05/2026)	2.0 Each
	<a href="#">382160</a>	Glas pillar - without heat radiator (valid from 02/05/2026)	1.0 Each
	<a href="#">381149</a>	Hinge left (valid from 02/05/2026)	1.0 Each
	<a href="#">381150</a>	Hinge right (valid from 02/05/2026)	1.0 Each
	<a href="#">144885</a>	PLUG-LAMINATE- 25RD BLK. (valid from 02/05/2026)	6.0 Each





Image	Code	Name	Quantity in device
	<a href="#">385974</a>	Mini fastening 822-4-C-NI (valid from 02/05/2026)	1.0 Each
	<a href="#">369402</a>	Tube tray slide face side (valid from 02/05/2026)	1.0 Each
	<a href="#">378640</a>	Stabling shelf face side cpl. (valid from 02/05/2026)	1.0 Each
	<a href="#">379760</a>	Tray shelf face side (valid from 02/05/2026)	1.0 Each
	<a href="#">381724</a>	Pot magnet with threaded pin GTN-10 (valid from 02/05/2026)	2.0 Each
	<a href="#">382844</a>	Counter part magnet (valid from 02/05/2026)	1.0 Each
	<a href="#">381204</a>	Hinge cpl. Bottom right (valid from 02/05/2026)	1.0 Each
	<a href="#">381205</a>	Hinge cpl. Bottom left (valid from 02/05/2026)	1.0 Each
	<a href="#">381373</a>	Magnetic snapper 245.67.310 (valid from 02/05/2026)	2.0 Each
	<a href="#">246471</a>	Washer (valid from 02/05/2026)	4.0 Each
	<a href="#">369185</a>	DOUBLE STR. CASTOR75 lock.boa.galv. steel (valid from 02/05/2026)	2.0 Each











Image	Code	Name	Quantity in device
	<a href="#">369186</a>	DOUBLE STR. CASTOR 75 board galv. steel (valid from 02/05/2026)	2.0 Each
	<a href="#">380419</a>	Adjustable foot cpl. (valid from 02/05/2026)	4.0 Each
	<a href="#">145056</a>	WHEEL, CASTER-2470 PJO 125 P60 CNS (valid from 02/05/2026)	2.0 Each
	<a href="#">145057</a>	WHEEL, CASTER- 2477 PJO 125 P60 CNS (valid from 02/05/2026)	2.0 Each
	<a href="#">384285</a>	Fixing plate komplet (valid from 02/05/2026)	4.0 Each
	<a href="#">381001</a>	Balancing plate (valid from 02/05/2026)	4.0 Each
	<a href="#">146680</a>	EXPAND. NUT 72.30.459 F. SHEET SCR.W. 4.2 (valid from 02/05/2026)	4.0 Each
	<a href="#">383836</a>	Ball valve 1/2" (valid from 02/05/2026)	1.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 02/05/2026)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 02/05/2026)	1.0 Each
	<a href="#">387273</a>	Plug 20x24,8x6 black (valid from 02/05/2026)	1.0 Each






Image	Code	Name	Quantity in device
	<a href="#">105494</a>	terminal block Wieland KL 24/5 SL (valid from 02/05/2026)	1.0 Each
	<a href="#">106868</a>	Power switch bipolar 16A B4MASK-series (valid from 02/05/2026)	3.0 Each
	<a href="#">106380</a>	Capillary tube controller 27-106°C (valid from 02/05/2026)	3.0 Each
	<a href="#">267063</a>	Seal for controller + switch (valid from 02/05/2026)	3.0 Each
	<a href="#">292846</a>	Toggle dia. 42 with labelling (valid from 02/05/2026)	3.0 Each
	<a href="#">105902</a>	CABLE H07RN-F 3X1,5QMM3M LONG (valid from 02/05/2026)	1.0 Each
	<a href="#">107658</a>	Spiral cable Europa 3x1,5qmm_long (valid from 02/05/2026)	1.0 Each
	<a href="#">105489</a>	CABLE-RUBBER- HO7 RN-F 3X1,5 QMM BLACK (valid from 02/05/2026)	3.0 Meter
	<a href="#">105876</a>	PLUG, ENGLAND 351363/A 13 AMP 250 V (valid from 02/05/2026)	1.0 Each
	<a href="#">106850</a>	Plug 230V / 16A CH type 23 (valid from 02/05/2026)	1.0 Each
	<a href="#">106702</a>	Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 02/05/2026)	1.0 Each
	<a href="#">107659</a>	Spiral cable open ends 5x1,5 qmm long (valid from 02/05/2026)	1.0 Each















Image	Code	Name	Quantity in device
	<a href="#"><u>100085</u></a>	CABLE, RUBBER-SHEATHED. NMH 5X1, 5 QMM (valid from 02/05/2026)	3.0 Meter
	<a href="#"><u>107776</u></a>	Plug KALTHOFF SEV IP55, Typ15, CH (valid from 02/05/2026)	1.0 Each
	<a href="#"><u>107809</u></a>	Plug 400V/16A CH Typ 25 (valid from 02/05/2026)	1.0 Each
	<a href="#"><u>104094</u></a>	PLUG-CEE 5x16A (valid from 02/05/2026)	1.0 Each
	<a href="#"><u>105386</u></a>	NOZZLE, RUBBER, NO. 4700033 (valid from 02/05/2026)	1.0 Each
	<a href="#"><u>107716</u></a>	Socket outlet protective contact-black (valid from 02/05/2026)	2.0 Each
	<a href="#"><u>106891</u></a>	seal for ABL electrical outlets (valid from 02/05/2026)	2.0 Each
	<a href="#"><u>107715</u></a>	Protective-socket Swiss-Standard T13 bla (valid from 02/05/2026)	2.0 Each
	<a href="#"><u>107701</u></a>	Build-in socket CH typ 23 seid. (valid from 02/05/2026)	2.0 Each
	<a href="#"><u>106803</u></a>	Build-in socket British standard (valid from 02/05/2026)	2.0 Each
	<a href="#"><u>106822</u></a>	Safety socket Denmark (valid from 02/05/2026)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#">106737</a>	Build-in socket with pin (valid from 02/05/2026)	2.0 Each
	<a href="#">107514</a>	LED converter univer. 20W BI; 350-700mA (valid from 02/05/2026)	1.0 Each
	<a href="#">107524</a>	Axial AC FAN 80mm 230V SF23080A (valid from 02/05/2026)	1.0 Each
	<a href="#">107529</a>	Grommet DA 30/50/10 (valid from 02/05/2026)	1.0 Each