

# Sparepart documentation



## BPT E 30 H

Prod. No.: 575202

### Product details:

B.PROTHERM E 30 x 1/1 heated  
B.PROTHERM E food transport container 1/1, convection-heated  
Made of corrosion-resistant steel, with hinged door, mobile.  
30 pairs of support ledges  
Space between ledges: 38.3 mm  
Temperature range adjustable between +30 °C and +95°C.  
Mains frequency: 50/60 Hz  
Base model: 386608

## Spareparts







Image	Code	Name	Quantity in device
	<a href="#">386752</a>	Mounting bracket (valid from 12/16/2021)	1.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 12/16/2021)	1.0 Each
	<a href="#">374840</a>	Rubber buffer D25xh12-d5 (valid from 12/16/2021)	1.0 Each
	<a href="#">386867</a>	Tube Ø25x1,0 L=586,4 (valid from 12/16/2021)	1.0 Each
	<a href="#">386569</a>	body for push handle holder Ø25 (valid from 12/16/2021)	2.0 Each
	<a href="#">372913</a>	Cover push handle holder left, logo (valid from 12/16/2021)	1.0 Each
	<a href="#">372912</a>	Cover push handle holder right, logo (valid from 12/16/2021)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>386652</u></a>	Hinge (valid from 12/16/2021)	1.0 Each
	<a href="#"><u>83031</u></a>	washer A 8.4 DIN 125 brass (valid from 12/16/2021)	1.0 Each
	<a href="#"><u>387165</u></a>	Warm module cpl. 950 W (valid from 01/05/2022)	1.0 Each
	<a href="#"><u>105913</u></a>	Radial fan R2A 150-AC01-21 (valid from 01/05/2022)	1.0 Each
	<a href="#"><u>107672</u></a>	Tubular heater 950W 20.43035.010 (valid from 01/05/2022)	1.0 Each
	<a href="#"><u>107694</u></a>	Temperature sensor PT1000_B. PROTHERM (valid from 01/05/2022)	1.0 Each
	<a href="#"><u>105805</u></a>	Safety temperature limiter 135 °C (valid from 01/05/2022)	1.0 Each





Image	Code	Name	Quantity in device
	<a href="#"><u>386579</u></a>	mold without lock <i>(valid from 12/16/2021)</i>	1.0 Each
	<a href="#"><u>386766</u></a>	Push Rod 30 <i>(valid from 12/16/2021)</i>	1.0 Each
	<a href="#"><u>386771</u></a>	Spring cpl. <i>(valid from 12/16/2021)</i>	1.0 Each
	<a href="#"><u>386565</u></a>	Door handle <i>(valid from 12/16/2021)</i>	1.0 Each
	<a href="#"><u>387941</u></a>	Emergency opening <i>(valid from 03/11/2026)</i>	1.0 Each
	<a href="#"><u>386562</u></a>	Cover <i>(valid from 12/16/2021)</i>	1.0 Each





















Image	Code	Name	Quantity in device
	<a href="#">389058</a>	Bushing (valid from 12/16/2021)	1.0 Each
	<a href="#">377734</a>	Pressure spring VD-180-07 (valid from 12/16/2021)	1.0 Each
	<a href="#">386778</a>	Seal (valid from 12/16/2021)	3.188 Meter
	<a href="#">389005</a>	Ventilation flap (valid from 08/09/2024)	1.0 Each
	<a href="#">365428</a>	O-RING, 67.00 X 1.50 EPDM70 (valid from 12/16/2021)	1.0 Each
	<a href="#">386580</a>	Retaining tube for ventilation flap (valid from 12/16/2021)	1.0 Each
	<a href="#">107664</a>	BPT Display (valid from 01/05/2022)	1.0 Each
	<a href="#">386547</a>	Display Mount (valid from 01/05/2022)	1.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 01/05/2022)	1.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 01/05/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 12/16/2021)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 01/05/2022)	1.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 01/05/2022)	1.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 01/05/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 01/05/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 01/05/2022)	1.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 01/05/2022)	1.0 Each
	<a href="#">107682</a>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 01/05/2022)	1.0 Each
	<a href="#">386501</a>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<a href="#">382548</a>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 12/16/2021)	2.0 Each