

# Sparepart documentation



## BPT E 2 x 18 duo H/H

Prod. No.: 575206

### Product details:

B.PROTHERM E 2 x 18 x 1/1 duo heated/heated  
B.PROTHERM E food transport container 1/1, convection-heated  
Made of corrosion-resistant steel, with hinged doors, mobile.  
2 x 18 pairs of support ledges  
Space between ledges: 38.3 mm  
left compartment: convection-heated  
right compartment: convection-heated  
Temperature range adjustable between +30 °C and +95 °C.  
Mains frequency: 50/60 Hz  
Base model: 386611

## Spareparts







Image	Code	Name	Quantity in device
	<a href="#">386752</a>	Mounting bracket (valid from 02/21/2022)	2.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 02/21/2022)	1.0 Each
	<a href="#">374840</a>	Rubber buffer D25xh12-d5 (valid from 02/21/2022)	2.0 Each
	<a href="#">386786</a>	Tube D28x1 L=586,4 (valid from 02/21/2022)	1.0 Each
	<a href="#">372911</a>	body for push handle holder (valid from 02/21/2022)	2.0 Each
	<a href="#">372913</a>	Cover push handle holder left, logo (valid from 02/21/2022)	1.0 Each
	<a href="#">372912</a>	Cover push handle holder right, logo (valid from 02/21/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>386652</u></a>	Hinge (valid from 02/21/2022)	2.0 Each
	<a href="#"><u>83031</u></a>	washer A 8.4 DIN 125 brass (valid from 02/21/2022)	2.0 Each
	<a href="#"><u>387303</u></a>	Warm module cpl. 760W (valid from 02/21/2022)	2.0 Each
	<a href="#"><u>105913</u></a>	Radial fan R2A 150-AC01-21 (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>107673</u></a>	Tubular heater 760W 20.43035.000 (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>107694</u></a>	Temperature sensor PT1000_B. PROTHERM (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>105805</u></a>	Safety temperature limiter 135 °C (valid from 02/21/2022)	1.0 Each









Image	Code	Name	Quantity in device
	<a href="#"><u>386579</u></a>	mold without lock (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>386771</u></a>	Spring cpl. (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>386565</u></a>	Door handle (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>387941</u></a>	Emergency opening (valid from 03/11/2026)	1.0 Each
	<a href="#"><u>386562</u></a>	Cover (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>389058</u></a>	Bushing (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>377734</u></a>	Pressure spring VD-180-07 (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>386778</u></a>	Seal (valid from 02/21/2022)	1.808 Meter
	<a href="#"><u>389005</u></a>	Ventilation flap (valid from 08/09/2024)	1.0 Each
	<a href="#"><u>365428</u></a>	O-RING, 67.00 X 1.50 EPDM70 (valid from 02/21/2022)	1.0 Each















Image	Code	Name	Quantity in device
	<a href="#">386580</a>	Retaining tube for ventilation flap (valid from 02/21/2022)	1.0 Each
	<a href="#">387946</a>	Emergency opening left (valid from 02/21/2022)	1.0 Each
	<a href="#">107664</a>	BPT Display (valid from 02/21/2022)	2.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 02/21/2022)	2.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 02/21/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 02/21/2022)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 02/21/2022)	2.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 02/21/2022)	2.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 02/21/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 02/21/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 02/21/2022)	2.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 02/21/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>107682</u></a>	Spiral cabel Europe 3x1,5 qmm BL-570 (valid from 02/21/2022)	1.0 Each
	<a href="#"><u>386501</u></a>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<a href="#"><u>382548</u></a>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 02/21/2022)	2.0 Each