

# Sparepart documentation



## BPT E 2 x 16 combi H/H banquet

Prod. No.: 575213

### Product details:

B.PROTHERM E 2 x 16 x 2/1 combi heated/heated banquet  
B. PROTHERM E food transport container 2/1, convection-heated  
Made of corrosion-resistant steel, with hinged doors, mobile.  
2 x 16 pairs of support ledges  
Space between ledges: 38.3 mm  
upper compartment: convection-heated, lower compartment: convection-heated, temperature range adjustable between +30 °C and +90 °C.  
Mains frequency: 50/60 Hz  
Basic model: 386618

### Spareparts







Image	Code	Name	Quantity in device
	<a href="#">388087</a>	Insert (valid from 03/17/2022)	1.0 Each
	<a href="#">388136</a>	Mounting bracket 80° (valid from 03/17/2022)	2.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 03/17/2022)	1.0 Each
	<a href="#">387488</a>	Cover cap (valid from 03/17/2022)	1.0 Each
	<a href="#">284644</a>	magnet KR-27-16-05-N (valid from 03/17/2022)	1.0 Each
	<a href="#">386786</a>	Tube D28x1 L=586,4 (valid from 03/17/2022)	1.0 Each
	<a href="#">372911</a>	body for push handle holder (valid from 03/17/2022)	2.0 Each








Image	Code	Name	Quantity in device
	<a href="#"><u>372913</u></a>	Cover push handle holder left, logo (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>372912</u></a>	Cover push handle holder right, logo (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>386652</u></a>	Hinge (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>83031</u></a>	washer A 8.4 DIN 125 brass (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>387418</u></a>	Hinge cmpl. (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>387411</u></a>	Partition bar cpl. (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>387165</u></a>	Warm module cpl. 950 W (valid from 03/17/2022)	2.0 Each
	<a href="#"><u>107469</u></a>	Radial Fan R2K150/0020-4218 (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>388233</u></a>	Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022)	1.0 Each










Image	Code	Name	Quantity in device
	<a href="#"><u>107672</u></a>	Tubular heater 950W 20.43035.010 (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>107694</u></a>	Temperature sensor PT1000_B. PROTHERM (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>105805</u></a>	Safety temperature limiter 135 °C (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>386579</u></a>	mold without lock (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>388138</u></a>	Knob cpl. (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>386565</u></a>	Door handle (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>387941</u></a>	Emergency opening (valid from 03/11/2026)	1.0 Each
	<a href="#"><u>377734</u></a>	Pressure spring VD-180-07 (valid from 08/03/2022)	2.0 Each
	<a href="#"><u>386562</u></a>	Cover (valid from 03/17/2022)	1.0 Each
	<a href="#"><u>284700</u></a>	magnet KV-25-25-13-N (valid from 04/19/2022)	1.0 Each
	<a href="#"><u>389058</u></a>	Bushing (valid from 03/17/2022)	1.0 Each
















Image	Code	Name	Quantity in device
	<a href="#">386778</a>	Seal (valid from 03/17/2022)	2.509 Meter
	<a href="#">386547</a>	Display Mount (valid from 03/17/2022)	2.0 Each
	<a href="#">107664</a>	BPT Display (valid from 03/17/2022)	2.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 03/17/2022)	2.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 03/17/2022)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 03/17/2022)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 03/17/2022)	2.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 03/17/2022)	2.0 Each
	<a href="#">106304</a>	Cable gland M20x1.5 black (valid from 03/17/2022)	1.0 Each
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 03/17/2022)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 03/17/2022)	2.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 03/17/2022)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>107682</u></a>	Spiral cabel Europe 3x1,5 qmm BL-570 (valid from 05/23/2022)	1.0 Each
	<a href="#"><u>373391</u></a>	Castor wheel LE-VPP 160R-SG (valid from 03/17/2022)	2.0 Each
	<a href="#"><u>373392</u></a>	Castor wheel with brake LE-VPP160R-FI-SG (valid from 03/17/2022)	2.0 Each