

Sparepart documentation

Kein Bild

[TSE-H1 18-33 ET:684](#)

Prod. No.: 374298

Product details:

Plate dispensers for installation
Made of corrosion-resistant stainless steel ,
statically heatable,
Square plate tubes
Capacity: Approx. 70 plates
round: dia.18-33 cm
rectangular: max. 28 x 28 cm
Stacking height:
with hooded cover: 685 mm
w/o hooded cover: 670 mm
Installation depth: 684 mm
Illustration similar

Spareparts



Image	Code	Name	Quantity in device
	374317	Basket TS (valid from 02/21/2012)	1.0 Each
	392734	Basket complete (valid from 03/26/2021)	1.0 Each
	374337	Guide piece (valid from 02/21/2012)	4.0 Each
	374648	Guidance rod frame 630 high (valid from 02/21/2012)	4.0 Each
	375464	Guidance rod frame 630 low (valid from 09/30/2014)	4.0 Each


Image	Code	Name	Quantity in device
	<u>374267</u>	Tension spring 5GR (valid from 02/21/2012)	8.0 Each
	<u>374268</u>	Tension spring 10GR (valid from 02/21/2012)	8.0 Each
	<u>573838</u>	Refilling signal, red (valid from 02/21/2012)	2.0 Each
	<u>573771</u>	Cover hood PC (valid from 02/21/2012)	1.0 Each
	<u>573767</u>	Cover hood EPP (valid from 02/21/2012)	1.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>107624</u>	Spiral cable Switzerland 3x1,5 qmm(10A) (valid from 11/02/2020)	1.0 Each
	<u>106947</u>	Spiral cable England 3x1,5 qmm BL-450 (valid from 02/21/2012)	1.0 Each
	<u>106948</u>	Spiral cable CEE 3x1,5 qmm úh.zástr. (valid from 02/21/2012)	1.0 Each
	<u>387662</u>	Tubular heater Cpl. (valid from 08/11/2022)	3.0 Each
	<u>105899</u>	Thermostat capillar 55.18019.130 35-85°C (valid from 02/21/2012)	1.0 Each
	<u>146902</u>	FIXING COLLAR (valid from 02/21/2012)	1.0 Each

Image	Code	Name	Quantity in device
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 02/21/2012)	1.0 Each
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 02/21/2012)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 02/21/2012)	1.0 Each
	<u>105675</u>	TOGGLE-THERMOSTAT 53960 (valid from 02/21/2012)	1.0 Each
	<u>346597</u>	(valid from 05/17/2022)	1.0 Meter