

Sparepart documentation

Kein Bild







[BC FS 2](#)












Prod. No.: 375484












Product details:

BLANCO COOK front cooking station with removable placement shelf
For 2 BLANCO COOK table-top units
Device placement niche: 805 x 648 x 300 mm
Illustration similar

Spareparts










| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
| | 144131 | rubber buffer 21rd x 15,5 black (valid from 01/14/2013) | 1.0 Each |
|  | 375583 | Magnet QA-40x20x5-NI-N52 (valid from 01/14/2013) | 1.0 Each |
|  | 145793 | PLUG, 40 X 40 POLY. BLACK (valid from 01/14/2013) | 1.0 Each |
|  | 105673 | lip DA 200-10 (valid from 07/16/2013) | 2.0 Each |
|  | 375549 | Stop screw M6 x 10 (valid from 01/14/2013) | 9.0 Each |
|  | 385096 | Seal 9x5,5 black (valid from 02/05/2020) | 1.0 Meter |
| | 716284 | Retaining plate left for fan cpl. (valid from 08/22/2024) | 1.0 Each |
|  | 106820 | Radial fan Typ Papst D2E146-HT79-32 (valid from 01/14/2013) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>106852</u> | Protective grid cable side (valid from 01/14/2013) | 1.0 Each |
|  | <u>106853</u> | Protective grid on opposite side (valid from 01/14/2013) | 1.0 Each |
|  | <u>606279</u> | Grip (valid from 01/14/2013) | 2.0 Each |
|  | <u>106891</u> | seal for ABL electrical outlets (valid from 01/14/2013) | 2.0 Each |
|  | <u>106895</u> | label "Don't spray with water" (valid from 01/14/2013) | 2.0 Each |
| | <u>716285</u> | Retaining plate right for fan cpl. (valid from 08/22/2024) | 1.0 Each |
|  | <u>375689</u> | Filter holder side box (valid from 01/14/2013) | 2.0 Each |
| | <u>382738</u> | Revision panel cpl. with lock (valid from 01/14/2013) | 2.0 Each |
|  | <u>342731</u> | Gasket profile-5134 gray MP (valid from 03/06/2013) | 2.1 Meter |
|  | <u>375584</u> | fastening complete BC FS (valid from 01/14/2013) | 4.0 Each |
|  | <u>376314</u> | open handhold pa black (valid from 03/18/2013) | 4.0 Each |
|  | <u>375555</u> | Splash guard ESG BC FS 2 (valid from 01/14/2013) | 1.0 Each |
|  | <u>107670</u> | safety socket swiss version T25 (valid from 01/14/2013) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 375760 | lamp module BC FS 2 (valid from 01/14/2013) | 1.0 Each |
|  | 107514 | LED converter univer. 20W BI; 350-700mA (valid from 03/08/2018) | 1.0 Each |
|  | 380657 | Filter cpl. for BC FS (valid from 01/14/2013) | 4.0 Each |
|  | 107554 | Socket Typ 1661060 (valid from 01/14/2013) | 2.0 Each |
|  | 107716 | Socket outlet protective contact-black (valid from 05/03/2022) | 1.0 Each |
|  | 106865 | socket CEE 5x16A (valid from 01/14/2013) | 2.0 Each |
|  | 107507 | Socket Israel 250V (valid from 04/11/2017) | 2.0 Each |
|  | 106874 | Connecting cable H07RN-F 5x4mm² /4,5m (valid from 01/14/2013) | 1.0 Each |
|  | 106708 | magnetic switch MK4-1A75-C-300W (valid from 01/14/2013) | 2.0 Each |
|  | 107141 | Installation contactor ESB40-40-230AC/DC (valid from 01/14/2013) | 1.0 Each |
|  | 107142 | Circuit breaker ABB S 201-B 16A (valid from 01/14/2013) | 6.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>107143</u> | Circuit breaker ABB S 201-B 10A (valid from 01/14/2013) | 1.0 Each |
| | <u>107184</u> | ECB-terminal 741PE (valid from 01/14/2013) | 1.0 Each |
|  | <u>107180</u> | Mains supply terminal 5 pole 25mm² (valid from 01/14/2013) | 1.0 Each |
|  | <u>107199</u> | top-hung window KF 12 (IP65) (valid from 01/14/2013) | 1.0 Each |
|  | <u>107701</u> | Build-in socket CH typ 23 seid. (valid from 04/12/2022) | 2.0 Each |
|  | <u>106803</u> | Build-in socket British standard (valid from 01/14/2013) | 2.0 Each |
|  | <u>106822</u> | Safety socket Denmark (valid from 01/14/2013) | 2.0 Each |
|  | <u>106737</u> | Build-in socket with pin (valid from 01/14/2013) | 2.0 Each |
|  | <u>106702</u> | Connecting cable H07RN-F 5x1,5mm²/4, 5m (valid from 01/14/2013) | 1.0 Each |
|  | <u>107406</u> | Connecting cable 5x10mm²; 4,5m m. CEE (valid from 01/14/2013) | 1.0 Each |
| | <u>107140</u> | Installation contactor ESB63-40-240AC/DC (valid from 01/14/2013) | 1.0 Each |
|  | <u>149563</u> | PTC sensor StörkTronic TF-PTC No. 195040 (valid from 01/14/2013) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
|  | 107493 | Control unit BC FS x.1 (valid from 08/21/2017) | 1.0 Each |
| | 375574 | Sealing frame for control unit BS FS (valid from 04/02/2013) | 1.0 Each |
|  | 106309 | SkinTop cable screw jnt., Nut M12 PVC (valid from 01/14/2013) | 2.0 Each |
|  | 106302 | Screwed cable gland, M12 PVC black (valid from 01/14/2013) | 2.0 Each |
| | 107207 | High voltage connector (valid from 05/08/2014) | 4.0 Each |
| | 121642 | Contacting spring incl. screw VA (valid from 07/13/2016) | 2.0 Each |
|  | 106304 | Cable gland M20x1.5 black (valid from 01/14/2013) | 4.0 Each |
|  | 107209 | charcoal absorber FFC145.150mm (valid from 01/14/2013) | 16.0 Each |
|  | 107210 | charcoal absorber FFC145.250mm (valid from 01/14/2013) | 16.0 Each |
|  | 107212 | flame barrier FL INOX 260x600x20 (valid from 01/14/2013) | 2.0 Each |
|  | 107213 | synthetic filter 595 x 235 x 20 mm (valid from 01/14/2013) | 2.0 Each |
|  | 106896 | label "Unplug before opening" (valid from 01/14/2013) | 2.0 Each |
| | 107248 | Interference suppression capacitor (valid from 04/22/2013) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 107249 | Line filter FN2010-6-06 (valid from 05/15/2013) | 1.0 Each |
| | 107250 | Ferrite Star-Tec (10,5-12,5mm) (valid from 05/15/2013) | 2.0 Each |
|  | 106275 | Ferrite core Ø 41,8mm / ID 22,5mm (valid from 05/15/2013) | 1.0 Each |
|  | 106311 | Hexagon nut M20x1.5 (plastic) (valid from 06/10/2013) | 4.0 Each |
|  | 370493 | SCREW, STOP M6X6 DIN 923 (valid from 01/14/2013) | 4.0 Each |
|  | 375716 | Tube tray chute BC FS 2 (valid from 01/14/2013) | 1.0 Each |
|  | 370687 | Cast. whl. double 75 lock. plate 77x67 (valid from 01/14/2013) | 2.0 Each |
|  | 370688 | Cast. whl. double 75 plate 77x67 (valid from 01/14/2013) | 6.0 Each |
|  | 362534 | Cast. whl. 125 lock., DIN PL, CNS (valid from 01/14/2013) | 2.0 Each |
|  | 362533 | Cast. whl. 125 DIN-PL CNS (valid from 01/14/2013) | 6.0 Each |
| | 375705 | Stellfuß kpl. BC FS H = 95-120 mm (valid from 01/14/2013) | 8.0 Each |