

Sparepart documentation



2 SHE 21-26

Prod. No.: 383048

Product details:

Plate dispenser, statically heatable
Capacity: approx. 120 plates,
21-26 cm dia.
Illustration similar

Spareparts

Image	Code	Name	Quantity in device
	<u>376900</u>	Plate guide complete RAL7043 (valid from 08/13/2018)	8.0 Each
	<u>376904</u>	Cover cap RAL 7043 (valid from 08/13/2018)	8.0 Each
	<u>147973</u>	Carrier small (valid from 08/13/2018)	2.0 Each
	<u>146304</u>	Tension spring 4GR (valid from 08/13/2018)	8.0 Each
	<u>146305</u>	Tension spring 8GR (valid from 08/13/2018)	24.0 Each
	<u>147971</u>	Basket small (valid from 08/13/2018)	2.0 Each
	<u>374269</u>	Foil for control panel NSG (valid from 08/13/2018)	1.0 Each
	<u>385096</u>	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter

Image	Code	Name	Quantity in device
	369654	Plug holder universal (valid from 08/13/2018)	1.0 Each
	107650	Spiral cable Europe 3x1,5 qmm WG BL-650 (valid from 03/03/2021)	1.0 Each
	106948	Spiral cable CEE 3x1,5 qmm úh.zástr. (valid from 08/13/2018)	1.0 Each
	146529	Hande (valid from 08/13/2018)	1.0 Each
	369991	Adapter for plug holder universal (valid from 08/13/2018)	1.0 Each
	106304	Cable gland M20x1.5 black (valid from 08/13/2018)	1.0 Each
	106311	Hexagon nut M20x1.5 (plastic) (valid from 08/13/2018)	1.0 Each
	106868	Power switch bipolar 16A B4MASK-series (valid from 08/13/2018)	1.0 Each
	146902	FIXING COLLAR (valid from 08/13/2018)	1.0 Each
	105900	Thermostat capillar 55.18022.040 35-130° (valid from 08/13/2018)	1.0 Each
	267063	Seal for controller + switch (valid from 08/13/2018)	1.0 Each
	374171	Knob model 591 (valid from 08/13/2018)	1.0 Each




Image	Code	Name	Quantity in device
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 08/14/2018)	1.0 Each
	<u>105901</u>	Cable harness 2 SHE 21-26 (valid from 08/13/2018)	1.0 Each
	<u>146753</u>	Tubular heater 20.29739.000 900W (valid from 08/13/2018)	2.0 Each
	<u>294909</u>	FIXING LINK FOR PIPE RADIATOR (valid from 08/13/2018)	8.0 Each
	<u>106942</u>	Spiral cable Switzerland 3x1,5 qmm (valid from 08/13/2018)	1.0 Each
	<u>106947</u>	Spiral cable England 3x1,5 qmm BL-450 (valid from 08/13/2018)	1.0 Each
	<u>106946</u>	Spiral cable Denmark 3x1,5 qmm BL-450 (valid from 08/13/2018)	1.0 Each
	<u>106944</u>	Spiral cable Australia 3x1,5 qmm 10A (valid from 08/13/2018)	1.0 Each
	<u>105194</u>	fixing clamp H3P-N66-NA (valid from 08/13/2018)	1.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each






Image	Code	Name	Quantity in device
	362533	Cast. whl. 125 DIN-PL CNS (valid from 08/13/2018)	2.0 Each
	362534	Cast. whl. 125 lock., DIN PL, CNS (valid from 08/13/2018)	2.0 Each
	373992	Cast. whl. 125 DIN galvanized (valid from 08/13/2018)	2.0 Each
	373991	Cast. whl. w. brake 125 DIN galvanized (valid from 08/13/2018)	2.0 Each
	146581	Cover hood 315 (valid from 08/13/2018)	2.0 Each
	374069	Corner guard bottom part (valid from 08/13/2018)	4.0 Each
	374064	Corner guard top part, closed (valid from 08/13/2018)	4.0 Each
	374065	Corner guard top part, open (valid from 08/13/2018)	1.0 Each
	383039	Sidebar guard L 603 (valid from 08/14/2018)	2.0 Each
	374150	Sidebar guard L 795 (valid from 08/13/2018)	1.0 Each
	374143	Sidebar guard L 273 (valid from 08/13/2018)	2.0 Each

Image	Code	Name	Quantity in device
	374061	Holder bumper guard L 273 (valid from 08/13/2018)	2.0 Each
	374474	Holder bumper guard L 596 (valid from 08/14/2018)	2.0 Each
	374149	Holder bumper guard L 795 (valid from 08/14/2018)	1.0 Each
	374155	Tube D28x1,0-320 (valid from 08/13/2018)	1.0 Each
	372911	body for push handle holder (valid from 05/09/2019)	2.0 Each
	372912	Cover push handle holder right, logo (valid from 05/09/2019)	1.0 Each
	372913	Cover push handle holder left, logo (valid from 05/09/2019)	1.0 Each
	298743	PLUG 30 ROUND PE BLACK (valid from 08/13/2018)	2.0 Each
	106184	Warning sign hot surface (valid from 08/13/2018)	1.0 Each