

Sparepart documentation



UNI 58/58

Prod. No.: 383390

Product details:

Universal dispenser, unheated, closed model, corrosion-resistant
stainless steel
Capacity: dependent on type of dishes
Stacking height: with hooded cover: 680 mm without hooded cover: 540
mm

Spareparts





Image	Code	Name	Quantity in device
	146302	Tension spring 20GR (valid from 05/09/2019)	10.0 Each
	364829	Tray cpl. 58/58 perforated (valid from 05/09/2019)	1.0 Each
	146285	BEARING,STEEL- (valid from 05/09/2019)	4.0 Each
	379653	Guidance rod D16-780 (valid from 05/09/2019)	8.0 Each
	386501	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	386502	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	362533	Cast. whl. 125 DIN-PL CNS (valid from 05/09/2019)	2.0 Each


Image	Code	Name	Quantity in device
	362534	Cast. whl. 125 lock., DIN PL, CNS (valid from 05/09/2019)	2.0 Each
	373992	Cast. whl. 125 DIN galvanized (valid from 05/09/2019)	2.0 Each
	373991	Cast. whl. w. brake 125 DIN galvanized (valid from 05/09/2019)	2.0 Each
	296814	Cover hood square 58/58 (valid from 05/09/2019)	1.0 Each
	374069	Corner guard bottom part (valid from 05/09/2019)	4.0 Each
	383090	Holder bumper guard L 453 (valid from 05/09/2019)	2.0 Each
	383092	Holder bumper guard L 523 (valid from 05/09/2019)	2.0 Each
	383094	Sidebar guard L 453 (valid from 05/09/2019)	2.0 Each
	383432	Sidebar guard L 523 (valid from 05/09/2019)	2.0 Each
	374065	Corner guard top part, open (valid from 05/09/2019)	4.0 Each
	374064	Corner guard top part, closed (valid from 05/09/2019)	4.0 Each
	383544	Tube D28x1,0-500 (valid from 05/09/2019)	1.0 Each
	372911	body for push handle holder (valid from 05/09/2019)	2.0 Each

Image	Code	Name	Quantity in device
	<u>372912</u>	Cover push handle holder right, logo (valid from 05/09/2019)	1.0 Each
	<u>372913</u>	Cover push handle holder left, logo (valid from 05/09/2019)	1.0 Each
	<u>372914</u>	Cover push handle holder without logo (valid from 05/09/2019)	2.0 Each
	<u>383541</u>	Push handle Objekt 630 (valid from 05/09/2019)	1.0 Each