

Sparepart documentation



BPT E 18 H

Prod. No.: 386606








Product details:










B.PROTHERM E 18 x 1/1 heated
B.PROTHERM E food transport container 1/1, convection-heated
Made of corrosion-resistant steel, with hinged door, mobile.
18 pairs of support ledges
Space between ledges: 38.3 mm
Temperature range adjustable between +30 °C and +95 °C.
Mains frequency: 50/60 Hz













Spareparts

| Image | Code | Name | Quantity in device |
|-------|------------------------|--|--------------------|
| | 388087 | Insert (valid from 01/27/2022) | 1.0 Each |
| | 386859 | Adapter (valid from 01/27/2022) | 4.0 Each |
| | 386646 | Spring VD-165 (valid from 07/28/2022) | 1.0 Each |
| | 246508 | Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022) | 2.0 Each |
| | 388101 | Comfort opening right without drawbar (valid from 01/27/2022) | 1.0 Each |
| | 144218 | PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022) | 2.0 Each |
| | 83031 | washer A 8.4 DIN 125 brass (valid from 09/07/2022) | 3.0 Each |
| | 388136 | Mounting bracket 80° (valid from 01/27/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>386649</u> | Corpus hinge top right (valid from 01/27/2022) | 1.0 Each |
|  | <u>374840</u> | Rubber buffer D25xh12-d5 (valid from 01/27/2022) | 1.0 Each |
|  | <u>387315</u> | Tube D28x1 L=268 (valid from 01/28/2022) | 1.0 Each |
|  | <u>372911</u> | body for push handle holder (valid from 01/28/2022) | 2.0 Each |
|  | <u>372913</u> | Cover push handle holder left, logo (valid from 01/28/2022) | 1.0 Each |
| | <u>372912</u> | Cover push handle holder right, logo (valid from 01/28/2022) | 1.0 Each |
|  | <u>386652</u> | Hinge (valid from 01/27/2022) | 1.0 Each |
|  | <u>387303</u> | Warm module cpl. 760W (valid from 01/27/2022) | 1.0 Each |
|  | <u>107469</u> | Radial Fan R2K150/0020-4218 (valid from 01/28/2022) | 1.0 Each |
| | <u>388233</u> | Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022) | 1.0 Each |






| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 107673 | Tubular heater 760W 20.43035.000 (valid from 01/28/2022) | 1.0 Each |
|  | 107694 | Temperature sensor PT1000_B. PROTHERM (valid from 01/28/2022) | 1.0 Each |
|  | 105805 | Safety temperature limiter 135 °C (valid from 01/28/2022) | 1.0 Each |
|  | 386579 | mold without lock (valid from 01/27/2022) | 1.0 Each |
|  | 386581 | mold with lock (valid from 01/27/2022) | 1.0 Each |
| | 386673 | Lock (valid from 01/27/2022) | 1.0 Each |
|  | 70914 | Allen screw ISO 7380 M5x8 A2 m. FI. (valid from 01/27/2022) | 1.0 Each |
|  | 386903 | Key (valid from 01/27/2022) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
|  | 386771 | Spring cpl. (valid from 11/29/2022) | 1.0 Each |
|  | 388138 | Knob cpl. (valid from 01/27/2022) | 1.0 Each |
|  | 386565 | Door handle (valid from 01/27/2022) | 1.0 Each |
| | 387941 | Emergency opening (valid from 12/02/2024) | 1.0 Each |
|  | 377734 | Pressure spring VD-180-07 (valid from 08/03/2022) | 2.0 Each |
| | 386562 | Cover (valid from 01/27/2022) | 1.0 Each |
|  | 389058 | Bushing (valid from 01/27/2022) | 1.0 Each |
|  | 386778 | Seal (valid from 01/27/2022) | 2.228 Meter |
|  | 389005 | Ventilation flap (valid from 08/09/2024) | 1.0 Each |
|  | 365428 | O-RING, 67.00 X 1.50 EPDM70 (valid from 01/27/2022) | 1.0 Each |
|  | 386580 | Retaining tube for ventilation flap (valid from 01/27/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 386547 | Display Mount (valid from 01/27/2022) | 1.0 Each |
|  | 107664 | BPT Display (valid from 01/27/2022) | 1.0 Each |
|  | 386476 | Display Foil Atlas (valid from 01/27/2022) | 1.0 Each |
|  | 369654 | Plug holder universal (valid from 01/27/2022) | 1.0 Each |
|  | 117766 | plastic cover ring for plug holder (valid from 01/27/2022) | 1.0 Each |
|  | 105429 | terminal block Wieland KL 24/3 SL (valid from 01/27/2022) | 1.0 Each |
|  | 107722 | BPT Power PCB (valid from 01/27/2022) | 1.0 Each |
| | 107666 | BPT Power PCB (max.) (valid from 01/31/2022) | 1.0 Each |
|  | 106304 | Cable gland M20x1.5 black (valid from 01/27/2022) | 1.0 Each |
|  | 106311 | Hexagon nut M20x1.5 (plastic) (valid from 01/27/2022) | 1.0 Each |
|  | 106708 | magnetic switch MK4-1A75-C-300W (valid from 01/27/2022) | 1.0 Each |
|  | 107692 | Decal equipotential bonding (valid from 01/27/2022) | 1.0 Each |
|  | 107682 | Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
| A black spiral cable with a standard UK three-pin plug at one end and a small black connector at the other. | 107683 | Spiral cable UK 3x1,5 qmm BL-570 (13A) (valid from 01/27/2022) | 1.0 Each |
| A black spiral cable with a standard Swiss three-pin plug at one end and a small black connector at the other. | 107684 | Spiral cable CH 3x1,5 qmm BL-570 (10A) (valid from 01/27/2022) | 1.0 Each |
| A black spiral cable with a standard Australian three-pin plug at one end and a small black connector at the other. | 107687 | Spiral cable AUS 3x1,5 qmm B-570 10A (valid from 01/27/2022) | 1.0 Each |
| A black spiral cable with a standard Danish three-pin plug at one end and a small black connector at the other. | 107689 | Spiral cable Denmark 3x1,5 qmm B-570 13A (valid from 01/27/2022) | 1.0 Each |
| A black plastic protective socket with a circular opening and a small black cover. | 107715 | Protective-socket Swiss-Standard T13 bla (valid from 01/27/2022) | 1.0 Each |
| A black plastic build-in socket with a circular opening and a small black cover. | 106803 | Build-in socket British standard (valid from 01/27/2022) | 1.0 Each |
| A grey plastic safety socket with a circular opening and a small black cover. | 106822 | Safety socket Denmark (valid from 01/27/2022) | 1.0 Each |
| A black plastic build-in socket with a circular opening and a small black cover. | 106737 | Build-in socket with pin (valid from 01/27/2022) | 1.0 Each |
| A black plastic socket outlet with a circular opening and a small black cover. | 107716 | Socket outlet protective contact-black (valid from 01/27/2022) | 1.0 Each |
| A black plastic seal for ABL electrical outlets. | 106891 | seal for ABL electrical outlets (valid from 01/27/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 386501 | Swivel castor 125 lock., DIN-PL (gray) (valid from 01/27/2022) | 2.0 Each |
|  | 382548 | Fixed wheel 125 DIN-PL, PA (gray) (valid from 01/27/2022) | 2.0 Each |
|  | 362534 | Cast. whl. 125 lock., DIN PL, CNS (valid from 01/27/2022) | 2.0 Each |
|  | 368461 | Fixed wheel 125 DIN-PL crs. CNS (valid from 01/27/2022) | 2.0 Each |
|  | 386514 | Swivel castor 125 lock, DIN-PL, PA, anti. (valid from 01/27/2022) | 2.0 Each |
|  | 389841 | Bearing plate (valid from 08/21/2024) | 2.0 Each |
|  | 373392 | Castor wheel with brake LE-VPP160R-FI-SG (valid from 01/27/2022) | 2.0 Each |
|  | 373393 | FIXED WHEEL B-VPP 160R-SG (valid from 01/27/2022) | 2.0 Each |
|  | 373593 | Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 01/27/2022) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|--|-------------------------------|---|--------------------|
|  | <u>373594</u> | Fixed castor B-POEV 160R-SG 843899 (valid from 01/27/2022) | 2.0 Each |
|  | <u>146794</u> | CASTER WHEEL LX-VPP 160XR-FI-SG (valid from 01/27/2022) | 2.0 Each |
|  | <u>146795</u> | FIXED WHEEL BX-VPP 160XR-SG (valid from 01/27/2022) | 2.0 Each |
|  | <u>373398</u> | Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 01/27/2022) | 2.0 Each |
|  | <u>373399</u> | WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 01/27/2022) | 2.0 Each |
| | <u>387316</u> | 4-sided gallery undercounter (valid from 01/28/2022) | 1.0 Each |
| | <u>387317</u> | 3-sided gallery undercounter (valid from 01/28/2022) | 1.0 Each |