

Sparepart documentation








BPT E 2 x 16 combi H/N banquet









Prod. No.: 386620








Product details:









B.PROTHERM E 2 x 16 x 2/1 combi heated/neutral banquet
B. PROTHERM E food transport container 2/1, convection-heated /neutral
Made of corrosion-resistant steel, with hinged doors, mobile.
2 x 16 pairs of support ledges
Space between ledges: 38.3 mm
upper compartment: convection-heated,
temperature range adjustable between +30 °C and +95 °C
lower compartment: neutral
Mains frequency: 50/60 Hz












Spareparts










| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
| | 388087 | Insert (valid from 03/16/2022) | 1.0 Each |
| | 388090 | Pan cpl. (valid from 09/16/2022) | 1.0 Each |
|  | 388101 | Comfort opening right without drawbar (valid from 03/16/2022) | 1.0 Each |
|  | 144218 | PLUG-LAMINATE- 40X40X1,25 SERIES 120 (valid from 09/07/2022) | 2.0 Each |
|  | 83031 | washer A 8.4 DIN 125 brass (valid from 09/07/2022) | 3.0 Each |
| | 388104 | Comfort opening right with drawbar (valid from 09/12/2022) | 1.0 Each |
|  | 386646 | Spring VD-165 (valid from 07/28/2022) | 1.0 Each |
|  | 246508 | Pressure spring D-180-03 FA. GUTEKUNST (valid from 07/28/2022) | 2.0 Each |











| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 388136 | Mounting bracket 80° (valid from 03/16/2022) | 2.0 Each |
|  | 386649 | Corpus hinge top right (valid from 03/16/2022) | 1.0 Each |
|  | 384619 | Grip (valid from 03/16/2022) | 1.0 Each |
|  | 387488 | Cover cap (valid from 03/16/2022) | 1.0 Each |
|  | 284644 | magnet KR-27-16-05-N (valid from 03/16/2022) | 1.0 Each |
|  | 386786 | Tube D28x1 L=586,4 (valid from 03/16/2022) | 1.0 Each |
|  | 372911 | body for push handle holder (valid from 03/16/2022) | 2.0 Each |
|  | 372913 | Cover push handle holder left, logo (valid from 03/16/2022) | 1.0 Each |
| | 372912 | Cover push handle holder right, logo (valid from 03/16/2022) | 1.0 Each |
|  | 386652 | Hinge (valid from 03/16/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 387418 | Hinge cmpl. (valid from 03/16/2022) | 1.0 Each |
|  | 387411 | Partition bar cpl. (valid from 03/16/2022) | 1.0 Each |
|  | 387165 | Warm module cpl. 950 W (valid from 03/16/2022) | 1.0 Each |
|  | 107469 | Radial Fan R2K150/0020-4218 (valid from 03/16/2022) | 1.0 Each |
| | 388233 | Spring 6,9x8 VD_063H_20_1 (valid from 11/02/2022) | 1.0 Each |
|  | 107672 | Tubular heater 950W 20.43035.010 (valid from 03/16/2022) | 1.0 Each |
|  | 107694 | Temperature sensor PT1000_B. PROTHERM (valid from 03/16/2022) | 1.0 Each |
|  | 105805 | Safety temperature limiter 135 °C (valid from 03/16/2022) | 1.0 Each |
| | 387945 | Evaporator pan cpl. (valid from 09/16/2022) | 1.0 Each |
| | 107667 | Vibratory pump 230-240V/50HZ (valid from 09/16/2022) | 1.0 Each |
| | 107669 | Pump NME1 220V 60Hz (valid from 09/16/2022) | 1.0 Each |
| | 387593 | Hose silicone ID 6 mm (valid from 09/16/2022) | 0.25 Meter |
| | 387592 | Hose silicone ID 8mm (valid from 09/16/2022) | 0.6 Meter |






| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
|  | 106303 | Screw joint, M16 black (valid from 09/16/2022) | 1.0 Each |
|  | 106310 | Hexagon nut, M16 (synthetic) (valid from 09/16/2022) | 1.0 Each |
|  | 107680 | Humidity sensor SP1 (HS13) (valid from 09/16/2022) | 1.0 Each |
|  | 386579 | mold without lock (valid from 03/16/2022) | 1.0 Each |
|  | 386581 | mold with lock (valid from 03/16/2022) | 1.0 Each |
| | 386673 | Lock (valid from 03/16/2022) | 1.0 Each |
|  | 70914 | Allen screw ISO 7380 M5x8 A2 m. FI. (valid from 03/16/2022) | 1.0 Each |
|  | 386903 | Key (valid from 03/16/2022) | 2.0 Each |
|  | 386771 | Spring cpl. (valid from 11/29/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>388138</u> | Knob cpl. (valid from 03/16/2022) | 1.0 Each |
|  | <u>386565</u> | Door handle (valid from 03/16/2022) | 1.0 Each |
| | <u>387941</u> | Emergency opening (valid from 12/02/2024) | 1.0 Each |
|  | <u>377734</u> | Pressure spring VD-180-07 (valid from 08/03/2022) | 2.0 Each |
| | <u>386562</u> | Cover (valid from 03/16/2022) | 1.0 Each |
|  | <u>284700</u> | magnet KV-25-25-13-N (valid from 04/19/2022) | 1.0 Each |
|  | <u>389058</u> | Bushing (valid from 03/16/2022) | 1.0 Each |
|  | <u>386778</u> | Seal (valid from 03/16/2022) | 2.509 Meter |
|  | <u>386547</u> | Display Mount (valid from 03/16/2022) | 1.0 Each |
|  | <u>107664</u> | BPT Display (valid from 03/16/2022) | 1.0 Each |
|  | <u>386476</u> | Display Foil Atlas (valid from 03/16/2022) | 1.0 Each |
|  | <u>369654</u> | Plug holder universal (valid from 03/16/2022) | 1.0 Each |
|  | <u>117766</u> | plastic cover ring for plug holder (valid from 03/16/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 105429 | terminal block Wieland KL 24/3 SL (valid from 03/16/2022) | 1.0 Each |
|  | 107722 | BPT Power PCB (valid from 03/16/2022) | 1.0 Each |
| | 107666 | BPT Power PCB (max.) (valid from 03/16/2022) | 1.0 Each |
|  | 106304 | Cable gland M20x1.5 black (valid from 03/16/2022) | 1.0 Each |
|  | 106311 | Hexagon nut M20x1.5 (plastic) (valid from 03/16/2022) | 1.0 Each |
|  | 106708 | magnetic switch MK4-1A75-C-300W (valid from 03/16/2022) | 1.0 Each |
|  | 107692 | Decal equipotential bonding (valid from 03/16/2022) | 1.0 Each |
|  | 107682 | Spiral cable Europe 3x1,5 qmm BL-570 (valid from 05/23/2022) | 1.0 Each |
|  | 107683 | Spiral cable UK 3x1,5 qmm BL-570 (13A) (valid from 03/16/2022) | 1.0 Each |
|  | 107684 | Spiral cable CH 3x1,5 qmm BL-570 (10A) (valid from 03/16/2022) | 1.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|---|--------------------|
|  | 107687 | Spiral cable AUS 3x1,5 qmm B-570 10A (valid from 03/16/2022) | 1.0 Each |
|  | 107689 | Spiral cable Denmark 3x1,5 qmm B-570 13A (valid from 03/16/2022) | 1.0 Each |
|  | 107715 | Protective-socket Swiss-Standard T13 bla (valid from 03/16/2022) | 1.0 Each |
|  | 106803 | Build-in socket British standard (valid from 03/16/2022) | 1.0 Each |
|  | 106822 | Safety socket Denmark (valid from 03/16/2022) | 1.0 Each |
|  | 106737 | Build-in socket with pin (valid from 03/16/2022) | 1.0 Each |
|  | 107716 | Socket outlet protective contact-black (valid from 03/16/2022) | 1.0 Each |
|  | 106891 | seal for ABL electrical outlets (valid from 03/16/2022) | 1.0 Each |
|  | 373397 | Swivel castor LEX-POEV 160XR-SG-844624 (valid from 03/16/2022) | 2.0 Each |
|  | 373398 | Swivel castor LEX-POEV 160XR-SG-FI-84462 (valid from 03/16/2022) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|------------------------|--|--------------------|
|  | 373399 | WHEEL, FIXED-BX-POEV 160XR-SG-844626 (valid from 03/16/2022) | 2.0 Each |
|  | 373393 | FIXED WHEEL B-VPP 160R-SG (valid from 03/16/2022) | 2.0 Each |
|  | 373593 | Swivel castor LE-POEV 160R-FI-SG 843898 (valid from 09/14/2022) | 2.0 Each |
|  | 373594 | Fixed castor B-POEV 160R-SG 843899 (valid from 09/14/2022) | 2.0 Each |
|  | 373394 | CASTER WHEEL LE-VPP 200R-SG (valid from 03/16/2022) | 2.0 Each |
|  | 373395 | CASTER WHEEL LE-VPP 200R-FI-SG (valid from 03/16/2022) | 2.0 Each |
|  | 373396 | FIXED WHEEL B-VPP 200R-SG- 763618 (valid from 03/16/2022) | 2.0 Each |
|  | 373400 | WHEEL, CASTER-LEX-POEV 200XR-SG-844628 (valid from 03/16/2022) | 2.0 Each |

| Image | Code | Name | Quantity in device |
|---|-------------------------------|---|--------------------|
|  | <u>373401</u> | WHEEL, CASTER LEX-POEV 200XR-SG-844629 (valid from 03/16/2022) | 2.0 Each |
|  | <u>373402</u> | Fixed castor BX-POEV 200XR-SG-844630 (valid from 03/16/2022) | 2.0 Each |
|  | <u>373391</u> | Castor wheel LE-VPP 160R-SG (valid from 03/16/2022) | 2.0 Each |
|  | <u>373392</u> | Castor wheel with brake LE-VPP160R-FI-SG (valid from 03/16/2022) | 2.0 Each |
|  | <u>387238</u> | 3-sided gallery for BPT E banquet (valid from 03/16/2022) | 1.0 Each |
|  | <u>387233</u> | 4-sided gallery for BPT E banquet (valid from 03/16/2022) | 1.0 Each |