

Sparepart documentation



Plate dispenser 2 SHV 21-26 to 03.2013

Prod. No.: 572166

Product details:

+++ Please note:

Model will phase-out on 31.12.2012

+++

The new generation of plate dispensers assures high
level of flexibility, improved energy efficiency,
safe handling and was awarded with the red dot design
award 2012.

Spareparts

Image	Code	Name	Quantity in device
	376900	Plate guide complete RAL7043 (valid from 03/18/2014)	8.0 Each
	376904	Cover cap RAL 7043 (valid from 03/18/2014)	4.0 Each
	147973	Carrier small (valid from 09/23/2002)	2.0 Each
	146304	Tension spring 4GR (valid from 09/23/2002)	8.0 Each
	146305	Tension spring 8GR (valid from 09/23/2002)	16.0 Each
	147971	Basket small (valid from 09/23/2002)	2.0 Each
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	105913	Radial fan R2A 150-AC01-21 (valid from 09/23/2002)	1.0 Each

Image	Code	Name	Quantity in device
	<u>105708</u>	Tubular heater 1800W Nr. 20.28907.000 (valid from 09/23/2002)	1.0 Each
	<u>369654</u>	Plug holder universal (valid from 03/17/2008)	1.0 Each
	<u>117766</u>	plastic cover ring for plug holder (valid from 10/02/2008)	1.0 Each
	<u>107650</u>	Spiral cable Europe 3x1,5 qmm WG BL-650 (valid from 03/03/2021)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 09/23/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 09/23/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 03/07/2008)	1.0 Each
	<u>146902</u>	FIXING COLLAR (valid from 09/23/2002)	1.0 Each
	<u>106344</u>	Temp. guard 135°C KO 340-135-03-A (valid from 09/23/2002)	1.0 Each
	<u>105900</u>	Thermostat capillar 55.18022.040 35-130° (valid from 09/23/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 09/23/2002)	1.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 09/23/2002)	1.0 Each



Image	Code	Name	Quantity in device
	297578	TEMP.-LIMITER 150°C KB 344-150-05-A (valid from 09/23/2002)	1.0 Each
	106348	Cable harness, CHV/2SHV/UNI-H (valid from 09/23/2002)	1.0 Each
	386502	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	386501	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	146581	Cover hood 315 (valid from 09/23/2002)	2.0 Each
	376812	Corner guard closed RAL7043 (valid from 03/18/2014)	4.0 Each
	376371	Plug corner guard RAL 7043 (valid from 03/18/2014)	16.0 Each
	146680	EXPAND. NUT 72.30.459 F. SHEET SCR. 4.2 (valid from 09/23/2002)	12.0 Each
	363257	Pipe 32x1,5x 412 Fixl. 1.4301 GSL 220 K (valid from 09/23/2002)	1.0 Each
	376808	Push-handle holder right RAL7043 (valid from 03/17/2014)	1.0 Each
	376809	Push-handle holder left RAL7043 (valid from 03/17/2014)	1.0 Each
	81320	Tapping screw ISO7051-ST4,2x19 (valid from 09/23/2002)	4.0 Each

Image	Code	Name	Quantity in device
	<u>376810</u>	Cover for right. push hand., grey RAL7043 <i>(valid from 03/17/2014)</i>	1.0 Each
	<u>376811</u>	Cover for left push hand., grey RAL7043 <i>(valid from 03/17/2014)</i>	1.0 Each
	<u>298743</u>	PLUG 30 ROUND PE BLACK <i>(valid from 09/23/2002)</i>	2.0 Each
	<u>106184</u>	Warning sign hot surface <i>(valid from 09/23/2002)</i>	1.0 Each