

Sparepart documentation

Kein Bild

2 SHVS 26

Prod. No.: 572908

Product details:

Dispenser for heat-retaining lower bases
Made of corrosion-resistant stainless steels
heatable (convection)
Capacity: 98 heat-retaining lower bases
basic model 367507

PI

Spareparts

Image	Code	Name	Quantity in device
	106870	Temperature limiter 195°C Screw terminal (valid from 03/06/2008)	2.0 Each
	106695	Tubular heater (helix), 1,500 W (valid from 05/08/2006)	2.0 Each
	106188	Radial fan R2K 150 - AC 01 (34) (valid from 05/08/2006)	2.0 Each
	147973	Carrier small (valid from 05/08/2006)	2.0 Each
	147971	Basket small (valid from 05/08/2006)	2.0 Each
	146305	Tension spring 8GR (valid from 05/08/2006)	24.0 Each
	146304	Tension spring 4GR (valid from 05/08/2006)	4.0 Each

Image	Code	Name	Quantity in device
	367490	Guidance kpl. (valid from 05/08/2006)	8.0 Each
	83031	washer A 8.4 DIN 125 brass (valid from 05/08/2006)	2.0 Each
	705921	Locking latch cpl. (valid from 09/19/2019)	2.0 Each
	375405	Sealing frame cover SHVS (valid from 05/08/2006)	2.0 Each
	81293	Pan-head screw M5X3 DIN 923 1.4301 (valid from 03/02/2017)	4.0 Each
	146516	NUT,ROUNDHEAD- M5 (valid from 05/08/2006)	4.0 Each
	146517	flat-head screw M5x8 wrench opening 13 (valid from 05/08/2006)	4.0 Each
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	107095	Cable harness 2SHVS 1/N/PE (valid from 10/25/2010)	1.0 Each
	106871	Thermostat capillar 55.13129.070 145°C (valid from 03/05/2008)	2.0 Each
	106311	Hexagon nut M20x1.5 (plastic) (valid from 05/08/2006)	1.0 Each
	106304	Cable gland M20x1.5 black (valid from 05/08/2006)	1.0 Each



Image	Code	Name	Quantity in device
	<u>105429</u>	terminal block Wieland KL 24/3 SL (valid from 05/08/2006)	1.0 Each
	<u>107649</u>	Spiral cable Europe 3x1,5 qmmst WG (valid from 03/03/2021)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 03/04/2008)	1.0 Each
	<u>106909</u>	Switch 2pol. 20A/T 125 incl. Abd. (valid from 09/08/2008)	1.0 Each
	<u>369654</u>	Plug holder universal (valid from 04/03/2008)	1.0 Each
	<u>117766</u>	plastic cover ring for plug holder (valid from 10/02/2008)	1.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>376812</u>	Corner guard closed RAL7043 (valid from 03/18/2014)	4.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 03/18/2014)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCRW. 4.2 (valid from 05/08/2006)	12.0 Each

Image	Code	Name	Quantity in device
	<u>363257</u>	Pipe 32x1,5x 412 Fixl. 1.4301 GSL 220 K (valid from 05/08/2006)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>376809</u>	Push-handle holder left RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>81320</u>	Tapping screw ISO7051-ST4,2x19 (valid from 05/08/2006)	4.0 Each
	<u>376810</u>	Cover for rght. push hand., grey RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>376811</u>	Cover for left push hand., grey RAL7043 (valid from 03/17/2014)	1.0 Each
	<u>106184</u>	Warning sign hot surface (valid from 05/08/2006)	2.0 Each