

Sparepart documentation

Kein Bild

[2 SHE 26-31 GB](#)

Prod. No.: 574097

Product details:

Plate dispenser, statically heatable,
Capacity: approx. 120 plates,
26-31 cm dia.
basic model 362730

Spareparts

Image	Code	Name	Quantity in device
	376900	Plate guide complete RAL7043 (valid from 03/18/2014)	8.0 Each
	376904	Cover cap RAL 7043 (valid from 03/18/2014)	8.0 Each
	147974	Carrier large (valid from 09/23/2002)	2.0 Each
	146304	Tension spring 4GR (valid from 09/23/2002)	8.0 Each
	146305	Tension spring 8GR (valid from 09/23/2002)	24.0 Each
	147972	Basket big (valid from 09/23/2002)	2.0 Each
	385096	Seal 9x5,5 black (valid from 02/05/2020)	1.0 Meter
	369654	Plug holder universal (valid from 09/23/2002)	1.0 Each

Image	Code	Name	Quantity in device
	<u>106947</u>	Spiral cable England 3x1,5 qmm BL-450 (valid from 09/01/2004)	1.0 Each
	<u>106304</u>	Cable gland M20x1.5 black (valid from 09/23/2002)	1.0 Each
	<u>106311</u>	Hexagon nut M20x1.5 (plastic) (valid from 09/23/2002)	1.0 Each
	<u>106868</u>	Power switch bipolar 16A B4MASK-series (valid from 09/23/2002)	1.0 Each
	<u>146902</u>	FIXING COLLAR (valid from 09/23/2002)	1.0 Each
	<u>105900</u>	Thermostat capillar 55.18022.040 35-130° (valid from 09/23/2002)	1.0 Each
	<u>267063</u>	Seal for controller + switch (valid from 09/23/2002)	1.0 Each
	<u>292846</u>	Toggle dia. 42 with labelling (valid from 09/23/2002)	1.0 Each
	<u>105805</u>	Safety temperature limiter 135 °C (valid from 09/23/2002)	1.0 Each
	<u>105279</u>	Cable harness 2 SHE 26-31 heating (valid from 09/23/2002)	1.0 Each
	<u>146753</u>	Tubular heater 20.29739.000 900W (valid from 09/23/2002)	2.0 Each
	<u>294909</u>	FIXING LINK FOR PIPE RADIATOR (valid from 09/23/2002)	8.0 Each


Image	Code	Name	Quantity in device
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	<u>146582</u>	Cover hood 365 (valid from 09/23/2002)	2.0 Each
	<u>376812</u>	Corner guard closed RAL7043 (valid from 09/23/2002)	4.0 Each
	<u>376371</u>	Plug corner guard RAL 7043 (valid from 09/23/2002)	16.0 Each
	<u>146680</u>	EXPAND. NUT 72.30.459 F. SHEET SCR. 4.2 (valid from 09/23/2002)	12.0 Each
	<u>363257</u>	Pipe 32x1,5x 412 Fixl. 1.4301 GSL 220 K (valid from 09/23/2002)	1.0 Each
	<u>376808</u>	Push-handle holder right RAL7043 (valid from 09/23/2002)	1.0 Each
	<u>376809</u>	Push-handle holder left RAL7043 (valid from 09/23/2002)	1.0 Each
	<u>81320</u>	Tapping screw ISO7051-ST4,2x19 (valid from 11/25/2002)	4.0 Each
	<u>376810</u>	Cover for right. push hand., grey RAL7043 (valid from 11/25/2002)	1.0 Each

Image	Code	Name	Quantity in device
	<u>376811</u>	Cover for left push hand., grey RAL7043 <i>(valid from 11/25/2002)</i>	1.0 Each
	<u>298743</u>	PLUG 30 ROUND PE BLACK <i>(valid from 09/23/2002)</i>	2.0 Each
	<u>106184</u>	Warning sign hot surface <i>(valid from 09/23/2002)</i>	1.0 Each