

Sparepart documentation



BPT 620 KBRUH-F red

Prod. No.: 574596

Product details:

B.PROTHERM 620 KBRUH-F
Synthetic food transport container, convection-heated;
with hinged door, can be swivelled 270°; mobile.
12 pairs of support ledges
Space between ledges: 39 mm
Temperature range adjustable between +40 °C and +85 ° C
Mains frequency: 50/60 Hz

Capacity: 3x GN 1/1-150 or its subdivisions

Basic model: 380912

Spareparts

Image	Code	Name	Quantity in device
	121660	Rep-kit handles for BPT 420/620 K red (valid from 03/20/2017)	2.0 Each
	134030	Rep-Set BPT 420/620 Griff gelasert 2 Stk (valid from 08/20/2019)	1.0 Each
	121700	Rep-Set BPT 620/420 fastener from 7/10 r (valid from 03/20/2017)	1.0 Each
	121703	Rep-Set BPT 420/620 hinge from 03/13 red (valid from 03/20/2017)	1.0 Each
	134258	Rep set BPT 420/620 hinge door red (valid from 09/30/2024)	1.0 Each
	121693	rep-kit BPT 420/620 KBRUH heater mod. V4 (valid from 03/20/2017)	1.0 Each
	134290	Conversion kit BPT 420/620 KBRUHE HM red (valid from 02/11/2026)	1.0 Each



Image	Code	Name	Quantity in device
	<u>118558</u>	BPT KB(R)UH, radial fan, air duct (valid from 03/20/2017)	1.0 Each
	<u>118731</u>	Rep-Set BPT KB(R)UH fan Heater.-PTC (valid from 03/20/2017)	1.0 Each
	<u>118732</u>	Rep-kit air channel BPT 420/620 KB(R)UH (valid from 03/20/2017)	1.0 Each
	<u>121803</u>	Rep-Set BPT KB(R)UH Electrical housing (valid from 09/17/2018)	1.0 Each
	<u>107012</u>	BPT KB(R)UH radial fan V0 to V4 (valid from 03/20/2017)	1.0 Each
	<u>121678</u>	Rep-Set 420/620 KBRUH control unit red (valid from 03/20/2017)	1.0 Each
	<u>375799</u>	BPT K Condensate drain for mobile RAL704 (valid from 01/11/2024)	1.0 Each
	<u>386502</u>	Swivel castor 125, DIN-PL, (gray) (valid from 08/24/2022)	2.0 Each
	<u>386501</u>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<u>121709</u>	Rep-kit corners BPT 420/620K red (valid from 03/20/2017)	1.0 Each

Image	Code	Name	Quantity in device
	<u>121706</u>	rep-kit BPT K plugs red (8 pieces) <i>(valid from 03/20/2017)</i>	1.0 Each
	<u>121804</u>	Rep. Set BPT power cord L=2,2m <i>(valid from 09/17/2018)</i>	1.0 Each