

# Sparepart documentation



## BPT E 36 (30) C

**Prod. No.:** 575204

### **Product details:**

B.PROTHERM E 36 (30) x 1/1 cooled  
B.PROTHERM E food transport container 1/1, convection-cooled,  
made of corrosion-resistant steel, with hinged door, mobile.  
36 support ledges: 30 x 1/1 and 6 x 1/2.  
Space between ledges: 38.3 mm  
Temperature range adjustable between +2 °C and +10 °C.  
Refrigerant: propane R290  
Mains frequency: 50/60 Hz  
Base model 386610

## Spareparts







Image	Code	Name	Quantity in device
	<a href="#">386752</a>	Mounting bracket (valid from 10/05/2021)	1.0 Each
	<a href="#">386649</a>	Corpus hinge top right (valid from 10/05/2021)	1.0 Each
	<a href="#">386724</a>	Filter (valid from 10/05/2021)	1.0 Each
	<a href="#">374840</a>	Rubber buffer D25xh12-d5 (valid from 10/05/2021)	1.0 Each
	<a href="#">386867</a>	Tube Ø25x1,0 L=586,4 (valid from 10/05/2021)	1.0 Each
	<a href="#">386569</a>	body for push handle holder Ø25 (valid from 10/05/2021)	2.0 Each

Image	Code	Name	Quantity in device
	<a href="#"><u>372913</u></a>	Cover push handle holder left, logo (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>372912</u></a>	Cover push handle holder right, logo (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>386652</u></a>	Hinge (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>83031</u></a>	washer A 8.4 DIN 125 brass (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>149200</u></a>	Axial fan 4656 ZWU 230VAC (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>134246</u></a>	Condenser Fan of Cooling Modul with R290 (valid from 03/19/2024)	1.0 Each
	<a href="#"><u>149785</u></a>	Condenser Fan of Cooling Modul with R290 (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>386715</u></a>	Condensate pan cpl. (valid from 10/05/2021)	1.0 Each
	<a href="#"><u>386579</u></a>	mold without lock (valid from 10/06/2021)	1.0 Each






Image	Code	Name	Quantity in device
	<a href="#">386767</a>	Push Rod 36 <i>(valid from 10/06/2021)</i>	1.0 Each
	<a href="#">386771</a>	Spring cpl. <i>(valid from 10/06/2021)</i>	1.0 Each
	<a href="#">386565</a>	Door handle <i>(valid from 10/06/2021)</i>	1.0 Each
	<a href="#">387941</a>	Emergency opening <i>(valid from 03/11/2026)</i>	1.0 Each
	<a href="#">386562</a>	Cover <i>(valid from 10/06/2021)</i>	1.0 Each
	<a href="#">389058</a>	Bushing <i>(valid from 10/06/2021)</i>	1.0 Each
	<a href="#">377734</a>	Pressure spring VD-180-07 <i>(valid from 10/06/2021)</i>	1.0 Each





















Image	Code	Name	Quantity in device
	<a href="#">386778</a>	Seal (valid from 10/06/2021)	3.648 Meter
	<a href="#">386547</a>	Display Mount (valid from 10/05/2021)	1.0 Each
	<a href="#">107664</a>	BPT Display (valid from 10/05/2021)	1.0 Each
	<a href="#">386476</a>	Display Foil Atlas (valid from 10/05/2021)	1.0 Each
	<a href="#">369654</a>	Plug holder universal (valid from 10/05/2021)	1.0 Each
	<a href="#">117766</a>	plastic cover ring for plug holder (valid from 10/13/2021)	1.0 Each
	<a href="#">107694</a>	Temperature sensor PT1000_B. PROTHERM (valid from 10/05/2021)	1.0 Each
	<a href="#">106302</a>	Screwed cable gland, M12 PVC black (valid from 10/05/2021)	1.0 Each
	<a href="#">106309</a>	SkinTop cable screw jnt., Nut M12 PVC (valid from 10/05/2021)	1.0 Each
	<a href="#">105429</a>	terminal block Wieland KL 24/3 SL (valid from 10/05/2021)	1.0 Each
	<a href="#">107722</a>	BPT Power PCB (valid from 03/16/2022)	1.0 Each
	<a href="#">107702</a>	Cable gland M20x1.5 BM-22 black (valid from 10/05/2021)	1.0 Each

Image	Code	Name	Quantity in device
	<a href="#">106311</a>	Hexagon nut M20x1.5 (plastic) (valid from 10/05/2021)	1.0 Each
	<a href="#">106708</a>	magnetic switch MK4-1A75-C-300W (valid from 10/05/2021)	1.0 Each
	<a href="#">107691</a>	Decal pressure (valid from 10/05/2021)	1.0 Each
	<a href="#">107692</a>	Decal equipotential bonding (valid from 10/05/2021)	1.0 Each
	<a href="#">107690</a>	Decal warning flammable material (valid from 10/20/2021)	1.0 Each
	<a href="#">107682</a>	Spiral cable Europe 3x1,5 qmm BL-570 (valid from 10/05/2021)	1.0 Each
	<a href="#">386501</a>	Swivel castor 125 lock., DIN-PL (gray) (valid from 08/24/2022)	2.0 Each
	<a href="#">382548</a>	Fixed wheel 125 DIN-PL, PA (gray) (valid from 10/06/2021)	2.0 Each